

**BITs**

**SPAX**<sup>®</sup>



*BITs T-STAR plus*



## SPAX-BITcheck for wood construction



### In connection with *T-STAR plus*

- positive and secure fit of the BIT and better driving, e. g. when working overhead
- better transmission of force
- long life
- quick threading
- better seating
- quicker access through colour coding


**SPAX-BITcheck**  
for wood construction *T-STAR plus*  
packing unit 10 BITcheck in a counter

SPAX-No. 5000009181409

EAN-No. 4003530241383

 2x **T 20**

 2x **T 40**

 2x **T 30**

 1x **T 50**



## SPAX-BIT-programme in the SPAX CUT-CASE

Positive and secure fit of the BIT and better driving,  
e. g. when working overhead.

### Characteristics:

- SPAX-BITs are specifically designed for Hand held screw drivers, Electric mains powered and battery screw drivers and even industrial pneumatic machines. SPAX-BITs give perfect fit as well as optimum hardness to ensure long life.
- SPAX bit holder and SPAX-BITs are top quality for the professional.
- SPAX-BITs *T-STAR plus* in the SPAX CUT-CASE.

Packages containing one type each:

10 boxes for hanging display each containing 5 pieces / 50 pieces per SPAX CUT-CASE at length: 25 mm.

10 boxes for hanging display each containing 5 pieces / 50 pieces per SPAX CUT-CASE at length: 50 mm.

- SPAX-BITs *T-STAR plus* T50  
in single box, sales unit of 5 boxes strapped



**SPAX-BITS  
T-STAR plus**

**25 mm length**

Holding fixture 1/4" hexagon

Blade size	<b>T 10</b>	<b>T 15</b>	<b>T 20</b>	<b>T 25</b>	<b>T 30</b>	<b>T 40</b>
For SPAX thread Ø [mm]	3.0	3.5	4.0	Decking	6.0	8.0
			4.5	5.0 for A2		
			5.0	5.5 for A4		
SPAX-No.	5000009182109	5000009182159	5000009182209	5000009182259	5000009182309	5000009182409
EAN-No.	4003530239632	4003530239649	4003530239656	4003530239663	4003530239670	4003530239687



**SPAX-BITS  
T-STAR plus**

**50 mm length**

Holding fixture 1/4" hexagon

Blade size	<b>T 10</b>	<b>T 15</b>	<b>T 20</b>	<b>T 25</b>	<b>T 30</b>	<b>T 40</b>
For SPAX thread Ø [mm]	3.0	3.5	4.0	Decking	6.0	8.0
			4.5	5.0 for A2		
			5.0	5.5 for A4		
SPAX-No.	5000009183109	5000009183159	5000009183209	5000009183259	5000009183309	5000009183409
EAN-No.	4003530192852	4003530192869	4003530192876	4003530192883	4003530192890	4003530192906



**SPAX-BIT  
T-STAR plus**

**35 mm length**

Holding fixture  
 1/4" hexagon

Blade size	<b>T 50</b>
For SPAX thread Ø [mm]	10.0 / 12.0
SPAX-No.	5077701516035
EAN-No.	4003530241918

**NEW!**

**SPAX®-BIT  
T-STAR plus®**


## The SPAX-BITcheck T-STAR plus

### In connection with T-STAR plus

- positive and secure fit of the BIT and better driving, e. g. when working overhead
- better transmission of force
- long life
- quick threading
- better seating
- quicker access through colour coding



### Functionality of the **Rapidaptor** with permanent magnet and **easy-out** mechanism



The quickest way  
to us:




## SPAX®-BIT T-STAR plus®


### SPAX-BITcheck T-STAR plus


packing unit 10 BITcheck in a counter display  
1x Rapidaptor bit holder 50 mm 


SPAX-No. 5000009181309


EAN-No. 4003530239922


 1x T 10

 1x T 25

 1x T 15

 1x T 30

 1x T 20

 1x T 40



## SPAX International GmbH & Co. KG

ALTENLOH, BRINCK & CO - GRUPPE

KÖLNER STRASSE 71-77 · D-58256 ENNEPetal · GERMANY

TEL + 49-23 33-799-0 · FAX + 49-23 33-799-199

info@spax.com · www.spax.com