AGC TACONIC

Taconic RF div. offers RF & mW PCB laminates for high-performance and high-frequency applications where electrical, thermal, mechanical or performance characteristics are required to exceed standard FR-4 materials.

GaAs & GaN power FETs, MMIC; die, SMT, and connectorized PAs. Also, Switches, Bias Tees, couplers, control devices. Frequencies DC-40Ghz www.amotech.co.kr

Multilayer/Broadband rf/mW Capacitors: Low ESR/High Q, high power; DC to 77 + Ghz. Sizes 10050-3838; 3 terminal filters; Ceramic & flex antennas, RF thermal sheet, vent membranes.

AMPLEON LDMOS / GaN transistors & devices up to 6GHz and 2000 watts. Applications for aerospace/defense, mobile broadband, broadcast, RF energy, ISM markets.

/inritsu

Thin-film metalized circuits on Alumina/AIN/Silica/Sapphire/Diamond substrates. Lines/Spaces to 2um. MicroElectronic assembly services inc. Chip & Wire; Test services up to 220Ghz.

micro MMIC and module devices – Broadband Amplifiers, Switches, Splitters, Freq to 40 Ghz. Digital and Analog Filters and Tuner Modules covering .1 to 40 Ghz, custom MCM modules.

Solid state PAs, switches, limiters, and integrated mw assemblies. Standard and customized products; connectorized modules and rack-mountable systems. 1MHz-18GHz; 1W to >30kW

to 30 different interfaces. Gang-Mount and Vita 67 blocks. HV/Power connectors.

Rf/mW and mmW connectors, adapters, and cable assemblies from DC to 110 Ghz: 1.0/1.8/2.9mm, SMP, SMA, BMA, MCX, MMCX, N, 7/16, BNC, TNC, SMB, SMC, SSMC, U.FL, up

www.agc-multimaterial.com

www.amcomusa.com

www.ampleon.com


www.atlantamicro.com

www.comtechpst.com

www.anritsu.com

www.deltarf.com









COMTECH





Electro-mechanical switches: Freq DC to 53 Ghz, throws to 12T, transfer and switch matrices. Custom designs and variety of options. Hi-rel life-cycle, commercial and Mil screened. KEYSIGHT drop-in replacements.

www.guerrilla-rf.com

GaAs MMIC gain blocks, PA drivers, LNAs, mixers and switches featuring industry leading linearity and low noise performance. Frequency .05 - 12GHz

www.kmictech.com

GaAs & GaN based power, low noise & limiting amplifiers, converters & multipliers, transceivers; Freq 500MHz-40GHz.

www.masttechnologies.com

RF, microwave absorber & EMI materials available in sheet stock; custom die-cut, liquid form for spraying or dipping, caulking and inks. Freq 1MHz-77GHz.

Micro-D and Nano style micro-miniature, high-density connectors & cable assemblies. Plastic &

www.min-e-con.com

www.mwtinc.com

GaAs and GaN RF FETs and amplifiers, low noise pHEMT devices, MMICs, hybrid, and connectorized RF modules for mil/aerospace and commercial applications. Freq up to 50GHz. AVAGO: EOL replacements. Space Qualified products.

www.nardamiteq.com

www.atmmicrowave.com

Components: Amplifiers (LNAs), Multipliers, Mixers, DROs, Couplers, Detectors, Dividers, Attn., Terminations; DC-40GHz SatCom: Converters, LNA Assemblies.

narda ATM

Coaxial & waveguide passive RF/mW products: couplers, attenuators, phase shifters, terminations. Standard / stock and custom including WG plumbing, components & adapters. Frequency DC to 40 GHz. Space Qualified.

narda

metal shells are qualified to M83513 specs.

Technology, Inc.

VAST

Min-E-Con





SUERRALL



Custom RF & mW filters & assemblies: BP/LP/HP LC, ceramic, Planar/Printed, Xtal in SMT and miniature package; SW filter banks, multi/diplexer assemblies. ISO 9001 certified. Freq DC to 40GHz. Space Qualified products.

RENAISSANCE

Millimeter Wave Products

Combined capabilities offers isolators/circulators (SMT to WG), E/M Coax switches and matrices, and a wide-range of control/passive components from DC thru 40Ghz. HXI has mmW products including LNA, Power Amps, mixers/converters, multipliers, switches, oscillators thru 110Ghz. Hi-Rel and Space gualified.



RF/mW components up through 40+Ghz; EM Switches (QPL), Filters; Broad range of passives in connectorized & SMT packages. Custom-engineered solutions. ITAR/ISO/AS9100

emi

www.psemi.com

(Formerly Peregrine) Ultra-CMOS SOIC:PLLs, mixers, DSAs, prescalers, limiters, switches, switch LNA, and WiFi frontends. Freq DC to 60GHz. Multi–function devices.

EMI, Thermal and Absorber materials: Complete Turnkey Solutions incl. Machining Services, FIP (form-in-place) EMI gasketing, Thermal Interface Pads & Jelly (up to 15W/mK), Rf Absorber

www.tennmaxusa.com

Precision chip resistors & networks, multi-layer capacitors, thermal pads, current sense and power resistors, attenuators, chip equalizers & filters, delay lines. Freq up to 40GHz; Sizes down to 01005.

GaAs, GaN, FET & MMIC Devices; LNAs, power amps, VCOs, mixers, multipliers & converters; Foundry services inc. Design/Custom Packaging. Freq 2-100GHz. Space Qualified products.





www.ums-rf.com

Pads & Dispensed options. ITAR registered; ISO/AS 9100.



Thin Film Technology Corp.

United Monolithic

Semiconductors



www.hxi.com

