SMART START INTERLOCKS



QLD ALCOHOL INTERLOCK PROGRAM



TABLE OF CONTENTS

QCIN-001 V1.6 July 2023

About Smart Start Inter	locks
-------------------------	-------

- 2 Privacy Policy
- 3 Release of Participant Data
- 4 SSI 20-20, SSI 20-30, SSI 20-35 Interlock Device
- Caring for your Device
- 6 How Do I Start the Vehicle?
- 7 How Do I Start the Vehicle?: Blow Technique
- 8 Troubleshooting
- 9 Display Messages
- Service Schedule Diagram
- 11 Random Rolling Retest Diagram
- 12 Common Causes of Unexpected Breath Sample Violations
- 13 General Advice
- 14 PROGRAM
- 15 About the QLD Performance-based Interlock Program
- 16 End of the Program Process
- 17 Program Violation Summary Report
- 18 Interlocks Fees
- 19 Concession Cards
- 20 Key Terms
- 21 Customer Feedback
- 22 Web & Social Media
- 23 Further Resources

Company information

Address: 31 Korong Road, Heidelberg West VIC 3081

Phone: 1300 256 900

Email: info@smartstartinterlocks.com.au Web site: www.smartstartinterlocks.com.au



SMARTSTART INTERLOCKS

ABOUT US

Smart Start Interlocks Australia is a proud distributor of Smart Start Inc. North America's leader in premier alcohol ignition interlock devices. Smart Start Interlocks have installed over 30,000 Alcohol Interlocks since 2009. We take pride in providing innovative and industry leading products and services which have received industry recognition from our customers, monitoring authorities and partners.

Smart Start Interlocks offers:

- Innovative and reliable technology used in programs overseas.
- Worldwide experience in alcohol interlock devices.
- Fuel cell Interlock devices.
- Reliable installations, servicing and reporting requirements.

55 Setting The Standard In Alcohol Monitoring Technology®

PRIVACY POLICY

Ajen Monitoring Systems trading as Smart Start Interlocks take privacy seriously. Ajen is committed to maintaining the privacy of personal information that is collected from customers, prospective employees, and all parties connected with Ajen.

The privacy policy document has been created so individuals can fully understand how their personal information is collected, managed and used in Ajen's business. Ajen is open and transparent about the data collected and how the data is used.

The document covers all activities of Ajen, and thus all activities of the subdivision Smart Start Interlocks and associated entities. Ajen handles personal information in a manner consistent with the objectives of the Australian Privacy Principles.

Privacy Policy Click Here

RELEASE OF PARTICIPANT DATA

Under the current re-licencing scheme, participants are required to allow Smart Start Interlocks to release their alcohol interlock data to relevant state authorities.

By signing the lease agreement form, the participant authorises Smart Start Interlocks to release, upon request, reports on the use of the device, or any other information or reports pertaining to the participation in, or compliance or non-compliance with the requirements of their state program, including such reports or information which may contain data of a personal nature which would otherwise be protected by law from disclosure.

This applies both to participants and to any third parties who use the vehicle.

Upon request participants can obtain a copy of their logged data by completing the online <u>Participant</u> <u>Data Request Form</u> found on the Smart Start web site.

Navigate to <u>www.smartstartinterlocks.com.au</u>, Support page, QLD, <u>Participant Data Release Form</u>.

SSI 20-20 INTERLOCK DEVICES





SSI 20-20 Key Functions

1 LCD	5 Curly Cord
2 Status LEDs	6 Air Vent
3 Keypad	7 Hanging Clip
4 Cord Strain Relief	8 Serial Number & Barcode

The Alcohol Interlock Device can be installed in most vehicles with engines. It prevents a vehicle from being started until an alcohol-free breath sample is provided. The Interlock device does not affect the engine's operation and cannot turn your engine off once it is running. Alcohol Interlock installations may include a camera (depending on your state) mounted to the vehicle to verify

the identity of the person in the driver's seat providing a sample. When providing a sample, you must sit upright in the driver's seat for positive identification. If the device records a violation, it will be assumed you are the driver unless the image taken clearly shows a different person.



SSI 20-30 INTERLOCK DEVICES





1 LCD 5 Curly Cord
2 Status LEDs 6 Air Vent
3 Keypad 7 Hanging Clip
4 Cord Strain Relief 8 Serial Number & Barcode

The Alcohol Interlock Device can be installed in most vehicles with engines. It prevents a vehicle from being started until an alcohol-free breath sample is provided. The Interlock device does not affect the engine's operation and cannot turn your engine off once it is running. Alcohol Interlock installations may include a camera (depending on your state) mounted to the vehicle to verify

the identity of the person in the driver's seat providing a sample. When providing a sample, you must sit upright in the driver's seat for positive identification. If the device records a violation, it will be assumed you are the driver unless the image taken clearly shows a different person.





SSI 20-35 INTERLOCK DEVICES






1 LCD 5 Curly Cord
2 Status LEDs 6 Air Vent
3 Keypad 7 Hanging Clip
4 Cord Strain Relief 8 Serial Number & Barcode

The Alcohol Interlock Device can be installed in most vehicles with engines. It prevents a vehicle from being started until an alcohol-free breath sample is provided. The Interlock device does not affect the engine's operation and cannot turn your engine off once it is running. Alcohol Interlock installations may include a camera (depending on your state) mounted to the vehicle to verify

the identity of the person in the driver's seat providing a sample. When providing a sample, you must sit upright in the driver's seat for positive identification. If the device records a violation, it will be assumed you are the driver unless the image taken clearly shows a different person.





CARING FOR YOUR DEVICE



Device Care:

Do not place the interlock on the floor, where you can't see or hear it, or where it may be damaged. Do not expose the unit to moisture or liquids.

You are responsible for damage due to negligence or abuse of the device



Hygiene:

The recommended procedure for cleaning your mouth pieces is with boiling water. Ensure the mouth piece is completely dry before re-inserting into the device. The use of cleaning wipes may affect your breath sample when taking a test due to alcohol products within the wipes.



Tampering and Misuse:

Do not attempt to circumvent, tamper with or otherwise misuse this device. The device is designed to detect and record these incidents as a violation and may result in your program being restarted.

HOW DO I START THE VEHICLE?




Turn ignition ON, the device will light up and Smart Start Interlocks logo will appear



"INITIALISING" will then be displayed on the screen. The unit is now preparing for a test.




Take this time to drink some WATER to eliminate possible breath contaminants.



The LCD will then display "BLOW" and the right LED will be green and flashing.



Take a deep breath, then blow into the device, a long tone will sound (approx. 5 seconds), this tone will stop once the required sample has been made.



If a correct test is provided and there is no alcohol present in the breath sample, "PASS" will appear.



"START" and a count down will appear on the screen.
You will have 3 minutes to start the engine before the device will ask you to re-take the test.



You can now start your vehicle.

Please note the unit will ask for further random tests once the vehicle has started.

To watch the video - Go to https://youtu.be/WXYcJd5w2uU

HOW DO I START THE VEHICLE?: Blow Technique



Can't see the video - Go to https://www.youtube.com/watch?v=7Ljqm9rYAU4



You are encouraged to return to your service centre or call Smart Start Head Office on 1300 256 900 if you require further training or assistance with using the alcohol Interlock Device.

TROUBLESHOOTING



LOCK OUT:

If your device is locked out, you need to contact Smart Start Interlocks for an unlock code.



No Unit Power:

If your interlock device does not turn on when the ignition is turned on, then you must contact Smart Start Interlocks for support.



Jump Starting & Flat Battery:

If the battery in your vehicle has gone flat and the vehicle needs to be jump started, you must contact Smart Start Interlocks for support so notes can be added to your account. If doing this after hours please leave a message on 1300 256 900 option '2', a note can then be added to your account the following morning.



Defective Interlocks:

If you believe your device is defective, please contact Smart Start Interlocks Head Office so appropriate action can be taken. Failure to report is a breach of your Interlock Program and may reflect on your interlock term.



Replacement Parts:

Mouth pieces, curly cords, strain reliefs, mounting clips and adhesives are available from any service centre upon request. Curly cords can only be replaced by an Authorised Service Centre and may be chargeable if deliberately damaged or misused.


DISPLAY MESSAGES

LCD SCREEN	LED	TEST RESULT	OUTCOME
PASS	Both green	No alcohol detected	You can start your vehicle
BLOW LONGER	Right: Flash red once	Not blowing hard enough/long enough	You cannot start your vehicle/ retest required
BLOW SOFTER	Right: Flash red once	Blowing too hard	You cannot start your vehicle/ retest required
HUM STRONGER	Right: Flash red once	Hum not being detected	You cannot start your vehicle/ retest required
DONT INHALE	Right: Flash red once	Negative pressure applied	You cannot start your vehicle/ retest required
MOUTH CLOSER	Right: Flash red once	Mouth not close enough to sensor	You cannot start your vehicle/ retest required
FAIL	Right: Flash red once	Alcohol detected > 0.020 BrAC	You cannot start your vehicle for 5 minutes
VIOL	Right: Flash red once	High alcohol level detected	You cannot start your vehicle for 5 minutes*

When the display reads, "BLOW HARDER", "BLOW SOFTER", "HUM LOUDER", "DON'T INHALE", "VIOL" or "FAIL" you must take and pass another breath test before your vehicle will start. After blowing a FAIL, the unit will go into a temporary lockout of 5 minutes each time a subsequent fail is recorded.

^{*}If you reach the program violation limits, the unit will go into a VIOLATION LOCKOUT and a 7- day countdown timer will be displayed on the LCD. Please refer to "Key Terms" Page 27 for more information.


SERVICE SCHEDULE DIAGRAM



- Your Service Date is the date of the month when your Interlock was Installed.
- You have 7 days before and 7 days after your Service Date to go for your Monthly Service before your Interlock enters a Permanent Lockout.
- i.e. Installation.date: 10/05, Service.date is the 10th.of.next month.of.your first service. . . and then the 10th of every third month. ie. In the first service month, this participant can go for service from the 4th of the month until the 17th before the Interlock enters a Permanent Lockout.
 - The Interlock will start a Countdown on the 10th of every service month for this example.

If you are not sure about your Service Date, please call our Customer Service Line 1300 256 900.

RANDOM ROLLING RETEST **DIAGRAM**



Time in Minutes after initial test

- The Device parameters have been set by Queensland Department of Transport and Main Roads (TMR) and require random rolling retests. The first test will occur within the first 3 to 10 minutes and then and then randomly every 15 to 60 minutes from the last rolling retest.
- The Device will indicate that it is time to submit a Rolling Retest when the screen displays 'BLOW' with the LED lights flashing and the Device beeper sounding.
- You have 7 minutes to safely provide a breath sample test. The road rules state that you must find a safe place and pull over.
- Drink Water.
- Provide a breath sample.
- Once a Pass breath sample has been provided you can continue driving.



lack large 1 Please note, when you have arrived at your destination, check the Device screen. If it is requesting a test, you must provide the test before turning the vehicle OFF. Failure to provide a test is a violation and may put the Device into a Violation Countdown.

COMMON CAUSES OF UNEXPECTED BREATH SAMPLE VIOLATION

At times violations can occur unintentionally.
These violations are often easily preventable if the following points are kept in mind:

- Your alcohol interlock device detects trace amounts of alcohol in your mouth which can result in a failed test. To be safe it is recommended that you do not eat or drink anything apart from water ten minutes before taking a breath test, and for the duration of your driving. If you do fail an initial test because of a nonalcohol substance, take time to drink water before your re-test, as this can aid in getting rid of trace amounts of alcohol in your mouth.
- Never use your alcohol interlock device as a personal breathalyser to check if you can drive. A failed initial test will prompt a retest. If the retest is failed or missed this will be recorded as a violation.

- Remember that you are required to provide random breath tests while the car is running. Do not leave your car running and unattended as you may miss a breath test and record a violation.
- Even if you have arrived at your destination and are about to turn off your vehicle, if the device requests a rolling retest you must provide a breath sample. Turning off the vehicle at this point will be considered a refused breath test and recorded as a violation.
- Keep the unit in its mount so the display is visible. With the radio playing loud, or a window down, you may not hear the audible tone the Interlock device will make when it is ready for a retest. If you can see the display, you will notice the RETEST indication.



An optional LED light is available for participants who are hearing impaired.

COMMON CAUSES OF UNEXPECTED BREATH SAMPLE VIOLATION

Your SSI 20/20, 20/30 or 20/35 are alcohol measuring devices and will detect even small traces of alcohol. The below items are examples of common products that can cause unexpected positive breath tests.



Fermenting food products may also cause unexpected readings.

REMEMBER TO DRINK WATER BEFORE EVERY TEST

GENERAL ADVICE

- Anyone can drive your vehicle provided that they also use the Interlock device. The participant is responsible for all readings recorded by the device.
- If you need to replace your car battery or starter, keep a receipt for your battery purchase and keep the time between disconnecting the battery and reconnecting it to less than 20 minutes to avoid a power disconnection being reported.
- Once the device begins asking for a retest, be sure to take the test before the retest time elapses or you will cause a violation.
- The Interlock device does not affect the engine's operation and cannot turn your engine off once it is running.
- Do not use breath freshening agents just before taking a test. Most of these contain alcohol.
- Keep the unit in its mount so the display is visible. With the radio playing loud, or a window down, you may not hear the audible tone the Interlock device will make when it is ready for a retest. If you can see the display, you will notice the RETEST indication. An optional LED light is available for participants who are hearing impaired.
- If your unit locks out or is not operating properly, we may ask you to tow your vehicle to the nearest Smart Start location. If the problem is found to be with the interlock device, we will credit your account for the amount of the tow bill.
- Drink water before every test

GENERAL ADVICE

Vehicle Malfunctions and Repairs that may affect the Interlock Device

If you need to replace your car battery or starter, keep a receipt for your battery purchase and keep the time between disconnecting the battery and reconnecting it to less than 20 minutes to avoid a power disconnection being reported.

Travelling Interstate

When travelling to other states and territories, your interlock device can be serviced at any of our service centres across Australia. <u>Click here</u> for a complete list of service centres and trading hours across Australia.

If you are not travelling in your vehicle and upon return find that your vehicle has locked out, you will need to contact Smart Start head office for an unlock code.

Keep in mind that lease fees continue even if you are not using the vehicle and multiple lease payments may be required on your return for service.

Please be sure to make servicing arrangements prior to commencing your travel plans.

Multiple drivers of the vehicle

Anyone can drive your vehicle; however, they must use the alcohol interlock device. If you are confident that the other driver is of good character and has been trained in the use of the interlock device, they may drive your vehicle. Keep in mind that you are still legally responsible for all readings recorded by the device.

If you have a camera installed, you may be able to dispute a violation if the image taken clearly shows another person giving the breath sample.

Two drivers with the Interlock 'I' condition on their licence are able to use the same vehicle in Queensland. Please check by contacting your local service agent or call 1300 256 900.

What if the Interlock shuts down the vehicle on my way to an important event?

The SSI-20/20 -20/30 - 20/35 is designed to prevent the starting of a vehicle if a breath test is not passed. It cannot interfere with the engine while it is running. In addition, if the engine is turned off there will be a three-minute period in which the engine can be restarted again without undergoing a breath test. If the participant fails a rolling test while driving, this will record as a violation but will not shut down the vehicle (although the violation may trigger a lockout once the driver has reached their destination and manually turned off the engine).





ABOUT THE QUEENSLAND PERFORMANCE-BASED INTERLOCK PROGRAM

The performance-based interlock program is managed by the Department of Transport and Main Roads. It applies to offenders convicted of high risk, repeat and other serious drink driving offences. This program provides the opportunity for participants to drive their vehicle legally, learn to separate drinking from driving, access various services, and provide transport for others.

Participating in the program

There are a few simple steps to completing the program successfully:

1. Participate in the program for the required amount of time. To do this you will need to apply for your interlock licence at a TMR centre.

- 2. Install an interlock.
- 3. Make sure to follow all your program rules and guidelines.
- 4. Attend regular servicing where your user data will be downloaded.
- 5. At the conclusion of the last 4 months of your interlock period, TMR will request you to attend a service centre for an interlock service. TMR will then review this data and confirm in writing that you have completed your interlock program. At this point, you can have the interlock removed from your vehicle and TMR will issue your new licence with the condition removed.

Program Length/Interlock Condition Period

The length that you will need to drive with an alcohol interlock device will vary based on your circumstance but you will be in the interlock program for a minimum of 12 months. To remove the interlock condition do not record any violations in the last 4 months of your interlock period. Violations may result in your Interlock condition period being extended.

END OF THE PROGRAM PROCESS

You will need to use the alcohol interlock device for a specific period of time. At regular intervals your data recorded by the interlock device will be downloaded and used to make decisions about whether your program requirements have been met and you have successfully completed the program.



- Do not record any violations in the last 4 months of your interlock period.
- Queensland Department of Transport and Main Roads (TMR) will advise you when your interlock participation period has been completed.
- When your Interlock period has been successfully completed you can go
 to a TMR Customer Service Centre or your local registry to obtain a driver's
 licence that does not carry the interlock condition.
- Organise for your Smart Start Interlock provider to remove the interlock from your vehicle.

Program Rules and Guidelines

Your interlock licence conditions include that you:

- Must have a Blood Alcohol Concentraction (BAC) reading of zero at all times while driving
- Only drive your nominated vehicle which is fitted with an approved alcohol interlock device
- Take all breath tests the alcohol interlock requests

• Ensure that your interlock is serviced when required under your program. Servicing periods will start

at 1 month, but can be extended to up to 3 months.

- Only drive the vehicle if you have personally provided the breath sample required by the interlock
- Do not drive any motor vehicle if you know that the interlock is not working properly, or has been circumvented or interfered with
- Do not tamper with the device



PROGRAM VIOLATION SUMMARY REPORT

If within a servicing period you reach a violation limit, the interlock device will display a countdown for 7 days during which you must return to a service centre for an unscheduled service.

If the device is not serviced within this period and the countdown has expired your device will permanently lock out and an unlock code will be required.

PROGRAM VIOLATION SUMMARY QLD (Unscheduled Service fees may apply)

Providing a breath sample with any BAC	10
Providing a breath sample with BAC above 0.05	5
Missed Random/Rolling Re-Test	3
Attempting to circumvent or tamper with the Interlock	1
Device	
Use of an emergency Over-Ride function	1

Program Violation Summary QLD

Certain actions or lack of action will be considered a violation. Certain violations may reset your progress, which means you will have to continue driving with the alcohol interlock for longer than 12 months.

The following are considered violations:

 If you fail an initial breath test (BAC recorded above 0.02) to start the vehicle, you have 60 minutes to retest successfully. Failing or missing this retest is considered a violation.

- If you fail (BAC recorded above 0.02) or miss a rolling re-test you will have 7 minutes to retest successfully. If you fail this it is considered a violation and the vehicle's lights and horn will activate.
- Any tampering with the alcohol interlock device is a violation
- If your car battery is disconnected for 20 minutes

or more this may record as a violation.



Take note that the device will continue to request tests randomly as long as the vehicle is running. Even if you have arrived at your destination, if the device requests a rolling retest you must provide a breath sample; turning off the vehicle will be considered a refused breath test and recorded as a violation. Do not leave your car running and unattended as you may miss a breath test and record a violation.

QLD INTERLOCK FEES

Effective 1st July 2023

SERVICE	FULL FEE	CONCESSION
Standard Installation	\$245.00	\$160.00
Non-Standard Installation*# – In addition to standard installation fee	\$130.00	\$84.50
Installation – Heavy vehicles (over 4.5t GVM) and Motorcycles	\$370.00	\$240.00
Hybrid and Stop/Start vehicles - in addition to standard installation fee	\$95.00	\$95.00
Monthly Service Fee (per calendar month)	\$190.00	\$123.50
Bi-Monthly Service Fee	\$360.00	\$234.00
Tri-Monthly Service Fee	\$530.00	\$344.50
Monthly Lease Motorbike Bag	\$25.00	\$25.00
Removal of Interlock Device#	\$120.00	\$78.00
Temporary Unlock Code	\$60.00	\$60.00
Unscheduled Service Fee- Concession N/A	\$70.00	\$70.00
Early Termination Fee	\$220.00	\$220.00
Security Deposit	\$440.00	\$440.00
Transfer of Interlock to another Vehicle	\$280.00	\$280.00
Loss Protection Plan Fee (LPP)	\$5.50	\$5.50
LPP Fee Excess- Head Unit	\$150.00	\$150.00
LPP Fee Excess- Relay Unit	\$150.00	\$150.00
LPP Fee Excess- Camera Unit	\$150.00	\$150.00
LPP Fee Excess- Full Replacement of all components	\$450.00	\$450.00
Head Unit Replacement- (if warranty fee not paid)	\$1032.00	\$1032.00
Relay Unit Replacement- (if warranty fee not paid)	\$772.00	\$772.00
Camera Unit Replacement- (if warranty fee not paid)	\$720.00	\$720.00
Curly Cord Replacement- (if warranty fee not paid)	\$66.00	\$66.00
Relay Harness Replacement- (if warranty fee not paid)	\$77.00	\$77.00
Full Replacement of all components - (if warranty fee not paid)	\$2803.00	\$2803.00

Non-compliance charges

Additional fees may also apply if extra components are required to complete the installation.

^{*}Non-Standard Installation - allows for additional labour and parts dependant on vehicle model, to be confirmed with your local service centre prior to installation.

^{*}Some agents charge an hourly rate in addition to standard / non standard rates quoted, to be confirmed with your local service centre prior to any installation or removal.

QLD FULL FEE EQUIPMENT REPLACEMENT

Head Unit	\$1,032.00
Relay Unit	\$772.00
Camera	\$720.00
Relay Harness	\$77.00
Curly Cord	\$66.00
Misc- when complete unit requires replacement	\$136.00
Total Device Replacement	\$2,803.00

LOSS PROTECTION PLAN

Loss Protection Fee must be accepted at the time of install and paid continuously for the life of the program to qualify. Replacement cost is reduced to \$150.00 per individual component. Loss Protection Fee applies to lost, stolen or accidental damage of goods. **Stolen goods must be supported by a Police Report.**

If a police report has not been supplied to head office within 7 days, the participant will be billed the full cost of unrecovered items.

CONCESSION CARDS

If a participant presents a Valid Commonwealth concession card or DVA Health Card in their name and can prove they receive the full benefit by providing a current income statement, they are entitled to receive a 35% discount on the monthly servicing and removal. To be eligible participants must sign a Centrelink confirmation consent form and comply with Smart Start Interlocks Concession Card Policy.











KEY TERMS

TEMPORARY LOCKOUTS

A 5 minute lockout will occur when an initial breath sample is recorded under 0.05 and 30 minutes for 0.05 or above.

INITIAL TEST

An initial test is required before the vehicle is able to start.

INITIAL VIOLATION RE-TEST

A violation re-test will be required if a positive sample has been recorded.

UNLOCK CODES

An unlock code can be issued at a cost of \$55 if the device has entered a "Permanent Lockout". Once the code is issued you will have a limited period of time to attend a service centre before the device will permanently lock again. Once all unlock codes (maxium 2 per service period) have been used the vehicle will need to be towed to the service centre at your cost.

PERMANENT LOCKOUTS

Once the count down has expired your device will permanently lock out and an unlock code will be required to re-active the device.

ROLLING RE-TEST

A rolling re-test that is randomly requested by the interlock device while the engine is running.

VIOLATION COUNTDOWN

Once violation limits have been reached, the interlock device will display a count down for 7 days.

CUSTOMER FEEDBACK

Smart Start Interlocks is committed to the provision of quality service to its participants and the community and has adopted Standard AS ISO 10002:2006 (Customer Satisfaction - Guidelines for complaints handling) as a best practice policy.

to re-establish our relationship with our participants and enable us to continually improve our customer service quality.

Smart Start Interlocks welcomes feedback, including complaints, from our participants. They allow us to correct any challenges with our service, give us a chance

In Person:

Visit any one of our service agents OR if in Melbourne Visit our Head Office: 31 Korong Road, Heidelberg West VIC 3081

By Post:

Smart Start Interlocks PO Box 3119 Ivanhoe North VIC 3079

Electronically:

www.smartstartinterlocks.com.au info@smartstartinterlocks.com.au

Phone: 1300 256 900

After Hours Support Option '2'

Complaints Form can be found at www.smartstartinterlocks.com.au/contact or at your Service Centre

WEB AND SOCIAL MEDIA

Follow Us!



@smartstartaus



facebook.com/smartstartinterlocks

Our Participant & Breath Technique videos are available on our website and YouTube Channel



youtube.com/smartstartinterlocks

FURTHER RESOURCES

Smart Start Interlocks QLD:

https://www.smartstartinterlocks.com.au/ qld-interlock-program

Department of Transport and Main Roads

https://www.qld.gov.au/InterlockProgram
Ph. 13 23 80

EMERGENCY CONTACTS

FOR AFTER HOURS/ EMERGENCY INTERLOCK SUPPORT:

1300 256 900 OPTION '2'



Address: 31 Korong Road, Heidelberg West VIC 3081

Tel: 1300 256 900

E-mail: info@smartstartinterlocks.com.au

www.smartstartinterlocks.com.au