

X/M289 Specialist Powder Fire Extinguisher MSDS



Data Sheet

SAFETY DATASHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	Monnex
Registration number	-
Synonyms	None.
Issue date	22-August-2013
Version number	02
Revision date	03-December-2014
Supersedes date	22-August-2013

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Firefighting Powder for use on Class B, C and E fires.
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name	Kerr Fire
Address	Station Road High Bentham North Yorkshire LA2 7NA
Telephone	0044 (0) 15 2426 4092
e-mail	ian.huntley1@kerr-firefighting.com
Contact person	EH&S Manager
Emergency number in the EU	112

1.4. Emergency telephone number 0044 (0)15 2426 4000 (Standard office hours: Monday to Friday 8:30am - 4:30pm GMT)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards	Not classified for physical hazards.
Health hazards	Not classified for health hazards.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	Dust may irritate the respiratory tract, skin and eyes. Prolonged and repeated overexposure to dust can lead to chronic bronchitis and chronic lung inflammation.
Main symptoms	Irritation of nose and throat. Irritation of eyes and mucous membranes.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.

Precautionary statements

Prevention	Observe good industrial hygiene practices.
Response	P314 - Get medical advice/attention if you feel unwell.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information Not applicable.

2.3. Other hazards

Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Potassium Allophosphate	>75	26479-35-6 247-728-7	-	-	
Classification:					
DSD:	-				
CLP:	-				
Mica	<3	12001-26-2	-	-	
Classification:					
DSD:	-				
CLP:	-				
Silicon dioxide	<3	7631-86-9 231-545-4	-	-	
Classification:					
DSD:	-				
CLP:	-				

#: This substance has workplace exposure limit(s).

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information

Not available.

4.1. Description of first aid measures

Inhalation	Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. If symptomatic, move to fresh air. Get medical attention if symptoms persist.
Skin contact	Contact with dust: Wash area with soap and water. Get medical attention if irritation develops or persists.
Eye contact	Dust in the eyes: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Irritation of nose and throat. Irritation of eyes and mucous membranes. Coughing.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

Product is an extinguishing medium. It does not burn or support combustion.

5.1. Extinguishing media

Suitable extinguishing media No specific measures are required as this product is a fire extinguishing medium.

Unsuitable extinguishing media Not applicable.

5.2. Special hazards arising from the substance or mixture

Not a fire hazard.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.

Special fire fighting procedures No specific precautions.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid inhalation of dust and contact with skin and eyes.

For emergency responders Avoid formation of dust. Use personal protection recommended in section 8 of the SDS.

6.2. Environmental precautions Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up Vacuums used for this purpose should be equipped with HEPA filters. Vacuum up the spilled material.

6.4. Reference to other sections For waste disposal, see section 13 of the SDS.
For personal protection, see section 8 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Use work methods which minimise dust production. Use only in well-ventilated areas. Avoid inhalation of dust and contact with skin and eyes. Wear appropriate personal protective equipment. Wash hands after handling. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Store in original container. Store in a cool, dry, well-ventilated place. Store extinguisher in an upright position not more than three high. Store away from incompatible materials. Read and follow manufacturer's recommendations.

7.3. Specific end use(s) Firefighting Powder for use on Class B, C and E fires.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List

Components	Type	Value	Form
Mica (CAS 12001-26-2)	MAK	10 mg/m ³	Inhalable fraction.
Silicon dioxide (CAS 7631-86-9)	MAK	4 mg/m ³	Inhalable fraction.

Belgium. Exposure Limit Values.

Components	Type	Value
Mica (CAS 12001-26-2)	TWA	3 mg/m ³
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m ³

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	6 mg/m ³	Inhalable fraction.
		3 mg/m ³	Respirable fraction.
Silicon dioxide (CAS 7631-86-9)	TWA	10 mg/m ³	Inhalable fraction.
		0,07 mg/m ³	Respirable fraction.

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m ³

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	10 mg/m ³	Total dust.
		10 mg/m ³	Respirable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m ³	Dust.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m ³	Respirable dust.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	AGW	4 mg/m ³	Inhalable fraction.

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	10 mg/m ³	Total inhalable dust.
Silicon dioxide (CAS 7631-86-9)	TWA	0,8 mg/m ³	Respirable dust.
		6 mg/m ³	Total inhalable dust.
		2,4 mg/m ³	Respirable dust.

Italy. OELs

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	3 mg/m ³	Respirable fraction.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	1 mg/m ³	

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TLV	1,5 mg/m ³	Respirable dust.

Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	2 mg/m ³	Respirable dust.
		10 mg/m ³	Total dust.

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	3 mg/m ³	Respirable fraction.

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	2 mg/m ³	Respirable fraction.
		10 mg/m ³	Total
Silicon dioxide (CAS 7631-86-9)	TWA	0,3 mg/m ³	

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	4 mg/m ³	Inhalable fraction.

Spain. Occupational Exposure Limits

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	3 mg/m ³	Respirable fraction.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	3 mg/m ³	Respirable dust.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Mica (CAS 12001-26-2)	TWA	10 mg/m ³	Inhalable
		0.8 ma/m ³	Respirable.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m ³	Inhalable dust.
		2,4 mg/m ³	Respirable dust.

Biological limit values

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000(Annex2): Permissible limit values of biological exposure (effect) indices

Components	Value	Determinant	Specimen	Sampling time
Silicon dioxide (CAS 7631-86-9)	25 %	red blood cell or total blood acetylcholinesterase activity (EC. 3.1.1.7.)	Reduction from individual baseline activity in red blood cells	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Provide sufficient ventilation for operations causing dust formation. Observe occupational exposure limits and minimise the risk of exposure.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear approved safety goggles.

Skin protection

-Hand protection It is a good industrial hygiene practice to minimise skin contact. For prolonged or repeated skin contact use suitable protective gloves.

-Other Wear suitable protective clothing. It is a good industrial hygiene practice to minimise skin contact.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter (type P2). If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Handle in accordance with good industrial hygiene and safety practices. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

Environmental exposure controls Contain spills and prevent releases and observe national regulations on emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid.

Form Fine powder.

Colour Off-white.

Odour Slightly ammoniacal.

Odour threshold Not available.

pH 8 - 9 of 10% water solution

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point Not available.

Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit –lower (%)	Not applicable.
Flammability limit –upper (%)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not applicable.
Solubility(ies)	Soluble in water, but silicon additive delays dissolution.
Partition coefficient (n–octanol/water)	Not available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	270 °C (518 °F)
Viscosity	Not applicable.
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
9.2. Other information	
Density	950,00 - 1100,00 kg/m ³

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable under normal temperature conditions.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Temperatures above melting point. Contact with alkalis.
10.5. Incompatible materials	Strong acids. Strong bases. Strong oxidising agents. Alkali metals. Water.
10.6. Hazardous decomposition products	Ammonia. Sulphur oxides. Oxides of phosphorus. Carbon oxides.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Ingestion	Under normal conditions of intended use, this material does not pose a risk to health. However, accidental ingestion of the content may cause discomfort.
Inhalation	Dust may irritate respiratory system.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Symptoms	Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort.
11.1. Information on toxicological effects	
Acute toxicity	May cause eye, skin and respiratory tract irritation.
Skin corrosion/irritation	Dust may irritate skin.
Serious eye damage/eye irritation	Dust in the eyes will cause irritation.
Respiratory sensitisation	No data available.
Skin sensitisation	Dust may irritate skin.
Germ cell mutagenicity	No data available.
Carcinogenicity	Not available.
Reproductive toxicity	No data available.
Specific target organ toxicity – single exposure	None known.
Specific target organ toxicity – repeated exposure	None known.

Aspiration hazard	Not applicable.
Mixture versus substance information	None known.
Other information	Pre-existing skin and respiratory conditions including dermatitis, asthma and chronic lung disease might be aggravated by exposure.

SECTION 12: Ecological information

12.1. Toxicity	The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
12.2. Persistence and degradability	Not available.
12.3. Bioaccumulative potential	The product is not expected to bioaccumulate.
Partition coefficient n-octanol/water(log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
Mobility in general	The product is partly soluble in water. May spread in the aquatic environment.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of waste and residues in accordance with local authority requirements.
Contaminated packaging	Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	16 05 09 Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

ADR	Not regulated as dangerous goods.
RID	Not regulated as dangerous goods.
ADN	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	This substance/mixture is not intended to be transported in bulk.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I
Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II
Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I as amended
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended
Not listed.

- Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended
Not listed.
- Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry
Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Not listed.

Authorisations

- Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended
Not listed.

Restrictions on use

- Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.
- Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work
Not regulated.
- Directive 92/85/EEC on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding
Not regulated.

Other EU regulations

- Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances
Not regulated.
- Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work
Not listed.
- Directive 94/33/EC on the protection of young people at work
Not listed.

Other regulations

The product does not need to be labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.
PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative. DSD: Directive 67/548/EEC.
CLP: Regulation No. 1272/2008.

References

HSDB® - Hazardous Substances Data Bank
Registry of Toxic Effects of Chemical Substances (RTECS)

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

None.

Training information

Follow training instructions when handling this material.

Disclaimer

This information is based on our current knowledge and is believed to be correct as of the date issued. The information is intended to describe the product for the purposes of health, safety and environmental requirements only and no warranty, express or implied, is made. It should also not be construed as guaranteeing any specific property of the product. In addition, information obtained from a database is subject to change and may not be as current as the information in the MSDS available directly from Kerr Fire.

Visit our website
www.fixfire.co.uk



Head Office
Mayflower House
Bodmin Road
Wyken
Coventry CV2 5DB

East Midlands & North East
(Regional Office)
Systems House
Old Station Close
Shepshed LE12 9NJ



your best alliance for compliance™



Visit our website

www.fixfire.co.uk



[linkedin.com/company/fixfire](https://www.linkedin.com/company/fixfire)



Main Switchboard: 024 7661 6699 • Freephone: 08000 891999 • Fax: 024 7662 1990

E-mail: compliance@fixfire.co.uk • Website: www.fixfire.co.uk

Fixfire® is a trade mark of Avansys LLP registered in UK No OC384483

© Avansys LLP 2019