

## PRODUCT DATA SHEET

### XYLENE PTI SOLVENT SERIES

#### DESCRIPTION

### TECHNICAL DATA

#### XYLENE

<b>Product Name</b>	Xylene
<b>Product Code</b>	SA26
<b>Product Category</b>	Aromatics
<b>CAS Registry Number</b>	1330-20-7
<b>Description</b>	Xylene is a narrow boiling range, medium evaporating solvent widely used in the paint and chemical industries

#### Sales Specification

Property	Unit	Min	Max	Method
Appearance		Cl & FN SM		Visual
Colour	Saybolt	25		ASTM D4052
Density @ 15°C	g/ml	0.865	0.875	ASTM D4052
Distillation, 1BP	°C	137		ASTM D1078
Distillation, DP	°C		143	ASTM D 1078
Non-Aromatics % v/v			4.0	GC
Flash Point (Abel) °C		24		IP170

#### Typical Properties

Property	Unit	Method	Value
Colour	Saybolt	ASTM D156	+30
Odour		,	Marketable
Density @ 15°C	kg/L	AS' M D4052	0.870
Distillation, IBP	°C	ASTM D1078	138



## PRODUCT DATA SHEET

---

Distillation, DP	°C	ASTM D1078	141
Non-Aromatic Hydrocarbons	% v/v	GR340	1.2
Flash Point	°C	IP70	27
Electrical Conductivity @ 23 °C	pS/m	ASTM D2624	400

Quality	Xylene does not contain detectable quantities of polycyclic aromatics, heavy metals or chlorinated compounds.
Storage and would expect	Provided proper storage and handling precautions are taken we
Handling	Xylene to be technically stable for at least 12 months.
Hazard Data Sheet Information	For detailed Hazard Information please refer to the Material Safety

### PRODUCT INFORMATION & DISCLAIMER

---

Product Data Sheets are periodically updated to reflect new information. It is important to use the latest and most recent revision for the product being used. The foregoing information is accurate to the best of our knowledge. However, due to differences in customer handling, use and method of application which are not known and are beyond our control, Products Techniques, Inc. makes no warranties as to the end result.