



FOXY PRO & FOXY PRO ALR



Safety for operators has always been in mind for us. We want to offer the film industry more. Our goal and our passion is to make Filmequipment that covers all your requirements – also in the crane area. The result is the Foxy Pro

- THE NEXT STEP.

PAYLOAD

How to make a perfect product even better?



Our main focus of the development of Foxy Pro was the **payload**. This is achieved by a newly developed **anchoring system** that can be **upgraded immediately at existing Foxy and Foxy Advanced models**. Compared to our previous model (Foxy Advanced) we have such a payload increase of **up to 10%**.

Comparing the Foxy Pro with the best competitor product we have a higher load capacity of up to 21%, and even more length. The maximum length (remote version) exceeds the Foxy Pro by more than 22%.



The Foxy Pro Upgrade Kit is an anchoring system which amplifies each outrigger. The result is an increased payload on platform or remote mount of up to 10%.

Even if more payload is not required, there is **additional safety of up to 50%**. An important safety aspect when dynamic forces are higher than expected (crane mounted on vehicles etc.)

An additional counterweight bucket is needed to get the 10% increase in payload of the Pro Upgrade Kit.

MADE TO INSPIRE

Easier than ever before.

Outrigger Foxy Pro **150cm / 59" 302256**



Outrigger Foxy Pro 115cm / 45" 302257



Outrigger Foxy Pro **85cm / 33" 302258**



Outrigger Foxy Pro **42,5cm / 17**" **312470**






The Foxy Pro is again one step ahead! We wanted that the users have it even easier to set up the crane. How do you make a perfect product even better? Our answer is **equal parts**. The crane is set up with **only equal outriggers**. This outrigger is used at all positions

- also where a bracing is required.

So conversions into different crane lengths are done faster and easier.





NOSE MOUNTS




PYRAMID

Flexibility like never before.

If necessary, you can choose between 3 different pyramid sizes. They differ in their height and the number of stowable outriggers.

Every pyramid fits perfectly to the Big Base. It is also possible to mount the pyramid somewhere else (for example camera car)



Pyramid Foxy for 3 outriggers



Pyramid Foxy for 5 outriggers 127845



Pyramid Foxy for 9 outriggers **156530**

COUNTERWEIGHT

Choose your one.

In addition to the standard Counter Weight Bucket for 39 weights (169310) there is also a smaller one for 18 weights (127098) available - for compacter crane versions.



Counter Weight Bucket for **4 weights 301850**



Counter Weight Bucket for **18 weights 127098**



Counter Weight Bucket for **39 weights 169310**




BIG BASE


Make movements for perfect shots.

The Big Base was designed to ensure greater stability and security. By simply turning the base 90° you can choose between 62cm and 100cm track gauge.




















TECHNICAL DATA

Different versions. For all requirements.

PLATFORM VERSIONS



REMOTE VERSIONS



Note:

The measurements and weights may differ up to 2% due to production tolerances.

Special length, versions and accessories on request.



PATENTED TRANSPORT SYTEM



Form follows function. The Foxy Pro pyramid was designed in such a way that it can be used as the storage point for all crane parts. The patented construction facilitates easy transport and orderly storage of all elements of the Foxy Pro Crane. All it takes now is one person to transport the crane to the location site.

SUITABLE

Perfect connection for all requirements.



159541 Euro-Foxy Adapter



302378Mitchell-Foxy Adapter



302359 Center Mount

Various Foxy adapters enable a **perfect and easy connection** of Foxy Pro Jib to other products. So you can easily adapt to Euro adapter and Mitchell. With the Dolly Base the Foxy Pro Jib can be used on Panther column dollies like the Classic Plus.

FOXY PRO JIB

Sometimes it's the small things that make products great.



The Foxy Pro can be used as a Jib Arm due to various adapters. Use your Panther dolly as base. Also dollies without an electromechanical column (for example Buddy Plus Dolly) can be used for the Foxy Pro Jib, by using a bazooka.

Jib version is only for use with remote head mount.

From 2m / 6,5ft. up to 5,7m / 18,5ft. length the Foxy Pro Jib can also be used if your space is limited.

ROUNDED WEIGHTS

Soft and precise. For optimum counterbalance.



Weight round **2,5kg** (rubber coated)

Weight round **5kg** (rubber coated)

Weight round **10kg** (rubber coated)

Weight round **15kg** (rubber coated)

Weight round **20kg** (rubber coated) **302204**



FOXY PRO A(R

A wind and weather resistant lightweight jib arm



The **Foxy Pro Air** is a special version of the well known Foxy Pro Crane system. It differs mainly through the holes in the outriggers. This saves weight and material.

- simple transport
- insensitive to wind
- lightweight

same anchoring system for increased payload and more safety

NEW holes in the outriggers

compatible to all Original Panther Foxy Cranes



reduced weight

wind insensitive

easy carrying

BUILD YOUR FOXY PRO AIR

Outriggers in different leghts to fit your needs perfectly!



















ON LOCATION

Worldwide used, worldwide loved. Foxy Pro Crane System.

