

Page 1/13

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 31157

MULTIS EP 2

	I OF THE SUBSTANCE/MIXTURE AND OF THE	
COMPANY/UNDERTAKING		
1.1. Product identifier		
Product name	MULTIS EP 2	
Number	626 Mixture	
Substance/mixture	Mixture	
1.2. Relevant identified use	es of the substance or mixture and uses advised against	
Identified uses	Lubricating grease.	
1.3. Details of the supplier	of the safety data sheet	
Supplier	A - TOTAL UK LIMITED	
	183 Eversholt St, Kings Cross	
	London, NW1 1BU	
	Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033	
	Fax. +44 (0)20 7339 8033	
	B - TOTAL LUBRIFIANTS	
	562 Avenue du Parc de L'ile	
	92029 Nanterre Cedex	
	FRANCE	
	Tél: +33 (0)1 41 35 40 00	
	Fax: +33 (0)1 41 35 84 71***	
For further information, please con	tact:	
Contact Point	A - HSE	
	B - HSE***	
E-mail Address	A - rm.gb-msds@total.co.uk	
	B - rm.msds-lubs@total.com***	
1.4. Emergency telephone	number	
Emergency telephone: +44 1235 239	670	
UK: National Poisons Information Ser	vice (NPIS): NHS on 111 or a doctor	
Section 2: HAZARDS IDENT	TFICATION	

2.1. Classification of the substance or mixture



MULTIS EP 2

Revision Date: 2019-01-08

Version 16

REGULATION (EC) No 1272/2008 ***

For the full text of the H-Statements mentioned in this Section, see Section 2.2.***

Classification***

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008***

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008***

Signal word None***

Hazard Statements *** None***

Precautionary statements None***

Supplemental Hazard Statements EUH210 - Safety data sheet available on request***

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.***

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture***

Chemical nature

н

Mineral oil of petroleum origin.***

Hazardous components	***				
Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Reg. 1272/2008)
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts***	270-608-0	01-2119493628-22	68457-79-4	1-<2.5	Aquatic Chronic 2 (H411) Eye Dam. 1 (H318) Skin Irrit. 2 (H315)

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.***

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures



SDS #: 31157	MULTIS EP 2
	Revision Date: 2019-01-08 Version
General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.***
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses a continue flushing for at least 15 minutes. Keep eye wide open while rinsing.***
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.***
Inhalation	Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If n breathing, give artificial respiration.***
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.***
Protection of first-aiders	First aider needs to protect himself. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.***
4.2. Most important sympt	coms and effects, both acute and delayed
Eye contact	Not classified based on available data. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/similar mixtures, which confirms that at the concentration used, classification is not required.***
Skin contact	Not classified based on available data. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.***
Inhalation	Not classified based on available data.***
Ingestion	Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.***
4.3. Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	Treat symptomatically.***
Section 5: FIRE-FIGHTING	MEASURES
5.1. Extinguishing media	
Suitable extinguishing media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.***
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arisir	ng from the substance or mixture

5.2. Special hazards arising from the substance or mixture

Special hazard

Incomplete combustion and thermolysis may produce gases of varying toxicity such as



SDS # : 31157	MULTIS EP 2
	Revision Date: 2019-01-08 Version 16
	carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S, Mercaptans, Phosphorous oxides, Nitrogen oxides (NOx). Zinc oxides.***
5.3. Precautions for fire-fig	ghters
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.***
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Section 6: ACCIDENTAL RI	ELEASE MEASURES
6.1. Personal precautions,	protective equipment and emergency procedures
General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.***
6.2. Environmental precau	itions_
General Information	Do not allow material to contaminate ground water system. Prevent entry into waterways, sewers, basements or confined areas. Try to prevent the material from entering drains or water courses.***
6.3. Methods and material	for containment and cleaning up
Methods for containment	If necessary dike the product with dry earth, sand or similar non-combustible materials.***
Methods for cleaning up	Dispose of contents/container in accordance with local regulation. In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.***
6.4. Reference to other se	ctions_
Personal protective equipment	See Section 8 for more detail.
Waste treatment	See section 13.
Section 7: HANDLING AND	STORAGE
7.1. Precautions for safe h	andling
Advice on safe handling	For personal protection see section 8. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing.***
Prevention of fire and explosion	Take precautionary measures against static discharges.***
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of



SDS # : 31157	MULTIS EP 2			
	Revision Date: 2019-01-08 Version			
	contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Provide regular cleaning of equipment, work area and clothing. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***			
7.2. Conditions for safe s	torage, including any incompatibilities			
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce al the statutory information from the labels onto the new container. Do not remove the hazar labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Store at room temperature. Protect from moisture.***			
Materials to avoid	Strong oxidising agents.***			
7.3. Specific use(s)				
Specific use(s)	Please refer to Technical Data Sheet for further information.***			
Section 8: EXPOSURE CO	NTROLS / PERSONAL PROTECTION			
8.1. Control parametres				
Exposure limits	Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m³ NIOSH (REL) TWA 5 mg/m³ STEL 10 mg/m³ ACGIH			

Exposure limitsMineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH
(TLV) TWA 5 mg/m³ (highly refined)

Legend

See section 16

Derived No Effect Level (DNEL)

DNEL Worker (Industrial/Professional)***

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Phosphorodithioic acid,			11.87 mg/kg bw/day	
mixed O,O-bis(iso-Bu			Dermal	
and pentyl) esters, zinc			8.13 mg/m ³ Inhalation	
salts***				
68457-79-4				
DNEL Consumer***				
Chemical Name	Short term, systemic	Short term, local effects	Long term, systemic	Long term, local effects
	effects		effects	
Phosphorodithioic acid,			5.93 mg/kg bw/day	
Friosphoroutinioic aciu,			5.95 mg/kg bw/uay	
mixed O,O-bis(iso-Bu			Dermal	
· · · · · · · · · · · · · · · · · · ·			00,	
mixed O,O-bis(iso-Bu			Dermal	

Predicted No Effect Concentration *** (PNEC)



MULTIS EP 2

Revision Date: 2019-01-08

Version 16

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts*** 68457-79-4	4 μg/l fw 4.6 μg/l mw 45 μg/l or				100 mg/l	10.67 mg/kg food

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures	Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.***
Personal protective equipment	
General Information	Protective engineering solutions should be implemented and in use before personal protective equipment is considered. The personal protective equipment (PPE) recommendations apply to the product AS DELIVERED. In case of mixtures or formulations, it is suggested that you contact the relevant PPE suppliers.***
Respiratory protection	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P1. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.***
Eye protection	If splashes are likely to occur, wear:. Safety glasses with side-shields. EN 166.***
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Type 4/6.***
Hand protection	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.***

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES



MULTIS EP 2

Revision Date: 2019-01-08

Version 16

9.1. Information on basic physical and chemical properties

Colour Physical state @20°C Odour Odour Threshold		brown*** solid*** characteristic*** No information available	
<u>Property</u> pH Melting point/range	<u>Values</u>	Remarks Not applicable*** No information available	<u>Method</u>
Boiling point/boiling range		Not applicable***	
Flash point ***		Not applicable***	
Evapouration rate Flammability Limits in Air		No information available***	
Upper ***	***	No information available***	***
Lower ***	***	No information available***	***
Vapour pressure		No information available***	
Vapour density		No information available***	
Relative density	0.870***	@ 20 °C***	ISO 12185***
Density	870*** kg/m ^{3***}	@ 20 °C***	ISO 12185***
Water solubility		Insoluble***	
Solubility in other solvents		No information available***	
logPow		No information available***	
Autoignition temperature		No information available***	
Decomposition temperature		No information available	
Viscosity, kinematic ***	***	Not applicable***	***
Explosive properties	Not explosive***		
Oxidising properties	Not applicable***		
Possibility of hazardous reactions	None under normal proce	essing***	

9.2. Other information

Freezing point

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information

None under normal processing.***

10.2. Chemical stability

Stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions



SDS # : 31157	MULTIS EP 2			
	Revision Date: 2019-01-08	Version 16		
Hazardous reactions	No dangerous reaction known under conditions of normal us	Se.***		
10.4. Conditions to avoid				
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ic and sparks.***	gnition. Keep away from heat		
10.5. Incompatible materia	als			
Materials to avoid	Strong oxidising agents.***			
10.6. Hazardous Decompos	sition Products			
Hazardous Decomposition Produc	ts Incomplete combustion and thermolysis may produce gases carbon monoxide, carbon dioxide, various hydrocarbons, ald products include sulphur oxides (SO2 and SO3) and Hydro Phosphorous oxides, Nitrogen oxides (NOx), Zinc oxides.***	dehydes and soot. Combustion		
Section 11: TOXICOLOGIC	AL INFORMATION			
11.1 Information on toxic	ological effects			

Skin contact	. Not classified based on available data. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.***
Eye contact	. Not classified based on available data. The supplier of one or more of the components contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not required.***
Inhalation	. Not classified based on available data.***
Ingestion	. Not classified based on available data. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.***

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phosphorodithioic acid, mixed	LD50 3600 mg/kg (Rat - OECD	LD50 > 20000 mg/kg (Rabbit -	
O,O-bis(iso-Bu and pentyl) esters, zinc	401)	OECD 402)	
salts***			

Sensitisation

Sensitisation

Not classified based on available data.***

Specific effects



SDS #: 31157	MULTIS EP 2		
	Revision Date: 2019-01-08	Version 16	
Carcinogenicity Mutagenicity	Not classified based on available data.***		
Germ cell mutagenicity	Not classified based on available data.***		
Reproductive toxicity	Not classified based on available data.***		
Repeated dose toxicity			
Target Organ Effects (STOT)			
Specific target organ systemic toxicity (single exposure)	Not classified based on available data.***		
Specific target organ toxicity - repeated exposure	Not classified based on available data.***		
Aspiration toxicity	Not classified based on available data.***		
Other information			
Other adverse effects	Characteristic skin lesions (oil blisters) may develop following prolonged and rep exposures (contact with contaminated clothing).***	peated	

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified based on available data.***

Acute aquatic toxicity - Product Information***

No information available.***

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc salts*** 68457-79-4	EbL50 (72h) 21 mg/l (Scenedesmus subspicatus - OECD 201)	EC50 (48h) 23 mg/l (Daphnia magna - OECD 202)	LC50 (96h) 4.5 mg/l (Cyprinodon variegatus - OECD 203)	

Chronic aquatic toxicity - Product Information No information available.***

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Phosphorodithioic acid,		NOEC(21d) 0.8 mg/l		
mixed O,O-bis(iso-Bu and		Daphnia magna		



MULTIS EP 2

Revision Date: 2019-01-08

Version 16

pentyl) esters, zinc salts***		
68457-79-4		

Effects on terrestrial organisms

No information available.***

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information

logPow

No information available.*** No information available***

Component Information	
Chemical Name	log Pow
Phosphorodithioic acid, mixed O,O-bis(iso-Bu and pentyl) esters, zinc	0.69
salts*** - 68457-79-4	

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product has no soil mobility.***		
Air	Loss by evaporation is limited.***		
Water	The product is insoluble and floats on water.***		
12.5. Results of PBT and vi	PvB assessment		
PBT and vPvB assessment	No information available.***		
12.6. Other adverse effects			
General Information	No information available.***		
Section 13: DISPOSAL CONSIDERATIONS			
13.1. Waste treatment methods			
Waste from residues / unused	Should not be released into the environment. Do not empty into drains. Dispose of in		

Waste from residues / unused products	Should not be released into the environment. Do not empty into drains. Dispose of in accordance with the European Directives on waste and hazardous waste.***
Contaminated packageing	Empty containers should be taken to an approved waste handling site for recycling or disposal.***
EWC Waste Disposal No	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application



not regulated

Revision Date: 2019-01-08

MULTIS EP 2

Version 16

for which the product was used. The following Waste Codes are only suggestions:. 12 01 12.***

 Other information
 Refer to section 8 for safety and protective measures for disposal personnel.***

 Section 14: TRANSPORT INFORMATION

 ADR/RID
 not regulated

 IMDG/IMO
 not regulated

 ICAO/IATA
 not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

REACH

ADN

All substances contained in this mixture have been pre-registered, registered or are exempt from registration in accordance with Regulation (CE) No. 1907/2006 (REACh)***

International Inventories	All the substances contained in this product are listed or exempted from listing in the following inventories: Europe (EINECS/ELINCS/NLP) U.S.A. (TSCA) China (IECSC) New Zealand (NZIoC) Canada (DSL/NDSL) Korea (KECL)
	Australia (AICS)***

Further information

No information available***

15.2. Chemical Safety Assessment

Chemical Safety Assessment No info

No information available***

15.3. National regulatory information



Revision Date: 2019-01-08

MULTIS EP 2

Version 16

The United Kingdom

Avoid exceeding occupational exposure limits (see section 8).

Ireland

• Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects***

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

- OSHA = Occupational Safety and Health Administration
- UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

dw = dry weight

fw = fresh water

mw = marine water

or = occasional release

Legend Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit

+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date:

2019-01-08



MULTIS EP 2

Revision Date: 2019-01-08

Version 16

Revision Note

SDS #: 31157

*** Indicates updated section. This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above.It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive.It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet