

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 06 November 2018



Revision: 05 November 2018

Page 1 of 6

1 Identification of the substance/preparation and of the company/undertaking

Trade name: **Linelube Engine Oil Low SAPS 5W30 E6-E9**

Relevant identified uses of the substance or mixture and uses advised against:

Use of the substance/mixture: Engine Oil

Use advised against: Do not use in any other application

Supplier:

Online Lubricants Ltd.

Unit 20, The io Centre, Barking, London IG11 0DR

UK Tel. +44 (0) 208 507 0123

In case of emergency: +44 (0) 208 507 0123

2 Hazards identification

2.1 Classification of the substance or mixture

- CLP: Not classified

2.2 Label elements

- Signal Word: Not classified

- Hazard statements

- Precautionary statements

2.3 Other hazards

3 Composition / Information on ingredients

3.2 Mixtures

- Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

CAS Number: 68649-42-3

EC Number: 272-028-3

REACH Registration Number: Not available

Concentration: <1.0%

H Statements: H319, H400, H412

Symbols:

Categories: Eye Irrit. 2

- Benzenamine, N-phenyl-, reaction products with styrene and 2,4,4-trimethylpentene

CAS Number: 68921-45-9

EC Number: 272-940-1

REACH Registration Number: Not available

Concentration: <1.0%

H Statements: H411

Symbols:

- Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil based

CAS Number: Various see Section 16

EC Number: Not available.

REACH Registration Number: Not available

Concentration: <90%

H Statements: H304

Symbols:

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 06 November 2018



Revision: 05 November 2018

Page 2 of 6

4 First-aid measures

4.1 Description of first aid measures

- Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

- Contact with eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses (if easy to do so). Get medical attention.

- Contact with skin

Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.

- Ingestion

Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

- See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment should be symptomatic and directed to relieving any effects

5 Fire Fighting Measures

5.1 Extinguishing media

- Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or mixture

- If heated or in cases of fire, pressure in a vessel will increase and container may burst.

- Combustion products may include: carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide), metal oxide/ oxides, phosphorous oxides and sulphur oxides (SO, SO₂, etc..)

5.3 Advice for firefighters

- Promptly isolate and secure the scene, remove all unnecessary and untrained persons from the vicinity if there is a fire.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European Standard EN 469 will provide a basic level of protection for chemical incidents.

6 Accidental Release Measures

Spillage causes slippery surface

6.1 Personal precautions, protective equipment and emergency procedures

- Stop any leak if it is safe to do so.

- Absorb with sand or other inert absorbant. Collect in containers and seal securely.

- Adopt best manual handling considerations when handling, carrying and dispensing.

- Appropriate protective equipment must be worn when handling a spill of this material.

See SECTION 8, Exposure Controls/Personal Protection, for recommendations. If exposed to material during clean-up operations, see SECTION 4, First Aid Measures, for actions to follow.

6.2 Environmental precautions

- Do not allow product to enter drains. Prevent further spillage if safe. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

- Stop any leak if it is safe to do so.

- Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 06 November 2018



Revision: 05 November 2018

Page 3 of 6

- Dispose of in compliance with all local and national regulations.

6.4 Reference to other sections

- See Section 1 for emergency contact information.
- See Section 5 for firefighting measures.
- See Section 8 for information on appropriate personal protective equipment.
- See Section 12 for environmental precautions.
- See Section 13 for additional waste treatment information

7 Handling and Storage

7.1 Precautions for safe handling

- Use appropriate personal protective equipment.
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

- Store in accordance with local regulations.
- Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

7.3 Specific end use(s)

- The identified uses for this product are detailed in Section 1.2.

8 Exposure controls/personal protection

8.1 Control parameters

Substances

Chemical Name	Molybdenum, bis(ditridecylcarbomodithioato) di-u-oxodioxo-di-,sulfurized
WEL (short term)	20 mg/m ³
WEL (long term)	10 mg/m ³

Chemical Name	Lubricating oils (petroleum), C20-C50, hydrotreated neutral oil based
WEL (short term)	-
WEL (long term)	5 mg/m ³

If this product contains ingredients with exposure limits, personal and/or workplace atmosphere monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

8.2 Exposure controls

Goggles Gloves



- Engineering Controls
- Appropriate Engineering Control:
 - All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled.
 - Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.
 - No special requirements under ordinary conditions of use and with adequate ventilation.
- Eye Protection
 - If contact is likely, safety glasses are recommended.

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 06 November 2018



Revision: 05 November 2018

Page 4 of 6

- Hand Protection
 - As specific work environment and material handling practices vary, safety procedures should be developed for each intended application.
 - The correct choice of protective gloves depends upon the chemicals being handled and the conditions of work and use.
 - Recommended: Nitrile or other suitable glove.
 - Breakthrough time represents how long a glove can be expected to provide effective permeation resistance. Always consult with your glove supplier for up-to-date technical information on breakthrough.
- Skin and Body Protection
 - Wear appropriate clothing as protection against splashing.
 - In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.
- Hygiene Measures
 - Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking.
 - Routinely wash work clothing and protective equipment to remove contaminants.
- Respiratory Protection
 - No special requirements under ordinary conditions of use and with adequate ventilation.

9 Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

- Appearance: Clear Brown/Amber Oil
- Odour: Characteristic.
- Density: 0.8569.96 at 15°C
- Viscosity (kinematic): 70cSt at 40/11°C
- Viscosity (kinematic): 11cSt at 100°C
- Freezing point/Range: No data available.
- Boiling Point/Range: No data available
- Flashpoint: No data available.
- Oxidising Properties: No information available
- Autoignition Temperature: No information available

9.2 Other information

- The figures in this section are for guidance only please always use them in conjunction with the technical data sheet.

10 Stability and Reactivity

10.1 Reactivity

- No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.

10.2 Chemical stability

- Considered stable under normal conditions

10.3 Possibility of hazardous reactions

- None under normal processing.
- Hazardous polymerisation does not occur.

10.4 Conditions to avoid

- Avoid heat, flames and other sources of ignition.

10.5 Incompatible materials

- Reactive or incompatible with the following materials: oxidizing materials.

10.6 Hazardous decomposition products

- Under normal conditions of storage and use, hazardous decomposition products should not be produced

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 06 November 2018



Revision: 05 November 2018

Page 5 of 6

11 Toxicological Information

11.1 Information on toxicological effects

- Potential acute health effects.
 - Inhalation may cause irritation to the respiratory tract.
 - Ingestion: May cause nausea and diarrhoea.
 - Skin contact: Defatting to the skin. May cause skin dryness and irritation.
 - Eye contact: No known significant effects or critical hazards.
 - No other specific data and information available.
- Potential chronic health effects
- General: USED ENGINE OILS
 - Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained

12 Ecological Information

12.1 Toxicity

- Not classified as dangerous

12.2 Persistence and degradability

- The product is not readily biodegradable.

12.3 Bioaccumulative potential

- The product has limited potential for bioaccumulation. The product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil

- Spillages may penetrate the soil causing ground water contamination.
- immiscible with water

12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

12.6 Other adverse effects

- Spillages may form an oil layer on water surfaces causing physical damage to organisms.
- Oxygen transfer may also be impaired.
- Toxic to sewage works organisms

13 Disposal Considerations

13.1 Waste treatment methods

- Dispose of in compliance with all local and national regulations.

13.2 Classification

- This material and its containers must be disposed of as hazardous waste.
- Dispose of waste via a licensed waste disposal contractor

14 Transport Information

14.1 UN number

- UN No.: Not regulated.

14.2 UN proper shipping name

- Proper Shipping Name: Not applicable.

14.3 Transport hazard class(es)

- Hazard Class: Not applicable.

14.4 Packing group

- Packing Group: Not applicable.

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 06 November 2018



Revision: 05 November 2018

Page 6 of 6

14.5 Environmental hazards

- Not classified.

14.6 Special precautions for user

- Not available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

- Not available.

15 Regulatory Information

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

- Regulation (EC) No 1272/2008 of the European Parliament and the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2 Chemical safety assessment

- A chemical safety assessment (CSA) for this product has not yet been completed

16 Other Information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:

H304: May be fatal if swallowed and enters airways. H319: Causes serious eye irritation.

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

May contain one or more of the following:

5,101316-71-6,
101316-72-7 / RRN 01-2119489969-06,
64741-88-4 / RRN 01-2119488706-23,
64741-89-5 / RRN 01-2119487067-30,
64741-95-3 / RRN 01-2119487081-40,
64741-96-4/ RRN 01-2119483621-38,
64741-97-5 / RRN 01-2119480374-36,
64742-01-4 / RRN 01-2119488707-21,
64742-44-5 / RRN 01-2119985177-24,
64742-45-6,
64742-52-5 / RRN 01-2119467170-45,
64742-53-6 / RRN 01-2119480375-34,
64742-54-7 / RRN 01-2119484627-25,
64742-55-8 / RRN 01-2119487077-29,
64742-56-9 / RRN 01-2119480132-48,
64742-57-0 / RRN 01-2119489287-22,
64742-58-1,
64742-62-7 / RRN 01-2119480472-38,
64742-63-8,
64742-64-9,
64742-65-0 / RRN 01-2119471299-27,
64742-70-7 / RRN 01-2119487080-42,
72623-85-9 / RRN 01-2119555262-43,
72623-86-0 / RRN 01-2119474878-16,
72623-87-1 / RRN 01-2119474889-13,
74869-22-0 / RRN 01-2119495601-36,
90669-74-2 / RRN 01-2119970171-43

end