According to 1907/2006/EC, Article 31

, 10001 amig to 1001/2000/20, 7 in 11010 01

Printing Date: 09 June 2020



Revision: 19 January 2017

(Page 1 of 5)

1 Identification of the substance/preparation and of the company/undertaking

Trade name: linelube Semi-Synthetic 75W-90

Relevant identified uses of the substance or mixture and uses advised against:

- Use of the substance/mixture: Gear and Transmission Lubricant
- · Use advised against: Do not use in any other application

Supplier:

Online Lubricants Ltd.
Unit 20, The IO Centre, Barking, London IG11 0DR
UK Tel. +44 (0) 208 507 0123

In case of emergency: +44 (0) 208 507 0123

2 Hazards identification

2.1 Classification of the substance or mixture

- CLP: Classification (EC) No. 1272/2008 (CLP)
- CHIP: The product is classified in accordance with 67/548/EEC.

2.2 Label elements

Hazard phrases: None assignedPrecautionary Phrases: None assigned

2.3 Other hazards

A petroleum product. DMSO extract < 3 Weight % (IP 346). The classification as a carcinogen need not apply if it
can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note
applies only to certain complex oil derived substances. (1272/2008/EC ("CLP"), Annex VI, Note L)

3 Composition / Information on ingredients

3.1 Mixtures

Lubricating oils; Base oil - unspecified

CAS Number: 74869-22-0
EC Number: 278-012-2
REACH Registration Number:
Concentration: 30 - 40%
R/H Phrases: Not Applicable

Lubricating oils (petroleum),

CAS Number: 72623-87-1
EC Number: 276-738-4
REACH Registration Number:
Concentration: 60 - 70%
R/H Phrases: Not Applicable

N-phenyl-benzenamine, reaction products with 2.4.4-trimethylpentene

CAS Number: Not Available
 EC Number: Not Available
 REACH Registration Number:
 Concentration: 0 - 0.5%
 R/H Phrases: R51/53

According to 1907/2006/EC, Article 31



Revision: 19 January 2017

(Page 2 of 5)

4 First-aid measures

Printing Date: 09 June 2020

4.1 Description of first aid measures

Inhalation: When in doubt or symptoms persist, seek medical attention

Contact with eyes:

 H320 - Causes eye irritation. If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes. When in doubt or symptoms persist, seek medical attention

Contact with skin:

- H315 Causes skin irritation.
- S27/28 After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water. Seek medical attention if irritation persists

Ingestion: If swallowed and symptoms develop, seek medical attention. DO NOT INDUCE VOMITING. Ingestion may cause nausea and vomiting. Seek medical advice if necessary

4.2 Most important symptoms and effects, both acute and delayed

- Can cause damage to the eyes and skin
- Causes nausea/vomiting
- May cause breathing difficulty

4.3 Indication of any immediate medical attention and special treatment needed.

- S28b Wash affected area with plenty of soap and water
- S44 If you feel unwell, seek medical advice (show the label where possible)

5 Fire Fighting Measures

5.1 Extinguishing media

- S43 In case of fire use carbon dioxide or dry agent
- Do not use water jets

5.2 Special hazards arising from the substance or mixture

In case of fire, do not breathe fumes

5.3 Advice for firefighters:

- Prevent run off water from entering drains if possible
- Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6 Accidental Release Measures

6.2 Personal precautions, protective equipment and emergency procedures

• Wear protective clothing as per section 8

6.2 Environmental Precautions - Do not allow to enter public sewers and watercourses

6.3 Methods and material for containment and cleaning up

- Absorb spillage in suitable inert material
- Place in appropriate container
- Seal containers and label them
- S40 To clean the floor and all objects contaminated by this material use water

6.4 Reference to other sections: - See Section 8

According to 1907/2006/EC, Article 31

,



Revision: 19 January 2017

(Page 3 of 5)

7 Handling and Storage

Printing Date: 09 June 2020

7.1 Precautions for safe handling

- S24/25 Avoid contact with skin and eyes
- Ensure adequate ventilation
- P412 Do not expose to temperatures exceeding 50°C/ 122°F.
- P202 Do not handle until all safety precautions have been read and understood.

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- P233 Keep container tightly closed.

7.3 Specific end use(s): See Section 1

8 Exposure controls/personal protection

8.1 Control parameters

- WEL (long term) 5 mg/m3
- WEL (short term) 10 mg/m3

8.2 Exposure controls

- · Wear approved safety goggles.
- · Wear Suitable respiratory equipment.
- Ensure adequate ventilation
- Chemical resistant gloves (PVC).







9 Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

- Appearance: Liquid, red
- Odour: Characteristic.
- Freezing point/Range: N/A
- Boiling Point/Range: > 150 °C
- Flashpoint: 200 °C
- Oxidising Properties: Not considered oxidising
- Explosive Properties: Considered stable under normal conditions
- Autoignition Temperature 195 °C
- Vapour Pressure: <1
- Density: 0.885
- Viscosity: 105
- Solubility in water: Insoluble in water

9.2 Other information

 The figures in this section are for guidance only please always use them in conjunction with the technical data sheet.

10 Stability and Reactivity

- 10.1 Reactivity No hazardous reactions known if used for its intended purpose
- 10.2 Chemical stability Considered stable under normal conditions
- 10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended purpose
- 10.4 Conditions to avoid P412: Do not expose to temperatures exceeding 50°C/122°F.

This safety data sheet serves to complement but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

According to 1907/2006/EC, Article 31

Printing Date: 09 June 2020 Revision: 19 January 2017

(Page 4 of 5)

linelube

10.5 Incompatible materials - Incompatible with strong oxidizing substances

10.6 Hazardous Decomposition Products - Decomposition products may include carbon oxides

11 Toxicological Information

11.1Information on toxicological effects

GENERAL INFORMATION:

This product has low toxicity. Only large volumes may have adverse impact on human health.

Lubricating oils; Baseoil - unspecified:

- Inhalation: Rat LC50/30min: >5.53
- o Dermal: Rat LD50: >2000
- Oral Rat LD50: >5000
- May cause irritation by skin contact.
- Unlikely to be hazardous by inhalation because of the low vapour pressure of the substance at ambient temperature.

12 Ecological Information

- 12.1 Toxicity No information available
- 12.2 Persistence and degradability This substance is not readily biodegradable
- 12.3 Bioaccumulation Potential Bioaccumulation is insignificant

12.4 Mobility in soil

- Insoluble in water.
- Floats on water.
- · Absorbed only slowly into soil.
- 12.5 Results of PBT and vPvB assessment Not applicable.
- 12.6 Other Adverse Effects R58: May cause long-term adverse effects in the environment

13 Disposal Considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Waste Code: 13 XX XX OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19) Code given as a guidance only it could vary from different products and the way they were used.
- We recycle 205L and 1000L packaging.

14 Transport Information

- 14.1 UN Number Not applicable
- 14.2 UN Proper Shipping Name Not applicable
- 14.3 Transport hazard class(es) Not applicable
- 14.4 Packing group Not applicable
- 14.5 Environmental hazards Not Classified
- 14.6 Special precautions for user Not Classified
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code Not Classified

According to 1907/2006/EC, Article 31



Revision: 19 January 2017

(Page 5 of 5)

15 Regulatory Information

Printing Date: 09 June 2020

15.1Safety, health and environmental regulations/legislation specific for the substance or mixture

Supply regulations:

- DPD: Dangerous Preparations Directive.
- GHS: Globally Harmonised System of classification and labelling of chemicals.
- CLP: Classification, Labelling and Packaging regulations.

Transport regulations:

- CDG: Carriage of Dangerous Goods regulations.
- ADR/RID/IMDG/ICAO/IATA regulations.

15.2 Chemical Safety Assessment

A chemical safety assessment (CSA) for this product has not yet been completed.

16 Other Information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.