According to 1907/2006/EC, Article 31

Printing Date: 09 June 2020

According to 1901/2000/EO, Article 31



Revision: 19 January 2017

(Page 1 of 5)

1 Identification of the substance/preparation and of the company/undertaking

Trade name: linelube Lawnmower Oil

Relevant identified uses of the substance or mixture and uses advised against:

- Use of the substance/mixture: Horticultural Equipment
- Use advised against: Do not use in any other application

Supplier:

Online Lubricants Ltd.
Unit 20, The IO Centre, Barking, London IG11 0DR
UK Tel. +44 (0) 208 507 0123

In case of emergency: +44 (0) 208 507 0123

2 Hazards identification

2.1 Classification of the substance or mixture

CLP: Not Classified

2.2 Label elements

• Signal Word: None Required

Hazard statements: None assigned

Precautionary statements: None assigned

2.3 Other hazards

 A petroleum product. DMSO extract < 3 Weight % (IP 346). The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances. (1272/2008/EC ("CLP"), Annex VI, Note L)

3 Composition / Information on ingredients

3.2 Mixtures

Lubricating oils; Baseoil - unspecified CAS Number: 74869-22-0 EC Number: 278-012-2

REACH Registration Number: Not Available.

Concentration: 88-98% H Statements: Not Applicable

ZINC ALKYL DITHIOPHOSPHATE

CAS Number: 68649-42-3 EC Number: 272-028-3

REACH Registration Number: Not Available.

Concentration: 0-1%

H Statements: H411, H318, H315

According to 1907/2006/EC, Article 31

Printing Date: 09 June 2020 Revision: 19 January 2017

(Page 2 of 5)

linelube

4 First-aid measures

4.1 Description of first aid measures

Inhalation

• Do not breath Dust or Vapour. If inhaled and the vapour causes irritation to the nose or throat move the person to fresh air. If symptoms persist obtain medical attention.

Contact with eyes

 If substance has got into eyes, immediately wash out with plenty of water for at least 15 minutes. When in doubt or symptoms persist, seek medical attention.

Contact with skin

Wash skin as soon as possible with soap and water. If clothing is contaminated launder before reuse.

Ingestion

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

- Can cause damage to the eyes and skin
- Causes nausea/vomiting

4.3 Indication of any immediate medical attention and special treatment needed

- Eye contact: Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
- Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

5 Fire Fighting Measures

5.1 Extinguishing media

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions
- Do not use water jets

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide (CO) CO2

5.3 Advice for firefighters

• Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6 Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8
- No action shall be taken involving any personal risk or without suitable training. Adopt best Manual Handling considerations when handling, carrying, and dispensing. Avoid sparks, flames, heat and sources of ignition.
- Wear suitable protective equipment.
- Ensure adequate ventilation of the working area.

6.2 Environmental Precautions

• Do not allow to enter public sewers and watercourses

6.3 Methods and material for containment and cleaning up

- Absorb spillage in suitable inert material
- Place in appropriate container
- Seal containers and label them

6.4 Reference to other sections

• For personal protection, see section 8. For waste disposal, see section 13.

According to 1907/2006/EC, Article 31

-



Revision: 19 January 2017

(Page 3 of 5)

7 Handling and Storage

Printing Date: 09 June 2020

7.1 Precautions for safe handling

- Ensure adequate ventilation
- P412 Do not expose to temperatures exceeding 50°C/ 122°F.
- P202 Do not handle until all safety precautions have been read and understood.

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- P233 Keep container tightly closed.

7.3 Specific end use(s)

8 Exposure controls/personal protection

8.1 Control parameters

Lubricating oils; Baseoil - unspecified

WEL 8-hr limit ppm: WEL 8-hr limit mg/m3: 5 WEL 15 min limit ppm: WEL 15 min limit mg/m3: 10

8.2 Exposure controls

- Ensure adequate ventilation of the working area.
- Wear approved safety googles if splashing is likely.
- Chemical resistant gloves (PVC).





9 Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

- Appearance: Liquid, amber
- Odour: Mild
- Freezing point/Range: -10C
 Reiling Boint/Range: 450C
- Boiling Point/Range: 150C
- Flashpoint: 199 °C
- Oxidising Properties: Not considered oxidising
- Autoignition Temperature > 300 °C
- Vapour Pressure: 1Density: 0.873 0.892
- Solubility in water: Insoluble in water
- Explosive Properties: Considered stable under normal conditions

9.2 Other information

• The figures in this section are for guidance only please always use them in conjunction with the technical data sheet.

10 Stability and Reactivity

- 10.1 Reactivity: No hazardous reactions known if used for its intended purpose
- 10.2 Chemical stability: Considered stable under normal conditions
- 10.3 Possibility of hazardous reactions: No hazardous reactions known if used for its intended purpose
- 10.4 Conditions to avoid: P412 Do not expose to temperatures exceeding 50°C/ 122°F.
- 10.5 Incompatible materials: Incompatible with strong oxidizing substances

This safety data sheet serves to complement but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfill his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

According to 1907/2006/EC, Article 31



linelube

(Page 4 of 5)

Printing Date: 09 June 2020 Revision: 19 January 2017

10.6 Hazardous Decomposition Products: - Decomposition products may include carbon oxides

11 Toxicological Information

11.1 Information on toxicological effects

Lubricating oils; Baseoil - unspecified: Inhalation Rat LC50/30min: >5.53 Dermal Rat LD50: >2000 Oral Rat LD50: >5000

12 Ecological Information

- 12.1 Toxicity No Data Available
- **12.2 Persistence and degradability**: This product contains a substance which is harmful to aquatic organisms and which may cause long term advers effects to the aquatic environment.
- **12.3 Bioaccumulation Potential**: Bioaccumulation is unlikely to be significant due to the low water solubility of this product.
- 12.4 Mobility in soil The product is non-volatile. The product is insolube in water and wil spread on the water surface.
- 12.5 Results of PBT and vPvB assessment Not applicable.
- 12.6 Other Adverse Effects May cause long-term adverse effects in the environment

13 Disposal Considerations

13.1 Waste treatment methods

- Disposal should be in accordance with local, state or national legislation
- Waste Code: 13 XX XX OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19) Code given as a guidance only it could vary from different products and the way they were used.
- We recycle 205L and 1000L packaging

14 Transport Information

14.1 UN Number: Not applicable

14.2 UN Proper Shipping Name: Not applicable 14.3 Transport hazard class(es): Not applicable

14.4 Packing group: Not applicable

14.5 Environmental hazards - Not Classified

14.6 Special precautions for user - Not Classified

14.7 Transport in bulk according to Annex II of MARPOL and the IBC code - Not Classified

15 Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Refer to current Health and Safety at Work Act
- Supply regulations: DPD: Dangerous Preparations Directive; GHS: Globally Harmonised System of classification and labelling of chemicals; CLP: Classification, Labelling and Packaging regulations. Transport regulations: CDG: Carriage of Dangerous Goods regulations; ADR/RID/IMDG/ICAO/IATA regulations.

According to 1907/2006/EC, Article 31



Revision: 19 January 2017

(Page 5 of 5)

15.2 Chemical Safety Assessment

· A chemical safety assessment (CSA) for this product has not yet been completed

16 Other Information

Printing Date: 09 June 2020

Text not given with phrase codes where they are used elsewhere in this safety data sheet:

H315: Causes skin irritation.

H318: Causes serious eye damage.

H411: Toxic to aquatic life with long lasting effects.