

## Product Certification

GE SSG4000AC UltraGlaze\* accelerated cure silicone structural glazing adhesives are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2008 standard. SSG4000AC UltraGlaze\* accelerated cure silicone structural glazing adhesives are manufactured in the following Momentive facility:

Momentive Performance Materials  
260 Hudson River Road  
Waterford, NY 12188  
USA

GE SSG4000AC UltraGlaze\* accelerated cure silicone structural glazing adhesives conform to the typical performance properties as stated in its current product data sheet.

### American Society for Testing & Materials International:

- ASTM C920 Standard Specification for Elastomeric Joint Sealants; Type S, Grade NS, Class 25, Use NT, A, G, O
- ASTM C1184 Standard Specification for Structural Silicone Sealants; Type S, Use G and O

### U.S. Federal Specifications: (cancelled Sept. 1996)

- TT-S-001543A Sealing Compound: Silicone Rubber Base (for Caulking, Sealing & Glazing in Buildings and Other Structures)
- TT-S-00230C Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing & Glazing in Buildings and Other Structures)

### Canadian General Standards Board: (inactive)

- CGSB-19.13-M87 Sealing Compound, One-Component, Elastomeric, Chemical Curing

### American Architectural Manufacturers Association:

- AAMA 802.3 - Back bedding glazing compound, Type 1
- AAMA 802.3 - Back bedding glazing compound, Type 2
- AAMA 805.2 - Back Bedding Glazing Compound, Group C
- AAMA 808.3 - Exterior Perimeter Sealing Compound

SSG4000AC UltraGlaze\* does not contain asbestos or lead.

