

Product Certification

GE SCS1000 Contractors silicone sealants are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2008 standard. SCS1000 silicone sealants are manufactured in the following Momentive facility:

Momentive Performance Materials
260 Hudson River Road
Waterford, NY 12188 USA

GE SCS1000 Contractors silicone sealants conform to the typical performance properties as stated in its current product data sheet.

American Society for Testing & Materials International:

- ASTM C920 Standard Specification for Elastomeric Joint Sealants; Type S, Grade NS, Class 25, Use A, G, O

U.S. Federal Specifications: (cancelled Sept. 1996)

- TT-S-001543A Sealing Compound: Silicone Rubber Base (for Caulking, Sealing & Glazing in Buildings and Other Structures)
- TT-S-00230C Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing & Glazing in Buildings and Other Structures)

U.S. Department of Agriculture:

- SCS1001, SCS1002, SCS1003 and SCS1009 are chemically acceptable for use on surfaces in official establishments operating under the Federal Meat and Poultry Inspection program. Note, SCS1097 (bronze) does not meet USDA criteria.

U.S. Food and Drug Administration:

- SCS1000 silicone sealants are in compliance with 21 CFR 177.2600, 21 CFR 175.105, 21 CFR 175.300.

Canadian General Standards Board: (inactive)

- CGSB-19.13-M87 Sealing Compound, One-Component, Elastomeric, Chemical Curing

National Science Foundation:

- NSF/ANSI STANDARD 51 “Food Equipment Materials”

GE SCS1000 does not contain asbestos or lead.

