



Product Certification

GE SCS1700 Sanitary silicone sealants are manufactured by Momentive under strict quality control guidelines and in accordance with the ISO 9001:2015 standard. SCS1700 Sanitary silicone sealants are manufactured in the following Momentive facility:

Momentive Performance Materials
260 Hudson River Road
Waterford, NY 12188 USA

GE SCS1700 Sanitary silicone sealants conform to the typical performance properties as stated in its current product data sheet.

American Society for Testing & Materials International:

- ASTM C 920 Standard Specification for Elastomeric Joint Sealants; Type S, Grade NS, Class 25, Use A, G, O, NT

U.S. Federal Specifications: (cancelled Sept. 1996)

- TT-S-001543A Sealing Compound: Silicone Rubber Base (for Caulking, Sealing & Glazing in Buildings and Other Structures)
- TT-S-00230C Sealing Compound: Elastomeric Type, Single Component (for Caulking, Sealing & Glazing in Buildings and Other Structures)

Canadian General Standards Board: (inactive)

- CCGSB-19.13-M87 Sealing Compound, One-Component, Elastomeric, Chemical Curing
- CGSB-19.22-M89 Mildew-Resistant Sealing Compound for Tubs and Tiles

GE SCS1700 Sanitary silicone sealants do not contain asbestos or lead.

