

SILENT EXHAUST FANS



schweigen


simply *silent*

GERMAN ENGINEERED // AUSTRALIAN OWNED

Schweigen // COMPLETE HOME VENTILATION SOLUTION



SILENT EXHAUST FAN




ISODRIVE® BR500 MOTOR

650 m³/h airflow

- Centrifugal German made motor
- Energy Efficient - only uses 57W
- 150mm flexible ducting (3m)
- Install roof/wall/eave



SILENT EXHAUST FAN - MULTIPLE ROOMS



ISODRIVE® BRW600ST MOTOR

900 m³/h airflow

- Centrifugal German made motor
- Energy Efficient - only uses 57W
- 200mm flexi ducting (4m)
- Install roof/wall



IsoDrive S1/650 and the IsoDrive ST/900 motors can comfortably vent up to four rooms at a time.

GERMAN MADE



Schweigen // SILENT EXHAUST FANS

Schweigen swiftly and silently deals with ventilation issues anywhere in your home

Schweigen, the makers of Australia's top selling silent kitchen rangehoods, now offer an expanded range of exhaust fans to help increasingly sealed homes deal effectively with ventilation challenges.

Perfect for whole of house, multi-room ventilation, Schweigen silent multi-purpose exhaust fans prevent pollutant build-up by swiftly and silently removing steam, odours and airborne bacteria without the use of harmful chemicals - leaving your living space healthier, cleaner and fresher for longer.

Powered by German-made Isodrive® motors mounted outside of homes, they are designed to be installed through the roof, wall or eave and are suitable for


almost any room in your unit, apartment, townhouse, single or multi-storey house. Each exhaust fan can also vent 2 adjacent rooms with an optional venting kit and are now available together in your choice of all-in-one bundles for hassle-free installations.

With sleek designs, extreme durability and versatile features, our products combine the best of European styling and Australian durability.



- Powerful silent extraction by Isodrive® motors (recognised as one of the most powerful and efficient domestic air extraction systems available) - requiring just 57 watts of power to run and delivering almost 300% energy savings in comparison to competitor products.
- Multi-purpose ventilation suitable for use anywhere in the house to remove steam from bathrooms, odours from toilets, condensation from laundry rooms, stale air from bedrooms, garage, wine cellar and more.
- Multi-room extraction from just one exhaust fan with whole of house multi-room models and venting kits now available in easy-to-install bundles.
- More extraction power options to suit your needs with powerful 650 or 900m³/hr airflow.
- Flexible installation through the roof, wall or eave of your apartment, townhouse, single or multi-storey house.

Silent Exhaust Fan // BR500, BR500ST



For illustrative purpose only. Please refer to user manual for specific instructions, terms and conditions that apply.

DESCRIPTION

- Universal mounting options - Roof/Wall/Eaves
- Patented anti-water intrusion, weather protection system (IPX4 rated)
- Acoustic dome with super quiet, long vane, backward curved centrifugal fan
- Motor can be mounted up to 3 metres from the vent
- 5 Year Warranty on the motor
- Can be installed and vented to 2 adjacent rooms with the optional DVK500 kit

TECHNICAL DATA

BR500

- Motor includes:
 - Fan Module
 - Exhaust Vent
 - Bell Mouth Adaptor
 - 100mm Pipe
 - Flexible Ducting (3m)
 - Back Draught Shutter System
 - Instruction Manual

MOTOR OPTIONS

- **S1.650**
 - single external motor
 - 650 m³/h airflow
 - 150mm flexi ducting (4m)
 - install roof/wall/eaves
- **ST.900**
 - single external motor
 - 900 m³/h airflow
 - 200mm flexi ducting (4m)
 - install roof/wall

Ideal for every household, this unit can be installed and vented into two rooms - by utilising the optional DVK500 kit. With silent operation, your bathroom and laundry will stay fresh and odour-free.

The revolution starts with a German made EBM motor and fan which is recognised as the quietest, most efficient and

highest-powered domestic extraction unit available today. However, even the quietest motors and fans on the market still generate noise. Using Schweigen's renowned concept of placing the motors externally on your roof or eaves, you can easily achieve silent operation of all household extraction units.



Both the BR500 and DVK500 are now available together in one convenient bundle called the BR522.



Silent Exhaust Fan // BRW600, BRW600ST



The Isodrive®-powered silent exhaust fan whisks away odours, steam, stale air and humidity in seconds – efficiently reducing airborne bacteria and preventing mould growth.

Designed to be installed through the roof, wall or eave and suitable for almost any room in your unit, apartment, townhouse, single or multi-storey house – the BRW600 can also be vented to 2 adjacent rooms with the optional DVK600 kit.

DESCRIPTION

- Universal mounting options - Roof/Wall/Eaves
- Patented anti-water intrusion, weather protection system (IPX4 rated)
- Acoustic dome with super quiet, long vane, backward curved centrifugal fan
- Motor can be mounted up to 3 metres from the vent
- 5 Year Warranty on the motor
- Can be installed and vented to 2 adjacent rooms with the optional DVK600 kit

TECHNICAL DATA

BRW600

- Motor includes:
 - Fan Module
 - Exhaust Vent
 - Bell Mouth Adaptor
 - 100mm Pipe
 - Flexible Ducting (3m)
 - Back Draught Shutter System
 - Instruction Manual

MOTOR OPTIONS

• S1.650

- single external motor
- 650 m³/h airflow
- 150mm flexi ducting (4m)
- install roof/wall/eaves

• ST.900


- single external motor
- 900 m³/h airflow
- 200mm flexi ducting (4m)
- install roof/wall



Both the BRW600 and DVK600 are now available together in one convenient bundle called the BRW622.



Silent Exhaust Fan // BRB700, BRB700ST



The Isodrive®-powered silent exhaust fan whisks away odours, steam, stale air and humidity in seconds – efficiently reducing airborne bacteria and preventing mould growth.

Designed to be installed through the roof, wall or eave and suitable for almost any room in your unit, apartment, townhouse, single or multi-storey house – the BRB700 can also be vented to 2 adjacent rooms with the optional DVK700 kit.

DESCRIPTION

- Universal mounting options - Roof/Wall/Eaves
- Patented anti-water intrusion, weather protection system (IPX4 rated)
- Acoustic dome with super quiet, long vane, backward curved centrifugal fan
- Motor can be mounted up to 3 metres from the vent
- 5 Year Warranty on the motor
- Can be installed and vented to 2 adjacent rooms with the optional DVK700 kit

TECHNICAL DATA

BRB700

- Motor includes:
 - Fan Module
 - Exhaust Vent
 - Bell Mouth Adaptor
 - 100mm Pipe
 - Flexible Ducting (3m)
 - Back Draught Shutter System
 - Instruction Manual

MOTOR OPTIONS

- **S1.650**
 - single external motor
 - 650 m³/h airflow
 - 150mm flexi ducting (4m)
 - install roof/wall/eaves
- **ST.900**
 - single external motor
 - 900 m³/h airflow
 - 200mm flexi ducting (4m)
 - install roof/wall



Both the BRB700 and DVK700 are now available together in one convenient bundle called the BRB722




Isodrive® Motor Range // SILENT EXTERNAL MOTOR

SELECTING THE RIGHT SILENT ISODRIVE MOTOR



To maximise the performance of your exhaust fan, it is important to select a motor power option that suits your requirements.

- Bathroom
- Pantry
- Garage
- Toilet
- Laundry
- Cellar



Schweigen provides the most powerful extraction fans in the market. So powerful, the German-made Isodrive motors are capable of two room extraction. By simply adding a Y-connector and a second vent, they will efficiently vent a bathroom as well as an adjacent toilet or laundry room ... with a single motor.

MOTOR



S1 Isodrive® 650

- 650 m³/h of airflow
- Motor housing is made from ASA, the most durable of plastics in direct sunlight
- Energy efficient - uses only 57W
- German made motor comes with solid roof extension pipe and bell housing

ST Isodrive® 900

- 900 m³/h of airflow
- Motor housing is made from ASA, the most durable of plastics in direct sunlight
- Energy efficient - uses only 57W
- German made motor comes with solid roof extension pipe and bell housing



MODEL NO.	AIRFLOW	CONFIGURATION	DUCT WIDTH	DUCT LENGTH	ROOF	WALL	EAVES	IN-WALL
S1	650 m³/h	Single	150 mm	4 m	•	•	•	-
ST	900 m³/h	Single	200 mm	4 m	•	•	-	-



*Some exceptions apply. Product specifications subject to change without notice, images are for illustrative purposes only. Please check final product details with your retailer. © Schweigen Home Appliances Pty Ltd.



CONSUMER INFORMATION

Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with the manufacturer to ensure this publication correctly describes the products being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Schweigen Home Appliances will not be liable for any loss, liability or damage of whatever kind arising as a result of any reliance upon such information. Colours of products illustrated are as close as printing limitations allow. All pictures used in the brochure are for illustrative purposes only.



AUSTRALIA

Unit 4, 1-5 Lake Drive, Dingley Village VIC 3172

P: 1300 881 693 E: sales@schweigen.com.au

www.schweigen.com.au

NEW ZEALAND

5 Tolich Place, Henderson, Auckland 0610

P: 0800 200 510 E: info.parex@emerson.com

www.schweigen.co.nz

