



schweigen X

PASSIONATE PRECISION

EXCLUSIVE TO

Harvey Norman

SILENT AND POWERFUL RANGEHOODS



Silent operation - 2 Silent models powered by our dynamic, German-made Isodrive® motor



Upgraded performance with increased airflow



Professional grade 304 stainless steel finish for a durable finish



Stunning **LED** lights for brilliant illumination



Performance engineered **touch pad** and **remote** operation



5 year rangehood and **10 year** Isodrive® Core Endurance Warranties as standard



One-piece **seamless fascias** create easy clean grease free zones



Dishwasher-safe Baffles and Mesh Filters come with lifetime warranty



SteelFlex® ducting: Innovative new advanced ducting featuring click-and-go connectivity, acoustic dampening. Fire, pest and crush roof with lifetime warranty.



External or Onboard Motored Rangehoods. Baffles or Mesh Filters. **Choose what suits you best.**





PASSIONATE PRECISION & EXPERT INNOVATION


Schweigen X has been developed by the same team of rangehood experts who established the ingenious silent rangehood technology which made Schweigen a leading brand in the Australian kitchen appliance industry. The European engineered intelligence of these products brings an expert edge to the entire rangehood market.

The X range is designed with cutting edge technology to provide a cooking experience of incredible ease, allowing the everyday culinary enthusiast to enjoy the art of entertaining, whilst also appealing to the professional chef market.

X is unquestionably stylish with sleek lines, robust form, and professionally inspired design aesthetic. Its desirability is influenced by the cooking industry's most skilled, bringing their exacting demand for performance and perfection into the everyday cook's kitchen.



INTRODUCING



THE SCHWEIGEN SILENT STORY.



The Schweigen silent rangehood solution is revolutionary, starting with a German fan and motor assembly, and acknowledged as the most quiet, efficient, and powerful domestic extraction unit available.

Few of our competitors can deliver a silent solution because they don't offer the same system.

We call it Isodrive®.

Schweigen's patented Isodrive® solution takes the fan and motor out of the rangehood and mounts them outside the home on the roof, wall or eave. We also incorporate an 's' bend into the SteelFlex™ ducting, which creates an easy solution for all installation requirements, while reducing noise and vibrations.

The only resulting sound you may notice in your kitchen is the airflow being pulled through the filters and ducting. The noise that is generated outside is overwhelmed by the ambient environment.

We provide a motor 'housing' to protect the motor from the harshest of weather elements. It is manufactured in Australia from the most highly durable Colorbond® steel exclusive to Schweigen rangehoods.

Our filters are high quality too, and come with a Lifetime Warranty. We offer baffles and mesh filters that are easy to remove and dishwasher-safe.


**Isodrive BAL compliant parts (pictured) are an optional extra.*

Powered by

GERMAN MADE

isodrive®

SCHWEIGEN STEELFLEX™: COMPLETE FLEXIBILITY & PEACE OF MIND.



LIFETIME GUARANTEE

Lasts for life. Enjoy peace of mind with a lifetime warranty on all Schweigen Steelflex™ products.



TEAR & PUNCTURE PROOF

Engineered for anti-penetrative strength and flexibility in industrial applications.



TEMPERATURE RESISTANT

Tested rigorously between -10°C and 80°C to perform optimally across a wide range of operating environments.



FIRE PROOF

Designed with a unique tri-layer composition and fire-resistant adhesive for optimal protection against ignitability, flame propagation, heat and smoke release.



PEST PROOF

Integrated silicon braided mesh and metal tape reinforcement protects ductwork against even the most desperate and vicious rodents.



CRUSH PROOF

Robustly constructed to withstand impact without tear, rip, collapse or separation in excess of industrial tolerances.



SXQU330-9S - SILENT UNDERMOUNT RANGEHOOD // FOR DEEPER CABINETRY

SILENT RANGEHOODS



Schweigen SteelFlex™ safety duct included



Silent operation using the German made IsoDrive®, external motor



Your choice of optional Baffles with a peace-of-mind lifetime warranty

Protect your kitchen from airborne grease, smoke, steam, noise and odours without compromising its design with a sleek silent undermount rangehood.

Designed to fit into deeper overhead cabinetry for a more effective extraction zone, the SXQU330-9S complements contemporary designs and integrated kitchens where the rangehood must be out of sight. It features a powerful German made IsoDrive® motor that is mounted externally and ducted with free fire, crush and pest-proof Schweigen SteelFlex™ high performance safety ducting. It comes with lifetime warranty-backed dishwasher-safe mesh filters so you enjoy peace of mind. (Baffles are also available as an option.)

Robustly crafted with 304-grade stainless steel, the SXQU330-9S delights with features like touch-sensitive controls, remote control, 5 speed levels, auto shut-off and energy-efficient LED strip lighting.

DESCRIPTION

- 304 grade stainless steel
- 3 x dishwasher safe stainless steel mesh filters (baffles available as an option)
- LED lights
- Remote control
- 5 Speed, Touch sensitive controls
- Internal acoustic sound deadening
- 10 minute auto shut-off
- 5 Year Warranty on Rangehood

TECHNICAL DATA

SXQU330-9S

- stainless steel
- dimensions: (W x D)
900 x 330 mm

MOTOR INFORMATION

- German made IsoDrive® external motor
- SP - single external motor
- 1600 m³/hr airflow
- 200mm SteelFlex™ ducting (6m)
- install roof/wall
- 10 Year Warranty on Motor
- Schweigen SteelFlex™ safety duct included
- Can be ducted from the top or back of the rangehood


SXWU295-9S - SILENT UNDERMOUNT RANGEHOOD



Schweigen SteelFlex™ safety duct included



Silent operation using the German made Isodrive®, external motor



Your choice of optional Mesh Filters with a peace-of-mind lifetime warranty

The powerful SXWU295-9S silent undermount rangehood installs discreetly into overhead cabinetry and outperforms the extraction efficiency of larger competing models. It blends seamlessly into contemporary designs, empowering you to bring your dream kitchen to life.

Powered by the German-made IsoDrive® motor uniquely mounted outside of the home, this rangehood operates unseen and unheard to help keep the air in your kitchen cleaner and fresher for longer. It comes with the revolutionary Schweigen SteelFlex™ high-performance safety ducting and lifetime warranty-backed dishwasher-safe baffles for peace of mind. (Mesh filters are also available as an option.) Favourite features include 304-grade stainless steel construction, touch-sensitive controls, remote control, 5 speed levels, auto shut-off, and energy-efficient LED strip lighting. Keep airborne grease, smoke, steam, noise and odours out of your home and cook with confidence. The SXWU295-9S truly is the rangehood of tomorrow.

DESCRIPTION

- 304 grade stainless steel
- 2 x dishwasher safe stainless steel baffles (mesh filters available as an option)
- LED lights
- Remote control
- 5 Speed, Touch sensitive controls
- 10 minute auto shut-off
- 5 Year Warranty on Rangehood

MOTOR INFORMATION

- German made IsoDrive® external motor
- SP - single external motor
 - 1600 m³/hr airflow
 - 200mm SteelFlex™ ducting (6m)
 - install roof/wall
- 10 Year Warranty on Motor
- Schweigen SteelFlex™ safety duct included
- Can be ducted from the top or back of the rangehood

TECHNICAL DATA

SXWU295-9S

- stainless steel
- dimensions: (W x D)
900 x 295mm

MSQX90 - ONBOARD UNDERMOUNT RANGEHOOD // FOR DEEPER CABINETRY

ONBOARD MOTOR

Revolutionise your kitchen with the MSQX90 - a sleek undermount rangehood designed to fit discreetly into deeper cabinetry for enhanced extraction over your cooktop and clean, modern lines in your kitchen.

With a powerful onboard all-metal motor and dishwasher-safe fine mesh filters, you can now cook with confidence knowing that your home is protected against airborne grease, smoke, steam and odours. (Baffles are also available as an option).

Representing rangehood innovation at its finest, the MSQX90 features touch-sensitive controls, remote control, 5 speed levels and auto shut-off timer. Hardy 304-grade stainless steel construction and energy-efficient LED strip lighting complete this exceptional rangehood.

DESCRIPTION

- 304 grade stainless steel
- 3 x dishwasher safe stainless steel mesh filters (baffles available as an option)
- LED lights
- Remote control
- 5 Speed, Touch sensitive controls
- Internal acoustic sound deadening
- 10 minute auto shut-off
- 5 Year Warranty on Rangehood

MOTOR INFORMATION

- Internal Motor - 1110m³/hr airflow. Compact, all metal motor for optimal, powerful and efficient extraction
- Can be ducted from the top or back of the rangehood

TECHNICAL DATA

MSQX90

- stainless steel dimensions: (W x D) 900 x 330mm

5 YEAR
RANGEHOOD
WARRANTY



MSWX90 - ONBOARD UNDERMOUNT RANGEHOOD



Take steam, smoke, and odours out of your home today with the rangehood of tomorrow.

The MSWX90 undermount rangehood installs seamlessly into overhead cabinetry for a clean and contemporary look.

With a powerful onboard all-metal motor, it delivers swift extraction of airborne grease, smoke, steam and odours from your kitchen. Comes with lifetime warranty-backed dishwasher-safe baffles for peace of mind. (Mesh filters are also available as an option.)

The MSWX90 is crafted with 304-grade stainless steel and delivers a delightful experience with touch-sensitive controls, remote control, 5 speed levels, auto shut-off and energy-efficient strip lighting.

DESCRIPTION

- 304 grade stainless steel
- 2 x stainless dishwasher safe steel baffles (mesh filters available as an option)
- LED lights
- Remote control
- 5 Speed, Touch sensitive controls
- 10 minute auto shut-off
- 5 Year Warranty on Rangehood


TECHNICAL DATA

MSWX90


- stainless steel
- dimensions: (W x D)
900 x 295mm

MOTOR INFORMATION


- Internal Motor - 1110m³/hr airflow. Compact, all metal motor for optimal, powerful and efficient extraction
- Can be ducted from the top or back of the rangehood



ONBOARD MOTOR



SXQU330-9S & MSQX90




TECHNICAL SPECIFICATIONS

Model	SXQU330-9S
Feeding Voltage	220-240V 50Hz
Lamp Power – LED Light x 2 (W)	2W each
Lamp Power – Rated voltage	12V DC
Weight	19kg

Model	MSQX90
Feeding Voltage	220-240V/50Hz
Lamp Power – LED Light x 2 (W)	2W each
Lamp Power – Rated voltage	12V DC
Weight	24kg
Motor Voltage	240V/50Hz
Motor Power	265W 1.1A
Motor Speed	1750 r/min

SXWU295-9S & MSWX90




TECHNICAL SPECIFICATIONS

Model	SXWU295-9S
Feeding Voltage	220-240V 50Hz
Lamp Power – LED Light x 2 (W)	2W each
Lamp Power – Rated voltage	12V DC
Weight	14kg

Model	MSWX90
Feeding Voltage	220-240V/50Hz
Lamp Power – LED Light x 2 (W)	2W each
Lamp Power – Rated voltage	12V DC
Weight	18kg
Motor Voltage	240V/50Hz
Motor Power	265W 1.1A
Motor Speed	1750 r/min

ISODRIVE® SP 1600 EXTERNAL MOTOR

SCHWEIGEN OPTIONAL SPARE PARTS



DESCRIPTION

- Isodrive® motor with mounting system
- Patented anti-water intrusion, weather protection system (IPX4 rated)
- Super quiet, long vane, backward curved centrifugal fan
- Can be used with any Schweigen Silent rangehood
- Motor can be mounted 6 to 10 metres from the rangehood
- Mounts on the roof or wall
- Schweigen SteelFlex® included
- 10 Year Warranty on Motor


TECHNICAL DATA

Isodrive® 1600


- Fan Module
- 3.2 metre 10amp cable
- Weather Guard
- Bell Mouth Adaptor
- SteelFlex Ducting (6m), 200mm
- 150mm Fire resistant PVC riser pipe
- Back draft shutter
- Ring clamps




SteelFlex™ ducting
Approx. 6m, 200mm




Flat roof mount flange
// P40113MF
(Isodrive® 1600)



Wall hanging bracket
// P1107 (Isodrive® 1600 only)




Wall cover plate
// P1108 (Isodrive® 1600)



Baffles

Note: Some noise may occur due to baffle design ergonomics. Serial and model numbers of your rangehood are required to order.



Mesh Filter

Serial and model numbers of your rangehood are required to order.

**Isodrive BAL compliant parts (pictured above) arean optional extra.*



CONSUMER INFORMATION

Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with the manufacturer to ensure this publication correctly describes the products being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Schweigen Home Appliances will not be liable for any loss, liability or damage of whatever kind arising as a result of any reliance upon such information. Colours of products illustrated are as close as printing limitations allow. All pictures used in the brochure are for illustrative purposes only. Printed in Australia.

AUSTRALIA

Unit 4, 1-5 Lake Drive, Dingley Village VIC 3172

P: 1300 881 693 **E:** sales@schweigen.com.au

www.schweigen-x.com.au

