



# X-RIDE



COMMERCIAL

# X-RIDE

LIMITED WARRANTY  
**5 YEAR**  
**1200 HOURS**  
FIRST 2 YEARS NO HOUR LIMIT

## FABRICATED FRAME

1.5" x 3.0" steel single piece fabricated frame.

## FOOT-OPERATED DECK LIFT

Easily adjust the deck height between 1"-5.5" with your foot.

## RUBBER FLOOR MAT

Helps provide operator comfort.

## VX4 DECK

Fabricated 7 GA steel deck engineered to move grass at high speed while maintaining cut-quality.

## SMOOTHTRAK™ STEERING

Precision control to help trim and maneuver easily around obstacles.

## DUAL FUEL TANKS

12-gallon capacity with mechanical fuel gauges.

## COMMERCIAL-GRADE SEAT

Bolstered high-back seat with padded armrests and adjustable back.

## COMMERCIAL-GRADE TORQUE

Driven by Hydro-Gear® ZT-5400® transmissions.

## COMMERCIAL-GRADE ENGINE

Kawasaki® FX® EVO EFI engine backed by 3-year limited warranty.

## CUSTOM RIDE TECHNOLOGY

Custom ride technology separates the platform from the frame which pivots along the front footrest. Dial-in comfort with 5-adjustment positions, coil-over-shock suspension system, and 4" of total suspension travel.



## DECK SIZE / ENGINE

60"	34.5 HP*	Kawasaki® FX820 EVO EFI
-----	----------	-------------------------

# MORE FEATURES




**ISOLATED SUSPENSION PLATFORM**



**FAST TOOLLESS ONE-HAND ADJUSTABILITY**



**5 LEVELS OF ADJUSTABILITY**



**4" OF TRAVEL**

## VX4 DECK TECHNOLOGY

Fabricated steel deck engineered to move more grass at high speeds while maintaining cut-quality.

- Made with 7 GA steel and 7 GA wrappers
- Front edge protected by 11 GA formed channel with rolled edge.
- Ductile cast iron spindles with steel shaft and sealed ball bearings.
- Reinforced 7 GA stamped disc spindle mounts.



## ACCESSORIES

(Each sold separately)

- Semi-pneumatic front tires
- Steering lever extension kit
- Deck rear anti-scalp wheels
- 3-bag grass catcher (12 bushels)
- BacVac bagger (10 bushels)
- Fabric side bagger (3.5 bushels)
- Flex Forks®
- Mulch kit
- Light kit
- Stripe kit
- Hitch kit
- Beacon Kit
- Flasher Kit
- Michelin® X® Tweels®



# X-RIDE®

<b>ENGINE</b>	
Manufacturer	Kawasaki®
HP*	34.5 HP* — Kawasaki® FX820 EVO EFI
Displacement	822 cc
Cooling System	Air-Cooled
Warranty	3 year limited
Drive System	Hydro-Gear ZT-5400
Hydraulic Cooling	Transmission Mounted Fan
Fuel Capacity (GAL)	12 GAL
Ground Speed (MPH)	Up to 13 MPH
Parking Brake	Integrated with Steering Levers
<b>DECK</b>	
Cutting Width	60"
Cutting Height	1"–5.5"
Deck Depth	5.5"
Deck Lift	Foot-Operated
Number of Spindles	3
Blade Length	20.5"
Blade Tip Speed	18600
Spindle Type	Ductile cast iron with steel shaft and sealed ball bearings
Deck Engagement	Warner Electric PTO Clutch
PTO Clutch Size (FT LBS)	225
Deck Construction	VX4 Deck, Fabricated
Deck Material	7 gauge
Spindle Amounts	Reinforced 7 gauge stamped disc
Impact Trim Area	Front of deck: 11 GA Formed Bump Bar Side of deck: 1.5" x .375" steel bar
<b>CONSTRUCTION</b>	
Frame	3" x 1.50" x .188 steel tubing
Front Axle	Fabricated with tapered roller bearings
Front Caster Wheel	Tapered wheel bearings and debris cap
Front Caster Fork	Fabricated 1/2" steel
<b>FEATURES</b>	
Seat	Bolstered high back seat with padded arm rests & adjustable back
Cup Holder	Yes
<b>MACHINE DIMENSIONS</b>	
Front Tire	13" x 6.5"
Drive Tire	26" x 12"
Weight	1570 LBS (from early prototype)
Height	45", 74" (with rops up)
Length	87"
Width with Chute Up	61"
Tire Width	56"
Trim Side	4.25"
<b>PRODUCTIVITY</b>	
Acres Per Hour**	6.3

Specifications are subject to change without notice.

\* As rated by the engine manufacturer.

\*\* Number based on 80% efficiency. This rating is to account for actual mowing conditions including overlapping, turning, and terrain.

Kawasaki is a registered trademark owned by KAWASAKI JŪKŌGYŌ KABUSHIKI-KAISHA. Kohler and command Pro are registered trademarks owned by Kohler Co. Vanguard is a registered trademark owned by Briggs & Stratton Corporation. Hydro-Gear and ZT-4400 are registered trademarks owned by Hydro-Gear Limited Partnership. Michelin, X, and Tweel are registered trademarks owned by COMPAGNIE GENERALE DES ESTABLISSEMENTS MICHELIN.