

INNOVATION WITHOUT LIMITS

2020 QUICK PRODUCT REVIEW

The Original NO ITCH Fiber!

4011 NSP BRAID

DYNAMIC STIFFNESS WITH 10X THE IM-

- 10X the impact strength of carbon fiber
- Lighter than carbon fiber
- Eco-friendly, green natural fiber
- No itch factor
- Cost effective

Lengths: 10ft & 50ft length Sizes:

3",4",5", 6", 8", 10" & 12"





NSP ™ 3D Uni-Directional Tape

Designed to provide optimum rigidity in

socket fabrication NSP 3D tape is unidirectional NSP fiber laminated with nonwoven NSP to provide optimum rigidity. By combining fiber orientation with I-beam gap technology, NSP 3D tape will provide optimum rigidity when used with NSP braid, which allows for customization to socket or brace.

BENEFITS: Is lighter than carbon tape

- Is stronger than carbon tape
- Offers 10x the impact resistance than carbon tape
- Provides protection for distal end of the socket
- Tested in socket form under ISO guidelines for patients up to

NSP 3D Tape available in:

4116-1.25 - NSP 3D Tape 1 in x 25 ft 4116-3.25 - NSP 3D Tape 3 in x 25 ft

C-FORM - Conforming Cast Tape

The Closest You Will Come to Plaster in a Synthetic Cast Tape

- Conforms nicely to Complex Shapes.
- No need for special gloves. A regular casting glove is fine.
- No sticky resin mess. Resin does not stick to the glove like typical fiberglass casting tape.
- Rigid final cast.
- Cost Effective
- Sizes: 2", 3", 4", 5"

Use EZ CUTTER or SHARP Scissors / Cutting Blade when removing. The **EZ Cutter** is the safest utility cutter on the market today. Provides a recessed blade with protective plastic covering.



P/N 4040

P/N 4013 + size









The EZ Adapt Series Provides offset and rotation versatility

The EZ ADAPT series that works together to give you that professional and polished look.

Perfect when you need to shift your alignment without sacrificing added weight, need rotation in more than one area quickly and easily or require that extra space.



	1702T Rotating Receiver, 45mm, Ti		1725T Offset Rotating Receiver, Ti		1727T Diagonal Offset 4-hole Pyramid, Ti (provides up to 12mm of offset)	*	1817T Linear Offset 4-Hole Pyramid with Round Base, Ti (offset is 7mm)
	1703T Rotating Receiver, 60mm, Ti	6	1713T 15 Degrees Angled Offset Receiver	*	1717T Linear Offset 4-hole Pyramid, Ti (provides up to 7mm of offset)	*	1827T Diagonal Offset 4-Hole Pyramid with Round Base, Ti –offset is 6.5mm diagonally from center
3 3	1704T Offset Rotating Receiver, Ti	*	1723T 7.5 Degrees Angled Offset Receiver	*	1718T Sliding 4-hole Receiver, Ti (12mm max. slide dist.)	*	1837T Extreme Linear Offset 4-Hole Pyramid with Round Base,Ti - offset is 22mm
	1705T Rotating Receiver Clamp, Ti	000	1737T Extreme Linear Offset 4-hole Pyramid (provides up to 20mm of offset)	CC (CC)	1751T Variable Height Double Ended Adapter, Ti (height adj. range is 12.7mm max. or 1/2 in	*	1847T 4-Hole Pyramid with Round Base, Ti

3150 Lock - Threaded Clutch Lock







Infinite Adjustment Modular Lock

- Smooth gear mechanism
- Built-in pyramid
- Screw-in modular design provides easy maintenance when required

Three types available:

- 3150 TF Threaded clutch lock with titanium 4-prong rotating base
- 3150 S Threaded clutch lock with stainless steel 3-prong rotating base
- 3150 Threaded clutch lock

3140 Lock - Base Shuttle Lock



Light weight and cost effective

- Versatile cylindrical body with a 4-hole attachment
- Serrated pin type attachment
- Deep pin well for easy insertion
- Includes 2 pins
- Recommend use with our new round 4 hole adapters. The 18xx series.



Tel: +61 3 9898 0011 E-mail: info@massonshealthcare.com.au

The EZ Adapt Lock Ultra low profile modular lock

New and improved design for easy socket fabrication.







The **3190T EZLOCK** is a titanium adapter with a male pyramid on one end and threaded pylon on the opposite end. This titanium lock, with serrated pin type attachment, gives the ultimate advantage in strength and versatility when space is limited. The EZLOCK is a light space saving device which also provides the benefit of rotation. The push button can also be cut to length if needed.

The **3190T EZLOCK** is designed to work in conjunction with ST&G 3 & 4 prong rotating bases 1421S, 1221S, 1223T. Please use laminating instruction for our bases.



Push Pin can be cut to various lengths



Image	P/N	Description	Weight Limit	Product Weight	Build Height
	3190T	Low Profile Lock	136kg/ 300lbs	92g	25mm

UNIGRIP

Stops rotation and pistoning 1 strip at a time.


Features:

This unique fabric sheet with pressure sensitive adhesive back provides versatile application for prosthetic and orthotic needs. UNI-GRIP's biased direction texture provides grip in one direction while providing free glide in the other direction.

Some of the possible applications:

- Restrict rotation of stump in AK socket
- Suspension for BK and AK socket
- Prevent pistoning of the stump in the socket
- Restrict migration of orthotics

Product #	Product Description
4030-1	UNI-GRIP, 1 sheet of 8 strips





Tel: +61 3 9898 0011 • E-mail: info@massonshealthcare.com.au

PARALEX



Combining the BEST of TWO Fibers... **PARALEX** blends Carbon & NSP to create a new

and dynamic hybrid material.

NSP™ + CARBON = Dynamic Strength Stiffness + **Lighter Weight** = PARALEX

■ 4017 +size +length

■ Sizes: Width: 3, 4, 5, 6, 8, 10

■ Length: 10ft & 50ft rolls



Glu-It Rapid Response Urethane Adhesive



Glu-It offers a superior urethane based structural adhesive for rapid response application.

Glu-It was designed to properly balance viscosity and strength with less filler added to the formula. Best BOND strength guaranteed.


- 1-2 Minute worktime may vary depending on how thick or thin glue is
- Less filler added = stronger bonding
- Dries clear
- Made in the USA


4112 - 50ml (Includes 2 tips) 4113 - 220ml (Includes 2 tips)



R-FORM Fiberglass Cast Tape

R-FORM Features:





Available in white only

R-Form 2" x 4yd (box=10 rolls) 4015-2, 10 R-Form 3" x 4yd (box=10 rolls) 4015-3, 10 R-Form 4" x 4yd (box=10 rolls) 4015-4, 10 R-Form 5" x 4yd (box=10 rolls) 4015-5, 10

CARBON - BEST PRICE GUARANTEED!



COMPARE FOR YOURSELF!!!

■ Sizes: Width: 3, 4, 5, 6, 8, 10

Length: 10ft & 50ft rolls

P/N 4018 + size

Unidirectional Carbon 6K Tape

6K lighter weight unidirectional carbon tape for optimum strength and light weight.

Sizes: 1" x 30ft

3" x 30ft

3" X 100ft

E-mail: info@massonshealthcare.com.au Tel: +61 3 9898 0011

