

# Modula Horizontal Carousel

NEW GENERATION







# The Horizontal Carousel New Generation from Modula: Making a Proven Design Even Better

Our Diamond Phoenix Horizontal Carousel has been a workhorse in warehouses across the globe. Now we've taken everything we've learned from its 30 years of production and improved upon it with the Modula Horizontal Carousel New Generation.

#### **New features**

- Competitively priced due to standardization
  - Based on 30 years of learning what our customers want, we've standardized our horizontal carousel product line to allow more efficient manufacturing. We pass on the savings by offering them at an even more competitive price.
- Safety equipment on all models

Automatic doors and perimeter guarding are now standard on all horizontal carousels.

- A stronger framework for unmatched dependability
  - The Modula Horizontal Carousel New Generation is built with a solid, not tubular, 304 stainless steel framework. This results in more strength, lower maintenance and long-term reliability.
- Modula controls platform and a new, user-friendly interface

The same easy-to-use control system found in other Modula products is now part of our horizontal carousels.

- Proven, powerful drive systems
  - All our carousels are driven by a single or dual 3HP drives to power high-capacity live lines. Inverted drives are available to accommodate limited ceiling height.

# High-performance order fulfillment in low ceiling environments

Modula horizontal carousels are the ideal solution when you need high-speed picking in a low ceiling environment. The carousel consists of carriers (bins) mounted on an oval track that rotate horizontally and deliver stored goods to the picker.

In either a production or distribution setting, the horizontal carousel is extremely effective in saving space, reducing labor costs, speeding throughput and improving accuracy and inventory control.







# PRODUCTIVITY AND HIGH THROUGHPUT

Following the "goods to person" principle, items are brought directly to the operator. With no more hunting across a warehouse for items, productivity skyrockets, with picking rates of up to 550 lines per hour for each worker.



#### **SAFETY AND ERGONOMICS**

No more ergonomic problems for workers caused by walking back and forth across a warehouse, retrieving and carrying parts. Additionally, workers are protected by safety doors and 6-foot-high protective fencing.



#### **PICKING ACCURACY**

Thanks to visual picking aids, workers can quickly identify which item to pick and how many are required. This eliminates the risk of human error, improving accuracy up to 99%.



#### **EFFICIENT SPACE UTILIZATION**

Items are stored and organized in a high density, compact storage area.



# FULL TRACEABILITY AND REAL-TIME INVENTORY

All picking operations are monitored and documented, providing full traceability of orders and tracking stock levels in real time.



# FLEXIBILITY FOR EVERY STORAGE NEED

Shelf spacing can be easily adjusted to store different items. Pods can be reconfigured to meet seasonal peak ordering.




#### **FAST ROI**

Companies see a return on investment in 6 to 18 months, depending on the size of the project.



# Reliable and flexible bins to meet any storage need

Robust and reliable, the Modula Horizontal Carousel's bins have a payload capacity of up to 1,200 lbs per bin and a shelf spacing adjustment of 2 inches, making them suitable for even the most demanding storage application.



# **Ergonomic workstation to boost productivity**

Following the parts-to-pickers principle, the horizontal carousel delivers the items directly to the operator, reducing handling times both in picking and replenishing. There's no walking back and forth to find and retrieve goods. Thanks to the visual picking aids, the user can quickly identify which item should be picked and the quantity requested, allowing picking rates of up to 550 lines per operator each hour. Accuracy jumps up to 99.9%, too!



# Safety and security as a standard

The Modula Horizontal Carousel New Generation has been designed with safety and security in mind. All models are equipped with safety doors and surrounded by 6-foot-high fencing. These features prevent accidents and protect the goods from unauthorized access.





# **Automatic safety doors**

The fast opening and closing times of the automatic doors keep the operator away from the moving components of the carousel until the bin has come to a complete stop. The curved design provides optimal use of the space and more efficient pod-picking configurations. The full height door panels are made of Lexan, a highly impact-resistant polycarbonate resin that, despite its strength, offers clear visibility of the stored products and carousel activity.





# Productivity & flexibility: Horizontal carousels in pods

To speed picking times, horizontal carouses are often used in an integrated workstation called a "pod."

Software and pick-to-light technology allows the carousels to work in conjunction with each other and speed productivity. The Modula Horizontal Carousel is offered in in pre-configured groups of two, three, and four carousels per pod.







As the worker picks from one horizontal carousel in the pod, the other is pre-positioning the next pick. This minimizes worker downtime and dramatically increases throughput. Moreover, horizontal carousels arranged in pods offer great flexibility. With a simple software adjustment, the pods can be easily reconfigured to meet seasonal peak order times.

### **Even more adaptability**

- The distance between carousels can be modified to accommodate building columns and other obstructions.
- The control panel to operate the pods can easily be positioned in different locations to best fit the configuration.
- The perimeter of the safety fence can be customized to meet site requirements.







# **Everything controlled with user friendly interfaces**

The Modula Horizontal Carousel New Generation is controlled by:


- The Horizontal Carousel Main Control Panel is used to set up and maintain the carousel itself. It includes an emergency stop button and maintenance lockout key switch.
- The HMI (Human Machine Interface tablet) tablet is a full-color wireless tablet positioned in the picking area of each carousel, close to the automatic safety door. It's used to execute the tasks and can also provide emergency stops if needed.



# Picking accuracy with the visual picking aids

To make picking and replenishment activities more accurate and reduce idle time, the edge of each automatic door is equipped with LED light bars. This visual picking aid guides the operator to visually identify where the item to be picked is located on the shelf in the presented bin.

The HMI tablet displays the item details and quantity and highlights the shelf compartments on a graphical diagram. This complete information simplifies the operator's work, resulting in accurate and quick picks.





#### **Modula WMS**

Modula WMS is a complete inventory management software ideal for all Modula automated storage equipment, including vertical lift modules and horizontal carousels. It also works as stand-alone software to assist with traditional storage methods, such as shelving or racking.



### **Modula Link**

Modula Link is a software tool that enables an external host system to control at low level a Modula Horizontal Carousel, using a set of commands managed through communication on a TCP/IP channel socket.

# **Modula WMS Premium & Advanced Picking**

There are several levels and types of software available for inventory control and management, and many of these solutions can be tailored and customized. Modula WMS Premium Software, combined with the Advanced Picking option, can result in batch picking that greatly reduces workers walking to pick items and significantly increase picking rates and throughput.



#### **Modula WMS Premium**

The most complete package for warehouse management, Premium provides:

- automatic item-compartment allocation and dynamic location management
- lot and serial number management
- full management with custom tracking of automatic import/export in ASCII, ODBC, Excel and XML file formats
- management of free or tabled sub-codes
- material status management, pack type management and expiration date management advanced user management; configuration of enabled procedures for each individual user
- material management by FIFO or by sub-code priority (e.g., picking can be prioritized to first retrieve the lowest, and therefore oldest, lot code)
- reason codes for immediate requests.

### **Advanced Picking**

This module provides additional functionalities to improve picking and replenishing:

- order position management
- batch picking management
- warehouse management of materials in transit (packages, cartons, boxes)
- automatic creation of storage compartments during replenishing operations
- serial number management (management of multiple serial numbers for the same item associated with an individual compartment).

The advanced picking module is ideal for managing bays, picking carts, and put-to-light aids.



# Even higher throughput with batch picking

To achieve even higher picking performance, the horizontal carousel can be used in combination with batch picking. Using Modula WMS software, an operator can create a batch of orders and fill them all at one time.

When the horizontal carousel presents an SKU for picking, the operator picks the total SKU quantity for all orders. The batch picking lights, located at each order position, will then direct the picker to the correct location and indicate the quantity that needs to be placed in each order. By using batch picking, the operator only visits an SKU location one time during picking.

This increases accuracy, reduces picking errors and retrieval time while increasing productivity by up to 65%. The put-away process can be automated much like the picking process in reverse.



#### **Multiple operators**

Multiple displays can be integrated in each order position to facilitate multiple picking operators (up to 3). This can be helpful for meeting higher throughput rates during peak times.

#### **Graphical representation of orders**

The WMS software provides the operator a graphical representation of the orders in the active batch, as well as information on the item that is being picked and the orders the item is associated with.

# **Technical specifications**

BIN SPECIFICATIONS	MD	MG		
Bin Inside Width	24"	36"		
Bin/Shelf Depth	18" & 24"			
Shelf Adjustment Increments	2"			
Bin Nominal Heights <sup>1</sup>	84" & 96"			
Product Clearance	Shelf spacing minus 1.5"			
Maximum Net Capacity per Bin <sup>2</sup>	1,200 Lbs			
Maximum Capacity per Shelf	250 Lbs			
Bin Construction	18 Gauge galvanized steel, solid sides and back wall			
Shelf Construction	Solid surface, 18 gauge galvanized steel			
Shelf Weight, 18" Deep	10.1 Lbs	14.2 Lbs		
Shelf Weight, 24" Deep	12.8 Lbs	17.9 Lbs		

CAROUSEL SPECIFICATIONS	MD	MG		
Upper tracks	Solid 304 stainless steel			
Carousel Drive	Direct drive, cyclonic gearing			
Drive HP	Single or Dual 3HP			
Carousel overall height (top of drive motors) <sup>3</sup>	84" Bin = 119" / 96" Bin = 131"			
Carousel Frame Height <sup>4</sup>	84" Bin = 108"	/ 96" Bin = 120"		
Max Live Load Capacity⁵	Single Drive 40,000 /	Dual Drive 80,000 Lbs		
Carousel Maximum Speed	85 FPM			
Automatic Safety Doors	Standard			
Operator Interface	Touchscreen tablet			
Other Operator Controls	Multi-function button, E-stop			
Other Control Devices	Product protrusion sensors, door open sensor			
Color - Carousel Frame Structure	RAL 7021 black			
Color - Door System	RAL 7035	light grey		

POD SPECIFICATIONS	
Carousels per Pod	1 to 4
Controls Platform	Copilot Based Controls
Control Cabinet	Single NEMA 12 per pod
Control Cabinet Operator Controls	Copilot touchscreen master HMI, E-stop, maintenance lockout Key
Power Options	208V/240V 1-Phase or 208V/240V/480V 3-Phase
6 Foot High Perimeter Fencing	Standard (includes one access gate)
Fencing Color	Black wire mesh panels with safety yellow posts

- **NOTES**1. Bin height of 96" may require a mobile step (by others) to access upper shelf
- 2. Net bin capacity to include weight of product + weight of shelves.
- Inverted drive option available, reduces carousel height by 11".
   Carousel minimum installation clearance height = Height + 9".
   Live load to include total weight of product + bins + shelves.

### **Options for different requirements**




Thanks to the WMS software, it is easy to integrate additional options:

- Security devices, such as badge readers to control the access to your inventory.
- Productivity aids, including batch pick stations, label printers, barcode readers, and piece counting scales.

#### **BATCH PICKING STATION**

The ergonomic batch picking station is designed to maximize worker efficiency and rapidly process large volumes of small to medium-sized items. Used in conjunction with WMS order picking management and the put-to-light indications, this station provides intuitive instructions to maintain high throughput and ensure accuracy through organization and task confirmation.





#### **USB BADGE READER**

The USB badge reader, directly connected to the control panel by the USB port, is ideal for maintaining control of user log-ins. The operators use their personal badges to access the machine. This prevents unauthorized accesses if the standard log-in procedure of employing a password isn't sufficient.

#### **LABEL PRINTERS**

Label printers are a great option to ensure that all items are properly labeled in real time. During picking or replenishment operations, the operators simply enter the desired information using the HMI tablet. Labels and tags containing the information of the materials are printed as operations take place. Label printers are available in a variety of models.





#### **BARCODE READERS**

Barcode readers can significantly improve picking accuracy and ensure that the correct item is picked or replenished. They can also be used to confirm orders or to log into the horizontal carousel with the operator's unique badge barcode. The devices are wireless units for ease of use and are available in both 1D or 2D versions to meet any application requirements.

#### PIECE COUNTING SCALE

This device can count the number of items placed on the scale based on the unit weight of each individual piece. It's the ideal tool when large quantities of small-sized components are stored, helping the operator quickly select the required quantities. The scales come with a single platform with load capacities of 6, 13, 33 or 66 lbs or as a double platform to accommodate items of widely varying weights.



#### **Our references**

AEROSPACE BOEING	USA	APPAREL & TEXTILE SAN ANTONIO SHOEMAKERS	USA	HVAC SYSTEM TRANE	USA
LOCKHEED MARTIN, INC.  AUTOMOTIVE FREIGHTLINER	USA USA/CANADA	FOOD & BEVERAGE  NATIONAL BEEF  CREEKSTONE FARMS PREMIUM BEEF	USA USA	HYDRAULICS & PNEUMATICS MICHIGAN FLUID POWER	USA
GOODYEAR	USA	GREATER OMAHA PACKING	USA	LOGISTICS & DISTRIBUTION	
HONDA LES SCHWAB	USA USA	UNITED NATURAL FOODS (UNFI)	USA	PIERCE DISTRIBUTION	USA
NOV WILSON SERVICE CENTER		GOVERNMENT		MATERIAL HANDLING	
NIVEL PARTS MFG.	USA	CALIFORNIA DEPT OF CORRECTIONS CALIFORNIA PRISON SYSTEMS	USA USA	UNICARRIERS AMERICAS, INC.	USA
PUBLISHING		MICHIGAN STATE	USA	MEDICAL & SURGICAL	
WATCHTOWER BOOKS	USA	HARDWARE		A-DEC	USA
CHEMICAL		HARDWARE BOSTWICK-BRAUN	USA	BD BIOSCIENCES BELTONE HEARING AIDS	USA USA
OCTOCHEM, INC	USA	CROWN BOLT	USA	CYTYC CORP.	USA
		PROSPECT FASTENER	USA	DEPUY, INC.	USA
RETAIL		SOUTHCO, INC.	USA	MEDTRONIC, INC.	USA
COSTCO	USA			MILTEX DENTAL TECHNOLOGIES	USA
LOWES	USA	HEALTHCARE		ALCON LABORATORIES	USA
MEIJERS	USA	CALIFORNIA DEPARTMENT OF HEALTH		MANUAL COLUMNATION	
KERR DRUG DISTRIBUTION	USA	GREENVILLE HOSPITAL SYSTEM LEESAR	USA USA	MINING EQUIPMENT MANITOU	USA
ELECTRICITY		MT. CARMEL HEALTH	USA	METSO MINERALS	USA
ARIZONA PUBLIC SERVICE	USA	WII. CANWILL HEALTH		WIL130 WIINLINALS	
ANIZONA I OBEIC SERVICE		PHARMACEUTICAL		PERSONAL PROTECTIVE EQUIPMENT	г
ELECTRONICS		FISHER CLINICAL SERVICES	USA	MAGID GLOVE & SAFETY	USA
DELL COMPUTERS	USA	JOHNSON & JOHNSON	USA		
		EVERGREEN PHARMACEUTICALS	USA	OIL & GAS	
AEROSPACE & DEFENSE		PFIZER	USA	BP - CHERRY POINT REFINERY	USA
L-3 COMMUNICATIONS	USA	ROSS LABORATORIES	USA	NATIONAL OILWELL VARCO	USA
		RX.COM	USA		
		WOODLANDS DRUGS, LLC	USA		

#### Modula is present in 5 continents with dealers and branches located in over 50 countries

#### MODULA INC.

US HEADQUARTERS
90 Alfred A. Plourde Parkway
Lewiston, ME 04240 - USA
Tel. + 1.207.440.5100
Fax + 1.207.786.0271
info.usa@modula.com
www.modula.com

MODULA S.p.A.

ITALY HEADQUARTERS via San Lorenzo 41 Salvaterra di Casalgrande (RE) Tel. +39 0522 774111 info@modula.com www.modula.com