B<sub>-</sub>

## Perpetual

#### **The Destination Collection**

Through extreme heat and pressure under the earth's crust emerges one of the most beautiful, durable and versatile materials, marble. Inspired by its enduring elegance and strength, we have translated these qualities into a high-performance carpet range that balances beauty and power. With its unique Axi Backing, you can feel grounded on a memorable floor that is designed to delight whilst offering unfading comfort.

### **Extended Specifications**

Use Classification: General/Medium Commercial

Construction: Woven

Product Description: SDX Woven Carpet

Recycled Content: Yarn – Stainproof SDX Eco (certain colours)

Yarn Type: Stainproof SDX (Solution Dyed Nylon)

Yarn Mass:  $\pm 799 (g/m^2) | \pm 23,56 (oz/yd^2)$ 


Pile Height:  $\pm 5.9 \text{ (mm)} \mid \pm 0.23 \text{ (in)}$ Total Thickness:  $\pm 8 \text{ (mm)} \mid \pm 0.31 \text{ (in)}$ 

Surface Pile Density: ±0.136 g/cm<sup>3</sup>

Total Mass:  $\pm 1521 (g/m^2) | \pm 44,85 (oz/yd^2)$ 

Standard Width (BL): 4 (m) | 157,48 (in)

Standard Backing: Axi Backing (Polyester, Polypropylene, SBR Latex)



# B\_

## Perpetual

#### **The Destination Collection**

#### **Extended Specifications**

Machine Gauge: Rows: 28 Pitch: 27.6
Pattern repeat (I x w): ±200.30cm x 157.48cm

Fire Classification: Cfl s1 (EN 13501)

Class 1 (ASTM E 648)

Class 2 (Correlated Rating to EN13501) (SANS 10177-4)

Colour Fastness to : Light > 6 (ISO 105-BO2)

: Water 5 (ISO 105-EO1) : Dry Rubbing 5 (ISO 105-X12)

Electrostatic Propensity: -0.6 (kV) (ISO 6356)

Thermal Resistance: 0.1076 (m² k/W) (R) (ISO 8302) Sound Absorption: aw 0.20 (H) (EN ISO 354) Sound Insulation: 29 dB (EN ISO 10140-3)

VOC Tested: Passed (ASTM D5116 CRI - GBCSA/GBCA)

Castor Chair Suitability: A: Intensive Use (NF EN 985)
Staircase Suitability: Intensive Use (NF EN ISO 12951)
Warranty: 5-Year manufactures Warranty
5-Year manufactures Guarantee





Danby L: 27.24 • Y: 5.18



Kerman L: 29.15 • Y: 5.90



Penetelic L: 43.33 • Y: 13.38



Agora L: 55.49 • Y: 23.41



Alanya L: 69.34 • Y: 39.82

## Perpetual

#### **The Destination Collection**

















(On Request)

Commercial













Heating







#### **Bill of Quantities**

- · Belgotex's PERPETUAL 4m wide General/Medium Commercial ±8mm (total thickness) Axi Bac broadloom is manufactured from Stainproof SDX and Stainproof SDX Eco.
- · This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex recommends the use of Carpet protector mats where castor wheels are used.
- 5 year warranty and 5 year guarantee.
- · Made in South Africa.

\*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.