Chevron

Textured Collection: Broadloom & Rug

Many of the actions and thoughts that we fill the minutes of our lives with, are not essential. They cause unnecessary stress and anxiety. Before you act, think, question your motives. If tranquillity is what you seek, then let go of the non-essential.

± 900 (g/m²) | ± 26,54 (oz/yd²) (ISO 8543)

Extended Specifications

Medium / General Commercial – 32 (EN 1307) Use Classification:

Level Cut Loop (LCL) Construction:

Recycled Content: Yarn – Stainproof SDX Eco (certain colours) Yarn Type: Stainproof SDX (Solution Dyed Nylon - 6) Yarn Mass:

Pile Height: ± 6.5 (mm) | ± 0,26 (in) (ISO 8543)

40 (per 10cm) | 10,16 (per 1in) Stitch Rate:

Total Thickness: ± 9 (mm) | ± 0,35 (in) (ISO 8543)

± 1860 (g/m²) | ± 54,86 (oz/yd²) (ISO 8543) **Total Mass:**

4 (m) | 157,48 (in) Standard Size (Broadloom):

Standard Backing: **FusionBac**

Machine Gauge: 1/10"



B_

Chevron

Textured Collection: Broadloom & Rug

Extended Specifications

Pattern Repeat (lxw): $\pm 4.5 \times 8.5$ cm

Fire Classification: 3 (SANS 10177-4) Cfl-s1 (EN 13501) (ISO 9239)

Class 1 (ASTM E648-08)

Colour Fastness To: Light > 6 (NF EN ISO 105-B02)

Water 4 – 5 (ISO 105-E01)

Dry Rubbing 4 – 5 (ISO 105-X12)

Wet Rubbing 4 – 5 (ISO 105-X12)

Electrostatic Propensity: ≤ 2 kV (EN 14041) / (ISO 6356)

Sound Absorption: 0,25 aw (EN ISO 354)
Sound Insulation: 27 dB (EN ISO 10140)

Surface Pile Density: 0,122 g/m³


Thermal Resistance: 0,1201 m².K/W (ISO 8302)

VOC Tested: (ASTM D5116)
Castor Chair Suitability: (NF EN 985)

Staircase Suitability: (EN 1963) / (NF EN ISO 12951)

Warranty: 15 Year (Broadloom) 1 Year (Rug)

Guarantee: 5 Year (Broadloom) 1 Year (Rug)



B



Chevron

Textured Collection: Broadloom & Rug













(Broadloom)

































Bill of Quantities

- · Belgotex's TEXTURED collection is available as 1.6 × 2.4m/2 × 3m/2.4 × 3.4m/3 × 4m/0.8 × 3m rugs and as 4m wide General/Medium Commercial ±9mm (total thickness) FusionBac broadloom, manufactured from Stainproof SDX and Stainproof SDX ECO.
- · This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15 year warranty and 5 year guarantee for broadloom.
- 1 year warranty and 1 year guarantee for rugs.
- · Made in South Africa.
- · GreenTag Level A Gold Rated Certification.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.