

Universe	Professional	
Туре	Verticality	
Category	Anchors	
Subcategory	Rock and concrete anchors	



COEUR STEEL

Standard steel hanger designed for interior uses or non-permanent installations. It is available for 10 or 12 mm diameter bolts.

Short Description	Standard steel hanger for interior uses or non-permanent installations (pack of 20)
Selling Points	 Economical choice for low-corrosion environments Easy clipping: the wide, ergonomic connection hole facilitates carabiner clipping the width of the hole allows installation of two carabiners at the same time Prevents wear of connectors: the thickness of the hanger and the rounded edges of the connection hole limit wear of connectors Hanger anti-rotation system: textured back keeps the hanger from turning when the anchor is being installed or when it is heavily laterally loaded during use Available for 10 or 12 mm bolts
Specification	Material(s): steel

Specifications by reference

Reference(s)	P36AA 10	P36AA 12
	(c.	(ic)
Diameter	10 mm	12 mm
Certification(s)	EN 795 A	EN 795 A, EN 959
Weight	65 g	60 g
Made in	FR	FR
Guarantee	3 years	3 years
Packing	1	1
Case quantity	4	4
EAN	3342540104174	3342540104150

Related product(s)

COEUR BOLT STEEL BOLT STEEL