

Living Vehicle PRO MC153996





Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974



#### Overview:

#### Warranty:

3-Year Extended Warranty issued by the United States Warranty Corporation.

#### Standard Option Packages:

Price ......\$498,545

The Solar Awning 1,320 watts mono-crystalline, flexible solar panels

Electronically deployed dual-linear actuator 36" full-length extension sun-shading on entry

side

Expanded Solar Capacity 3,520 W of thin-film, monocrystalline solar

4-Season Performance Cold-hot weather package

Extend temperature rating. 0° - 110°F

Second ducted air-conditioner

Tri-zone electric heating (on-grid/generator)

Dual-pane windows and patio slider Passive design warm floor in all rooms

Backup Power Generation 6.5kW Cummins commercial generator

Propane-powered w/80lb. capacity

Remote start

Chef's Kitchen 3-Burner stainless marine oven & cooktop

Stainless quick connect propane BBQ Insta-hot water filtration at kitchen sink

Portable icemaker

Outdoor cooking. Marine BBQ grill & table

Remote Security 4-side cameras

WIFI mobile viewing w/ remote app control

Video Doorbell

Keyless entry door lock w/ combination

.9ft digital combination safe

Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974



Mobile Connectivity Cell signal booster

External WIFI booster w/ 5-mile antenna

Indoor dedicated router & network

Auto-Leveling 5-point auto leveling system

Off-Road Capability H-Rated All-Terrain Commercial tires

Increased ground clearance Rear-Hitch gear-storage receiver

Performance Towing Front, rear, side view cameras with infrared

7" in-cab LED monitor

Air & Water Quality App-based air purifier

Air quality monitoring system

On-board whole system 3-canister filtration UV water treatment at countertop water

dispenser

Luxury Finishes Aircraft-grade Calacatta Quartz countertops

Honeycomb substrate Ultraleather at Lounge

Walnut media center, doors, closet and shelving

Off-Grid Spa Bath Hardwood shower panel

Towel warmer, timer controlled

Outdoor shower LED bathroom mirror Folding teak shower seat


Compost toilet

A-La-Carte Option Items

Off-Grid Washer/ Dryer Electrified Washer-dryer combo

Ventilated dryer

Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974



#### 2021 LIVING VEHICLE SPECIFICATION SHEET

			Custor	ner Informat
CE	RTIFIED PREOWNED UNIT # MC153996	Name:		
		Address:		
Sales: _ Date:		Phone: Email:		
-				
OP	TION PACKAGES			
	Grid/ Generator Powered Only	G		
	IvEnergy Powered	E		Weigl
vEn.	Not Applicable or Does Not Use Energy	N/A		
	ergy 43.2kWh Energy / 8kW Power / 3.520W Solar	E	INCLUDED	INC
	Level 1 EV Charging	E -	INCLUDED	INC
_	Solar Awning Backup Power Generation	E N/A	INCLUDED INCLUDED	INC 293
	Energy Integration	N/A N/A	INCLUDED	233
_				
Гесh	nnology			
	Home Theater	E		
	Hi-Fi Audio	E		
	Mobile Connectivity	E	INCLUDED	5
.,	Remote Security **	E	INCLUDED	35
rav		N/A	NO. LIDER	
	PRO-HD w/ Disc Brakes	N/A <b>E/G***</b>	INCLUDED	INC
	4-Season Performance PRO Night Edition	N/A	INCLUDED INCLUDED	INC
	PRO-HD Automatic HD Leveling	E	INCLUDED	INC
	Off-Road Capability	N/A	INCLUDED	46
	Performance Towing	E	INCLUDED	
_ivin	g			
	Air and Water Quality	E	INCLUDED	54
	Automatic Euro Loft	E		
	Chef's Kitchen	E	INCLUDED	116
_	Luxury Housekeeping	E		
	The Mobile Office	N/A		
	Spa Bath (w/ bidet) *	E	MOLUBER	34
				34 20
_			INCLUDED	20
·	Off-Grid Spa Bath * Luxury Finishes Split Queen Auto-Lounge	E N/A E	INCLUDED INCLUDED	
			PRO	
	* Only one Spa Bath package may be selected.  ** May only be selected in addition to the performance towing package.			
	may only be selected in addition to the performance towing package.			

All prices are subject to change without notice. Prices are only valid once a purchase contract has been signed by customer and Living Vehicle. Prices noted on this document and the most up to date supersede all prior quotes. Weights identified here are estimates and subject to change.

Copyright © 2021 Living Vehicle Inc. All Rights Reserved. This document contains Confidential, Proprietary, or Privileged Information Exempt from Public Disclosure. This document and any attached materials included herein are the sole property of Living Vehicle Inc. and may not be used or distributed by any non-authorized party.

#### MODEL INFORMATION

Living Vehicle 2021 Series

43.2 kWh Energy Capacity

3,520 Watts Solar w/ Awning 8,000 Watts 120V Hybrid Power Pro-HD 18k Capacity

Level 1 EV Charging

Extreme Weather Performance

Off-Grid Air Conditioner PRO Limited Night Edition BACK PANEL

COLOR

White Black Silver

		Grid/ Generator Powered Only	G		
_	No	IvEnergy Powered of Applicable or Does Not Use Energy	E N/A		Wei
	Rear Hitch Receiver	[Off-Road Capability]	N/A		
	Outdoor Shower	[Spa Bathroom]	E		
	Marine Oven & Stove Combination	[Chef's Kitchen]	E		
	Dual Ducted Air-Conditioner	[4-Season Performance]	E		
	Washer & Dryer Combination	[Luxury Housekeeping]	E	INCLUDED	148
	Dishwasher	[Luxury Housekeeping]	E		
	Compost toilet	[Spa Bathroom]	E		
	Lounge Ultraleather	[Luxury Finishes]	N/A		

ACCESSORIES			
LV GearBox 20k Distribution Hitch			

#### **CONFIGURATION SUMMARY**

14,000 Base Weight Before Options Est. Options Weight 750 Total Est. Base Weight With Options 14,750 Total GVWR 18,000

Est. Carrying Capacity as Configured 3,250

CARGO CARRYING CAPACITY is the total weight of cargo (in lbs.) the trailer will carry as currently configured. The weight of fresh & waste water, propane, supplies, clothing, gear, and food are all part of the cargo. (FYI, a full 100 gallon water tank adds about 830 lbs.) The GVWR as noted above must not be exceeded at any time. The 20K GVWR option will increase the GVWR to 20,000 lbs and will increase the Carrying Capacity as shown.

20K GVWR [Tandem 10K axles, Air-Ride Suspension, controller, on-board air compressor, electric/ hydraulic HD Disc Brakes, J-Rated Tires. (Not available with off-road Capability Option.)

EST. Capacity with 20k GVWR OPT

GRAND TOTAL AS CONFIGURED: Taxes & license fees not included

П

Total: \$ 498,545.00

# Living Vehicle®



2020-	y Specifications	S	
Model	CORE	MAX	PRO
# Energy Packs	1	3	6
Pack Capacity (kWh)	7.2	21.6	43.2
Total Pack Usable Energy (kWh)	14.4	28.8	43.2
Dedicated Leveling Pack (kWh)	1.06	1.06	1.06
Dedicated Generator Pack (kWh)	1.06	1.06	1.06
Total Usable System Energy (kWh)	16.51	30.91	45.31
Solar (W)	1320	2640	3080
Solar Awning	N/A	N/A	STD
# Inverters	1	2	2
Inverter Size (kW)	2.4	4	8

Off-Grid	wered by lvEnd	ergy	
Model	CORE	MAX	PRO
Level-1 EV Charging	lvEnergy	IvEnergy	IvEnergy
Primary Air Conditioner	IvEnergy	IvEnergy	IvEnergy
Interior 120V Outlets	IvEnergy	IvEnergy	IvEnergy
Exterior 120V Outlets	IvEnergy	IvEnergy	IvEnergy
Microwave	IvEnergy	IvEnergy	IvEnergy
Refrigerator	IvEnergy	IvEnergy	IvEnergy
Leveling System Charger	lvEnergy	IvEnergy	lvEnergy
Central-Vac	Shore/ Gen	IvEnergy	lvEnergy
Insta-Hot Kitchen Water Heater	Shore/ Gen	IvEnergy	lvEnergy
Dishwasher	Shore/ Gen	IvEnergy	lvEnergy
Washer/Dryer	Shore/ Gen	Shore/ Gen	lvEnergy
Second Air Conditioner	Shore/ Gen		
Bathroom Baseboard	Shore/ Gen		
Bedroom Baseboard	Shore/ Gen		
Living Ceiling Heater	Shore/ Gen		

12V/24V DC Loads Powered by IvEnergy (All Models)				
Kitchen Lights	Gas Cooktop Ignition	24/12V Converter	Security Doorbell	
Bedroom Lights	Hood Vent	Solar Awning	Solar Controllers	
Bath/ Hall Living Lights	UV Water Purifier	GPS LTE Monitoring	HD Leveling System	
Emergency Brake Battery	Tank Monitoring	Towing Cameras	Security Cameras	
Exterior Lights	A/C Thermostat	Water Heater	Generator Battery	
Water Pump	Euro-Loft Bed System	Reading Lights	WIFI Antenna	



Specifications to follow on the next page.

The remainder of this page was intentionally left blank.

Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974

## 2021 Living Vehicle Specifications

### Weights & Capacity

Standard/ Optional	Specification	Info	Package
STD	Sleeping Capacity	4	
OPT	Sleeping Capacity Option	6	Automatic Euroloft
STD	Length	29' 0"	
STD	Length Overall (Hitch to Bumper)	32' 8"	
STD	Exterior Width	8' 6"	
STD	Interior Width	8' 0"	
STD	Exterior Height w/ AC	12'-0"	
OPT	Exterior Height w/ AC Lifted	12'-4"	Off-Road Capability
STD	Interior Ceiling Height	6' 8"	
STD	Est. Hitch Weight (lbs) <sup>1</sup>	1,150 (10% UVW)	
STD	Est. Unit Dry Weight - UVW (lbs) <sup>1</sup>	11,500	
STD	Est. GVWR - Maximum Trailer Capacity (lbs) 1	16,000	
STD	Temperature Rating	20° \ 90°	
OPT	4-Season Temperature Rating	10° \ 100°	4-Season Performance
OPT	PRO Temperature Rating	0° \ 110°	PRO
STD	Est. Net Carrying Capacity (lbs) <sup>1</sup>	4,500	
STD	Ball Height	23"	
STD	Ball Size	2-5/16"	
STD	Under-Skin Ground Clearance	16"	
STD	Departure Ground Clearance	22"	
STD	Removable Off-road Bumper		
SYSTEMS (ME	EP)		
Standard/ Optional	Specification	Info	Package
STD	Electrical Line-In (amps)	50	
STD	Concealed Propane Tanks LPG (lbs.)	80 - (2) 20 w/ (2) 20 Reserve	
STD	Fresh Water Tank (gal)	100	
STD	Gray Water Tank (gal)	62	
STD	Black Water Tank (gal)	45	
STD	A/C (btu.)	15,000	4 6 Davidance
OPT	Secondary A/C (btu)	15,000 with heat strip	4-Season Performance
STD	Ventilation Fans	Bathroom	
STD	Heating (btu)	35K Floor (3) Lounge, bathroom and bedroom.	
OPT	Electric Heat	Thermostat control.	4-Season Performance
STD	Lighting (Interior)	Warm LED & Dimmable	
STD	Water Heater	Tankless	A in O Make a O Lit
OPT	Air Purifier	Dual-filtered	Air & Water Quality
OPT	Air Quality Monitor	App-based	Air & Water Quality
OPT	Water Filter	3-stage	Air & Water Quality
OPT	Water Sterilization	UV purifier	Air & Water Quality

Standard/	Specification	Info	Package
<b>Optional</b> ITD	Chassis	Aluminum w/ steel mains	
STD	Heated Subfloor	Passive heating design	
TD	Leveling and Stabilization	5-point Auto leveling system	
TD	Raised Subfloor Material	All-Aluminum .125"	
TD	Frame (Walls and Ceiling)	All-Aluminum, welded	
ΓD	Insulation Ceiling (R-Value)	Rigid Closed Cell Foam. R25	
ΓD	Insulation Floor (R-Value)	Rigid Closed Cell Foam. R13	
TD	Insulation Walls (R-Value)	Rigid Closed Cell Foam. R13	
ΓD	Windows	Frameless, Single Pane	
PT	Window Option	Frameless, Dual Pane	4-Season Performance
ΓD	Window Screens	All Operable Window Openings	
D	Patio Slider Screen	Aluminum Slider w/ Screen	
ΓD	Roof	Seamless Aluminum Sheet	
ΓD	Roof Profile	1" Bow Truss	
PT	Lifted Axles	4" Off-Road Lift kit	Off-Road Capability
TD	Wheels	17.5" Commercial Grade Aluminum Mag Wheels. Matte Black	
TD	Tires	Commercial Grade	
PT	Tires	Off-Road All-Terrain Commercial Grade	Off-Road Capability
TD	Brakes	4-Wheel Independent Electric	
PT	Disc Brakes	4-Wheel Independent Electric- Hydraulic Disc Brakes	CORE-HD, MAX, PRO
TD	Entry Door	2" Aluminum w/ Screen	
PT	PRO Night Edition Protectant	Protective Coated A-Frame, Wheel Wells, Fenders, and Lower Trim.	PRO Night Edition
)PT	Rear Hitch Receiver	2" Receiver rated at 500 lbs	Off-Road Capability
<mark>(itchen</mark> Standard/	Curacification	16.	De also se
ptional	Specification	Info	Package
TD	Refrigerator & Freezer	13 cu.ft.	
PT	Ice Maker	Integrated into Freezeer	Chef's Kitchen
ΓD	Kitchen Island	Moveable w/ Storage	
ΓD	Cooking	Propane Stove - Stainless	
PT	Oven	Marine grade oven stove combo	Chef's Kitchen
TD	Ventilation	Range Hood	
PT	Dishwasher	Stainless, 6-setting	Luxury Housekeeping
TD	Water Filter	Countertop Filtration, Matte Black	
PT	Insta-Hot Water System	Countertop, Hot & Cold, Matte Black	Chef's Kitchen
TD	Pull-Out Trash Can	Pull-Out Trash and Recycling	
ΓD	Microwave	Integrated Stainless	
TD	Kitchen Faucet	Multi-Spray Pull-Out, Matte Black	
TD	Pantry	Standing Height - Multi-Drawer	
PT	Stainless BBQ	Countertop grill, propane quick	Chef's Kitchen

OPT STD OPT STD STD STD STD OPT OPT OPT OPT OPT OPT STD OPT	Generator Enclosure Generator (kW) Energy Capacity (kWh) Energy Capacity Option (kWh) Energy Capacity Option (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) Storage Pack Heating (watts) CORE Inverter (watts) Inverter (watts) Rapid Charge (watts)	Gen-set ready 5.5 propane w/ auto transfer switch 9 24 48 Lithium - Nickel Manganese Cobalt 52 100 - heating pad 2.4 kW nom. Pure Sine Wave Hybrid inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	Backup Power Gen  MAX PRO  MAX
OPT STD OPT STD STD STD STD OPT OPT OPT OPT OPT OPT STD OPT	Generator (kW) Energy Capacity (kWh) Energy Capacity Option (kWh) Energy Capacity Option (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) Storage Pack Heating (watts) CORE Inverter (watts) Inverter (watts)	5.5 propane w/ auto transfer switch 9 24 48 Lithium - Nickel Manganese Cobalt 52 100 - heating pad 2.4 kW nom. Pure Sine Wave Hybrid inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	MAX PRO MAX
STD OPT STD STD STD STD STD STD OPT OPT STD OPT	Energy Capacity (kWh) Energy Capacity Option (kWh) Energy Capacity Option (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) Storage Pack Heating (watts) CORE Inverter (watts) Inverter (watts)	9 24 48 Lithium - Nickel Manganese Cobalt 52 100 - heating pad 2.4 kW nom. Pure Sine Wave Hybrid inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	MAX PRO MAX
OPT STD STD OPT OPT OPT STD STD	Energy Capacity Option (kWh) Energy Capacity Option (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) Storage Pack Heating (watts) CORE Inverter (watts) Inverter (watts)	48 Lithium - Nickel Manganese Cobalt 52 100 - heating pad 2.4 kW nom. Pure Sine Wave Hybrid inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	PRO
STD STD STD STD OPT OPT STD OPT	Energy Storage Chemistry Storage Pack Voltage (volts) Storage Pack Heating (watts) CORE Inverter (watts) Inverter (watts)	Lithium - Nickel Manganese Cobalt 52 100 - heating pad 2.4 kW nom. Pure Sine Wave Hybrid inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	MAX
TD TD TD PT PPT TD PT TD	Storage Pack Voltage (volts) Storage Pack Heating (watts) CORE Inverter (watts) Inverter (watts) Inverter (watts)	52 100 - heating pad 2.4 kW nom. Pure Sine Wave Hybrid inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	
TD TD PT PT TD DPT	Storage Pack Heating (watts)  CORE Inverter (watts)  Inverter (watts)  Inverter (watts)	100 - heating pad 2.4 kW nom. Pure Sine Wave Hybrid inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	
TD  PT  PT  TD  PT	CORE Inverter (watts) Inverter (watts) Inverter (watts)	<ul><li>2.4 kW nom. Pure Sine Wave Hybrid inverter</li><li>4 kW nom. Pure Sine Wave Hybrid inverter</li><li>8 kW nom. Pure Sine Wave Hybrid inverter</li></ul>	
PT PT TD	Inverter (watts)	inverter 4 kW nom. Pure Sine Wave Hybrid inverter 8 kW nom. Pure Sine Wave Hybrid inverter	
PT  TD  PT	Inverter (watts)	inverter 8 kW nom. Pure Sine Wave Hybrid inverter	
DPT TD DPT		inverter	PRO
TD :	Rapid Charge (watts)	10 LVA/ Division Ct. VA/ LL LL LL	
OPT		16 kW nom. Pure Sine Wave Hybrid inverter (Dual 8 kW)	PRO-EV
	Solar Panels (watts)	1,320	
	Solar Panels (watts)	2640 (total)	MAX
PT	Solar Panels (watts)	3080 (total)	PRO
TD	Solar Panels (type)	Thin film, impact resistant, ultralight, Mono-crystalline	
PT :	Solar Awning (watts)	Additional 1,320 w/ automatic awning slide out	Solar Awning
PT	High Voltage Alternator (kW)	6-8 (based on tow vehicle)	Energy Integration
VINC ADEA			
IVING AREA tandard/			
ptional	Specification	Info	Package
D	Folding Deck Door	8' 0" Patio Gate Deck 1500# Rating	
D	Deck Railing	Folding 'Always Ready' Railing System	
ГD	Dining Table	Designer Hardwood	
	Sofa & Lounge	Convertible Dining & Queen Bed	
	Guest Bed	60" x 82"	
$\Box$	GUEST DEU	00 A 02	1
			Automatic Furoloft
PT	Euro Loft Bed	60" x 82"	Automatic Euroloft
PT TD			Automatic Euroloft
PT TD TD	Euro Loft Bed Lounge Fabric	60" x 82"  Marine grade upholstery  Hardwood w/ Shelving & Media	Automatic Euroloft  Luxury Housekeeping
PT ID ID PT	Euro Loft Bed Lounge Fabric Media Center	60" x 82"  Marine grade upholstery  Hardwood w/ Shelving & Media  Cabinets  Central Vac supply w/ brush and	

BEDROOM		1	
Standard/ Optional	Specification	Info	Package
STD	Skylight	30" x 48" w/ Blackout Shade	
STD	Master Bed	Cool-Touch Memory Foam Queen	
OPT	Convertible Desk & Bed	80" long walnut desk surface convertible to 60"x80" Queen	Mobile Office
STD	Nightstands	(2) Recessed Shelf and Drawer	
STD	Under-Bed Storage	Gas Support, Lift Up Storage	
STD	Dresser	Side-by-Side, 3-Drawer Each	
STD	Closet	4 ft. Floor to Ceiling - w/ Hat Shelf	
OPT	Washer and Dryer	Combo Unit, Vented	Luxury Housekeeping
BATHROOM			
Standard/ Optional	Specification	Info	Package
STD	Residential Shower	32" x 36" Spa-Style w/ Curtain	
STD	Shower Fixture	Multi-Flow Shower Panel System	
STD	Shower Floor	Floor-Level Hardwood Deck Mat	
STD	Shower Skylight	Clear	
STD	Water Heater	Tankless, Gas, Freeze Protection	
OPT	Shower Interior	Rear Hardwood Slatted Wall with Shelves	Spa Bathroom
OPT	Shower Seat	Wall-mounted folding stainless & hardwood	Spa Bathroom
STD	Bathroom Sink	Glass Vessel ½" Tempered	
STD	Toilet	Vitreous China, Full Height	
OPT	Electric Toilet	Macerator with Bidet	Spa Bathroom
OPT	Compost Toilet	Compost Toilet w/ converted black to gray tank	Off-Grid Spa Bathroom
STD	Bathroom Faucet	Vessel Style - Matte Black	
OPT	Towel Warmer	120V Electric w/ Auto Timer	Spa Bathroom
OPT	Exterior Shower	Marine Grade Pull-out (Hot & Cold)	Spa Bathroom
TECHNOLOG	Y, AUDIO & VIDEO		
Standard/ Optional	Specification	Info	Package
STD	Internet Hub	Mobile Router & Hub	
OPT	WIFI Antenna & Router	Private secure network	Mobile Connectivity
OPT	Cellular Antenna	Cell signal booster	Mobile Connectivity
STD	Multi-Zone AV System	Wireless dual-zone system	
OPT	Speakers	SONOS In-ceiling multi-zone system	Hi-Fi Audio
OPT	AMP	AMP	Hi-Fi Audio
OPT	Subwoofer	(1) SONOS Subwoofer	Hi-Fi Audio
STD	A/V Controller	SONOS	
STD	Living Television	42" 4K Smart HDTV	
OPT	Bedroom Projector	4k Projector, Ceiling Mount	Home Theater
OPT	Internet TV Player	4K Internet TV	Home Theater
OPT	Speakers	(2) in-ceiling	Home Theater
OPT	Subwoofer	(1) SONOS Subwoofer	Home Theater

OPT Subwoofer (1) SONOS Subwoofer Home Theater

1- Weights and dimensions are estimated based on most current design configuration data and included equipment. Weights and dimensions are subject to change without notice.