


2023 Living Vehicle PRO-EV





Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974



Inventory #: PC161968

Living Vehicle Overview:

Year	. 2023
Model	.PRO-EV
Status	.Untitled/ NEW
Vin #	4FGA62929PC161968
Bedroom Configuration	Fixed Queen w/ Lift-up Storage
Rear Back Panel	.BLACK

2023 LVenergy System

57.6 kWh All-Lithium Battery pack
20,000 W Pure Sine Inverter Power
Quad 5,000W Inverters
Dual Air Conditioner Powered from Energy System
3,400 W Roof-Mounted Solar Power
1,600 W Deployable Solar on dedicated controllers
5,000 W Total Solar Power
Dual Redundant Solar Charge Controllers
2023 LVenergy Remote Monitoring
Touch-Screen Energy Control
App Based Worldwide monitoring
LTE & GPS OTA signal transmission


Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974

Living Vehicle®













Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: <u>805.618.2462</u> f: <u>888.443.5974</u>



2023 PRO-EV Living Vehicle Installed Option Packages:

The Solar Awning Electronically deployed dual-linear actuator

48" full-length extension sun-shading on entry side

35MPH Wind Rated & Impact Hail Resistant

4-Season Performance Cold-hot weather package

Extend temperature rating. 0° - 110°F

Second ducted air-conditioner

Tri-zone electric heating (on-grid/generator)

Dual-pane windows and patio slider Passive design warm floor in all rooms

Auto-Leveling 5-point HD auto-leveling system

Bluetooth APP control

Euro-Loft 500 lb. rated

In-Ceiling Double - "Always Made"

12V Automatic Powered Ladder - Stowable

Backup Power Generation 5.5 kW Cummins Onan Integrated Propane

Connected to LVenergy

Remote control & Auto-start capable

Energy Integration Prep Pre-Wired High-Power charge Cable

LV Power Tower with Quick Connect Ports

Mobile Connectivity Cell signal booster

External WIFI booster w/ 5-mile antenna

Indoor dedicated router & network

Performance Towing Front, rear, side view cameras with infrareds

7" in-cab LED monitor

Luxury Housekeeping Combination washer & dryer

Central vacuum system Stainless-steel dishwasher

Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974



Deployable Solar 1,600 W Deployable Solar Array

(4) Quick Connect Arrays in Stowable Canvas Cases

Dedicated Charge Controller

Spa Bath w/ Bidet Hardwood shower panel

Towel warmer, timer controlled

Outdoor shower LED bathroom mirror Folding teak shower seat

Electric Marine Bidet Toilet w/ Macerator

All Terrain Performance All Terrain Commercial Tires

Rear Hitch Receiver

HD Axles

Electric over Hydraulic disc brakes

Chef's Kitchen 3-Burner stainless marine oven & cooktop

Stainless quick connect propane BBQ Insta-hot water filtration at kitchen sink

Portable icemaker

Outdoor cooking. Marine BBQ grill & table

Luxury Finishes Lounge Ultraleather

Walnut Back Panel at Media Center

Rear Gear Storage 2" Rear Hitch Receiver

Removable Off-Road Bumper DOT Compliant

PRO Night Edition Body Armor at Lower Trim Panel and A-Frame

Wheel Well Body Armor

Sun & Star Skylight Package Bathroom Shower Skylight

Bedroom Skylight

Living Vehicle, Inc. 123 Santa Barbara Street, Santa Barbara, CA 93101 t: 805.618.2462 f: 888.443.5974

2023 LV Energy Specifications				
Model	CORE	MAX	PRO	PRO-EV
Total Pack Usable Energy (kWh)	14.4	28.8	43.2	57.6
Energy Pack Lifespan	> 10 Years / 3,500 Charge Cycles			
Solar (W)	1400	2600	3000	3400
Deployable Solar (W)	N/A	N/A	400	800
Solar Awning	N/A	STD	STD	STD
Inverter Size (kW)	5	10	15	20
Inverter Surge Capacity (kW)	10	20	30	40
Days Off Grid	< 7	7 - 14	15 - 30	œ

120V Powered by IvEnergy				
Model	CORE	MAX	PRO	PRO-EV
Level-1 EV Charging	IvEnergy	IvEnergy	IvEnergy	IvEnergy
Primary Air Conditioner	IvEnergy	IvEnergy	IvEnergy	IvEnergy
Interior 120V Outlets	IvEnergy	IvEnergy	IvEnergy	IvEnergy
Exterior 120V Outlets	IvEnergy	IvEnergy	IvEnergy	IvEnergy
Microwave	IvEnergy	IvEnergy	IvEnergy	IvEnergy
Refrigerator	IvEnergy	lvEnergy	IvEnergy	IvEnergy
Leveling System Charger	IvEnergy	IvEnergy	IvEnergy	IvEnergy
Central-Vac	Shore/ Gen	IvEnergy	IvEnergy	IvEnergy
Insta-Hot Water Heater	Shore/ Gen	IvEnergy	IvEnergy	IvEnergy
Washer/Dryer	Shore/ Gen	lvEnergy	IvEnergy	IvEnergy
Dishwasher	Shore/ Gen	IvEnergy	IvEnergy	IvEnergy
Second Air Conditioner	Shore/ Gen IvEnergy		IvEnergy	
Bathroom Heater	Shore/ Gen		IvEnergy	
Bedroom Heater	Shore/ Gen			IvEnergy
Living Ceiling Heater	Shore/ Gen		IvEnergy	
Level-2 EV Charging	N/A		IvEnergy	

12V/24V Powered by IvEnergy (All Models)				
Kitchen Lights	Gas Cooktop Ignition	24/12V Converter	Water Pump	Gas Furnace
Bedroom Lights	Hood Vent	Solar Awning	Euro-Loft Bed System	Electric Toilet
Bath/ Hall Living Lights	UV Water Purifier	GPS LTE Monitoring	Alternator Regulator	Security Monitoring
Emergency Brake Battery	Tank Monitoring	Towing Cameras	WIFI Router	4-Season Fan
Exterior Lights	A/C Thermostat	Water Heater		Cell Booster

2023 T29 Living Vehicle Specifications

Weights & Capacity

_	into & Capacity	1	I
	Specification	Info	Package
STD	Sleeping Capacity	4	
OPT	Sleeping Capacity Option	6	Automatic Euroloft
STD	Length	29' O"	
STD	Length Overall (Hitch to Bumper)	32' 8"	
STD	Exterior Width	8' 6"	
STD	Interior Width	8' O"	
STD	Exterior Height w/ AC	12'-0"	
OPT	Exterior Height w/ AC Lifted	12'-4"	Off-Road Capability
STD	Interior Ceiling Height	6′ 8″	
STD	Est. Hitch Weight (lbs) ¹ (10% UVW)	1,200/ 1,300/ 1,400/ 1,450	CORE/ MAX/ PRO/ PRO-
STD		12k/ 13k/ 14k/ 14.5k	CORE/ MAX/ PRO/ PRO-
STD	Est. Unit Dry Weight - UVW (lbs) 1 Est. GVWR - Maximum Trailer Capacity (lbs) 1	16k/ 17k/ 18k/ 18k	CORE/ MAX/ PRO/ PRO-
		20° \ 90°	CORE/ MAX/ PRO/ PRO-
STD	Temperature Rating		4.6
OPT	4-Season Temperature Rating	10° \ 100°	4-Season Performance
OPT	PRO Temperature Rating	0° \ 110°	PRO/ PRO-EV
STD	Est. Net Carrying Capacity (lbs) 1	4,000	CORE/ MAX/ PRO
STD	Est. Net Carrying Capacity (lbs) 1	3,500	PRO-EV
STD	Ball Height	23"	
STD	Ball Size	2-5/16"	
STD	Under-Skin Ground Clearance	16"	
STD	Departure Ground Clearance	22"	
STD	Removable Off-road Bumper	Aluminum w/ Dual-pin Attachment	
CVCT	EMS (MEP)		
Standard/	Specification	Info	Package
STD	Electrical Line-In (amps)	50	
STD	Concealed Propane Tanks LPG (lbs.)	80 - (2) 20 w/ (2) 20 Reserve	
STD	Fresh Water Tank (gal)	100	
STD	Gray Water Tank (gal)	62	
STD	Black Water Tank (gal)	45	
STD	A/C (btu.)	15,000	
OPT	Secondary A/C (btu)	15,000 with heat strip	4-Season Performance
STD	Ventilation Fans	Bathroom	1 Season enormance
STD			
	Heating (btu)	35K Floor Propane FAU	4.6
OPT	Electric Heat	(3) Lounge, bathroom and bedroom. Thermostat control.	4-Season Performance
STD	Lighting (Interior)	Warm LED & Dimmable	
STD	Water Heater	Tankless	
OPT	Air Purifier	Dual-filtered	Air & Water Quality
OPT	Air Quality Monitor	App-based	Air & Water Quality
OPT	Water Filter	3-stage	Air & Water Quality
OPT	Water Sterilization	UV purifier	Air & Water Quality
OPT	Water Generation	Atmospheric Water Generation System	Water Generation
Shell.	, Chassis & Frame		
	Specification	Info	Package
STD	Chassis	Aluminum w/ steel mains	rackage
		, ,	
STD	Heated Subfloor	Passive heating design	
STD	Leveling and Stabilization	5-point Auto leveling system	
STD	Raised Subfloor Material	All-Aluminum .125"	
STD	Frame (Walls and Ceiling)	All-Aluminum, welded	
STD	Insulation Ceiling (R-Value)	Rigid Closed Cell Foam. R25	
STD	Insulation Floor (R-Value)	Rigid Closed Cell Foam. R13	
STD	Insulation Walls (R-Value)	Rigid Closed Cell Foam. R13	
STD	Windows	Frameless, Single Pane	
OPT	Window Option	Frameless, Dual Pane	4-Season Performance
STD	Window Screens	All Operable Window Openings	
STD	Patio Slider Screen	Aluminum Slider w/ Screen	
STD	Roof	Seamless Aluminum Sheet	
STD	Roof Profile	Seamless Aluminum Sneet 1" Bow Truss	
OPT	Lifted Axles	4" Off-Road Lift kit	Off-Road Capability
OFT	Elited Axies	T OH NORU LIIT KIL	On Road Capability

STD	Wheels	19.5" Commercial Grade Steel. Matte Black	
STD	Tires	Commercial Grade	
OPT	Tires	Off-Road All-Terrain Commercial Grade	Off-Road Capability
STD	Brakes	4-Wheel Independent Electric	
OPT	Disc Brakes	4-Wheel Independent Electric-Hydraulic Disc Brakes	MAX, PRO, PRO-EV
STD	Entry Door	2" Aluminum w/ Screen	
OPT	PRO Night Edition	Protective Coated A-Frame, Wheel Wells, Fenders, and Lower Trim.	PRO Night Edition
OPT	Rear Hitch Receiver	2" Receiver rated at 500 lbs	Off-Road Capability
	The arrived of the control of the co	2 Necesives rated at 300 lbs	Chi Read capability
Kitch	en		
Standard/	Specification	Info	Package
STD	Refrigerator & Freezer	13 cu.ft.	
OPT	Ice Maker	Integrated into Freezeer	Chef's Kitchen
STD	Kitchen Island	Moveable w/ Storage	
STD	Cooking	Propane Stove - Stainless	
OPT	Oven	Marine grade oven stove combo	Chef's Kitchen
STD	Ventilation	Range Hood	
OPT	Dishwasher	Stainless, 6-setting	Luxury Housekeeping
STD	Water Filter	Countertop Filtration, Matte Black	
OPT	Insta-Hot Water System	Countertop, Hot & Cold, Matte Black	Chef's Kitchen
STD	Pull-Out Trash Can	Pull-Out Trash and Recycling	
STD	Microwave	Integrated Stainless	
STD	Kitchen Faucet	Multi-Spray Pull-Out, Matte Black	
STD	Pantry	Standing Height - Multi-Drawer	
OPT	Stainless BBQ	Countertop grill, propane guick connect	Chef's Kitchen
		3, 12 42	
Elect	rical, Solar & Hybrid inverter		
	Specification	Info	Package
STD	Generator Enclosure	Gen-set ready	
OPT	Generator (kW)	5.5 propane w/ auto transfer switch	Backup Power Gen
STD	CORE Energy (kWh)	14.4	
		14.4 28.8	MAX
STD	CORE Energy (kWh)		
STD OPT	CORE Energy (kWh) MAX Energy (kWh)	28.8	MAX PRO PRO-EV
STD OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh)	28.8 43.2	PRO
STD OPT OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh)	28.8 43.2 57.6	PRO
STD OPT OPT OPT STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry	28.8 43.2 57.6 Lithium Phosphate	PRO
STD OPT OPT STD STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts)	28.8 43.2 57.6 Lithium Phosphate 24	PRO
STD OPT OPT STD STD STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5	PRO PRO-EV
STD OPT OPT STD STD STD OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5	PRO PRO-EV
STD OPT OPT STD STD STD OPT OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10	PRO PRO-EV MAX PRO
STD OPT OPT STD STD STD OPT OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20	PRO PRO-EV MAX PRO
STD OPT OPT STD STD STD OPT OPT OPT STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400	PRO PRO-EV MAX PRO PRO
STD OPT OPT STD STD STD OPT OPT OPT OPT STD OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1.400 2,600 (total)	PRO PRO-EV MAX PRO PRO
STD OPT OPT STD STD STD OPT OPT OPT OPT STD OPT OPT OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1.400 2,600 (total) 3,000 (total)	PRO PRO-EV MAX PRO PRO MAX PRO
STD OPT OPT STD STD STD OPT OPT OPT OPT OPT OPT OPT OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total)	PRO PRO-EV MAX PRO PRO MAX PRO
STD OPT OPT STD STD STD OPT OPT OPT STD OPT STD OPT STD OPT OPT STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV
STD OPT OPT STD STD OPT OPT OPT OPT STD OPT OPT OPT OPT OPT OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV
STD OPT OPT STD STD OPT OPT OPT OPT STD OPT OPT OPT OPT OPT OPT OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT OPT STD OPT STD OPT LIVIN	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT OPT STD OPT STD OPT LIVIN	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1.400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle)	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1.400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle)	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW)	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD OPT STD STD STD STD STD STD STD STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD OPT STD STD STD STD STD STD STD STD STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD OPT STD STD STD STD STD STD STD STD STD	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD OPT STD STD STD STD STD STD STD STD STD ST	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration Package
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD STD STD STD STD STD STD STD OPT	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed Euro Loft Bed	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen Queen	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration Package
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD STD STD STD STD STD STD STD STD ST	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed Euro Loft Bed Lounge Fabric	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen Queen Marine grade upholstery	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration Package
STD OPT OPT STD STD OPT OPT STD OPT OPT STD OPT OPT STD STD STD STD STD STD STD STD STD ST	CORE Energy (kWh) MAX Energy (kWh) PRO Energy (kWh) PRO-EV Energy (kWh) Energy Storage Chemistry Storage Pack Voltage (volts) CORE Inverter (watts) MAX Inverter (kW) PRO Inverter (kW) PRO-EV Inverter (kW) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (watts) Solar Panels (type) High Voltage Alternator (kW) IG AREA Specification Folding Deck Door Deck Automation Deck Railing Dining Table Sofa & Lounge Guest Bed Euro Loft Bed Lounge Fabric Media Center	28.8 43.2 57.6 Lithium Phosphate 24 5 10 15 20 1,400 2,600 (total) 3,000 (total) 3,400 (total) Thin film, impact resistant, ultralight, Mono-crystalline 6-8 (based on tow vehicle) Info 8' 0" Patio Gate Deck 1500# Rating Automatic Raise/ Lowering Folding 'Always Ready' Railing System Designer Hardwood Convertible Dining & Queen Bed Queen Queen Marine grade upholstery Hardwood w/ Shelving & Media Cabinets	PRO PRO-EV MAX PRO PRO MAX PRO PRO-EV Energy Integration Package Automatic Euroloft

REDE	ROOM		
	Specification	Info	Package
STD	Skylight	30" x 48" w/ Blackout Shade	
STD	Master Bed	Cool-Touch Memory Foam Queen	70.0
OPT	3D Adjustable Slat Bed	Dual Zone (L&R) Adjustable Queen Bed. European Mattress Suspension	3D Bed Lounge
OPT	Convertible Desk & Bed	80" long walnut desk surface convertible to 60"x80" Queen	Mobile Office
STD	Nightstands	(2) Recessed Shelf and Drawer	
STD	Under-Bed Storage	Gas Support, Lift Up Storage	
STD	Dresser	Side-by-Side, 3-Drawer Each	
STD	Closet	4 ft. Floor to Ceiling - w/ Hat Shelf	
OPT	Washer and Dryer	Combo Unit, Vented	Luxury Housekeeping
BATH	HROOM		
Standard/	Specification	Info	Package
STD	Residential Shower	32" x 36" Spa-Style w/ Curtain	
STD	Shower Fixture	Multi-Flow Shower Panel System	
STD	Shower Floor	Floor-Level Hardwood Deck Mat	
STD	Shower Skylight	Clear	
STD	Water Heater	Tankless, Gas, Freeze Protection	
OPT	Shower Interior	Rear Hardwood Slatted Wall with Shelves	Spa Bathroom
OPT	Shower Seat	Wall-mounted folding stainless & hardwood	Spa Bathroom
STD	Bathroom Sink	Glass Vessel ½" Tempered	
STD	Toilet	Vitreous China, Full Height	
OPT	Electric Toilet	Macerator with Bidet	Spa Bathroom
OPT	Compost Toilet	Compost Toilet w/ converted black to gray tank	Off-Grid Spa Bathroom
STD	Bathroom Faucet	Vessel Style - Matte Black	
OPT	Towel Warmer	120V Electric w/ Auto Timer	Spa Bathroom
OPT	Exterior Shower	Marine Grade Pull-out (Hot & Cold)	Spa Bathroom
TECH	NOLOGY, AUDIO & VIDEO		
		1-6-	Da alsa as
	Specification	Info	Package
STD	Internet Hub	Mobile Router & Hub	Made the Commission blocks
OPT	WIFI Antenna & Router	Private secure network	Mobile Connectivity
OPT	Cellular Antenna	Cell signal booster	Mobile Connectivity
STD OPT	Multi-Zone AV System	Wireless dual-zone system	H: E: Adia
	Speakers AMP	SONOS In-ceiling multi-zone system	Hi-Fi Audio
OPT		AMP	Hi-Fi Audio
OPT	LV Creative Studio	Multimedia and Technology Equipment as per Spec	Creative Studio
OPT	Subwoofer A/V Controller	(1) SONOS Subwoofer SONOS	Hi-Fi Audio
STD			
STD	Living Television	42" 4K Smart HDTV 4k Projector, Ceiling Mount	Home Theater
OPT	Bedroom Projector	4K Internet TV	
OPT	Internet TV Player		Home Theater
OPT OPT	Speakers Subweefer	(2) in-ceiling	Home Theater Home Theater
	Subwoofer dimensions are estimated based on most current design configuration data and include the configuration of the configuration of the configuration data and include the configuration of the configuration data and include the configuration data and includ	(1) SONOS Subwoofer Jed equipment. Weights and dimensions are subject to change without notice.	nome meater

OPT Subwoofer

(1) SONOS Subwoofer

1- Weights and dimensions are estimated based on most current design configuration data and included equipment. Weights and dimensions are subject to change without notice.