

TABLES

Shaker Table design - Nienkamper



| Model Number | W" | D" | H" | Top Finish | List Price | Model Number | W" | D" | H" | Top Finish | List Price |
|--------------|----|----|----|------------|------------|--------------|----|----|----|------------|------------|
|--------------|----|----|----|------------|------------|--------------|----|----|----|------------|------------|

SHAKER CONFERENCE TABLE ROUND SHAPE

| Fixed Height (Seating) | | | | | |
|------------------------|----------------|--|-----------|--------------|--------------|
| 36461/229 | 42" Dia | | 29 | Veneer | 4,740 |
| 36461/529 | 42" Dia | | 29 | P-Lam | 4,385 |
| 36462/229 | 48" Dia | | 29 | Veneer | 4,975 |
| 36462/529 | 48" Dia | | 29 | P-Lam | 4,520 |
| 36463/229 | 54" Dia | | 29 | Veneer | 5,365 |
| 36463/529 | 54" Dia | | 29 | P-Lam | 4,815 |
| 36464/229 | 60" Dia | | 29 | Veneer | 5,765 |
| 36464/529 | 60" Dia | | 29 | P-Lam | 5,115 |

| Fixed Height (Standing) | | | | | |
|-------------------------|----------------|--|-----------|--------------|--------------|
| 36461/242 | 42" Dia | | 42 | Veneer | 5,455 |
| 36461/542 | 42" Dia | | 42 | P-Lam | 5,045 |
| 36462/242 | 48" Dia | | 42 | Veneer | 5,725 |
| 36462/542 | 48" Dia | | 42 | P-Lam | 5,200 |
| 36463/242 | 54" Dia | | 42 | Veneer | 6,170 |
| 36463/542 | 54" Dia | | 42 | P-Lam | 5,540 |
| 36464/242 | 60" Dia | | 42 | Veneer | 6,630 |
| 36464/542 | 60" Dia | | 42 | P-Lam | 5,885 |

Standard Features:

- Tops are 1¼" thick, available in all standard Nienkamper veneers and plastic laminates.
- Self edge is typical.
- Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
- Silver anodized stretcher rails are standard.
- Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

TABLES

Shaker Table design - Nienkamper

| Model Number | W" | D" | H" | Top Finish | List Price | Model Number | W" | D" | H" | Top Finish | List Price |
|--------------------------------------------------|------------|-----------|-----------|--------------|--------------|--------------------------------|------------|-----------|-----------|--------------|---------------|
| SHAKER CONFERENCE TABLE RECTANGULAR SHAPE | | | | | | | | | | | |
| Fixed Height (Seating) | | | | | | Fixed Height (Standing) | | | | | |
| 36401/229 | 96 | 38 | 29 | Veneer | 5,335 | 36401/242 | 96 | 38 | 42 | Veneer | 6,140 |
| 36401/529 | 96 | 38 | 29 | P-Lam | 4,775 | 36401/542 | 96 | 38 | 42 | P-Lam | 5,495 |
| 36402/229 | 96 | 42 | 29 | Veneer | 5,640 | 36402/242 | 96 | 42 | 42 | Veneer | 6,490 |
| 36402/529 | 96 | 42 | 29 | P-Lam | 5,005 | 36402/542 | 96 | 42 | 42 | P-Lam | 5,760 |
| 36403/229 | 96 | 48 | 29 | Veneer | 5,870 | 36403/242 | 96 | 48 | 42 | Veneer | 6,755 |
| 36403/529 | 96 | 48 | 29 | P-Lam | 5,175 | 36403/542 | 96 | 48 | 42 | P-Lam | 5,955 |
| 36404/229 | 96 | 54 | 29 | Veneer | 6,225 | 36404/242 | 96 | 54 | 42 | Veneer | 7,160 |
| 36404/529 | 96 | 54 | 29 | P-Lam | 5,445 | 36404/542 | 96 | 54 | 42 | P-Lam | 6,265 |
| 36405/229 | 96 | 60 | 29 | Veneer | 6,530 | 36405/242 | 96 | 60 | 42 | Veneer | 7,510 |
| 36405/529 | 96 | 60 | 29 | P-Lam | 5,670 | 36405/542 | 96 | 60 | 42 | P-Lam | 6,525 |
| 36406/229 | 108 | 38 | 29 | Veneer | 5,605 | 36406/242 | 108 | 38 | 42 | Veneer | 6,450 |
| 36406/529 | 108 | 38 | 29 | P-Lam | 4,990 | 36406/542 | 108 | 38 | 42 | P-Lam | 5,740 |
| 36407/229 | 108 | 42 | 29 | Veneer | 5,970 | 36407/242 | 108 | 42 | 42 | Veneer | 6,870 |
| 36407/529 | 108 | 42 | 29 | P-Lam | 5,260 | 36407/542 | 108 | 42 | 42 | P-Lam | 6,050 |
| 36408/229 | 108 | 48 | 29 | Veneer | 6,345 | 36408/242 | 108 | 48 | 42 | Veneer | 7,300 |
| 36408/529 | 108 | 48 | 29 | P-Lam | 5,540 | 36408/542 | 108 | 48 | 42 | P-Lam | 6,375 |
| 36409/229 | 108 | 54 | 29 | Veneer | 6,470 | 36409/242 | 108 | 54 | 42 | Veneer | 7,445 |
| 36409/529 | 108 | 54 | 29 | P-Lam | 5,640 | 36409/542 | 108 | 54 | 42 | P-Lam | 6,490 |
| 36410/229 | 108 | 60 | 29 | Veneer | 7,080 | 36410/242 | 108 | 60 | 42 | Veneer | 8,145 |
| 36410/529 | 108 | 60 | 29 | P-Lam | 6,095 | 36410/542 | 108 | 60 | 42 | P-Lam | 7,010 |
| 36411/229 | 120 | 42 | 29 | Veneer | 7,135 | 36411/242 | 120 | 42 | 42 | Veneer | 8,210 |
| 36411/529 | 120 | 42 | 29 | P-Lam | 6,255 | 36411/542 | 120 | 42 | 42 | P-Lam | 7,195 |
| 36412/229 | 120 | 48 | 29 | Veneer | 7,635 | 36412/242 | 120 | 48 | 42 | Veneer | 8,785 |
| 36412/529 | 120 | 48 | 29 | P-Lam | 6,630 | 36412/542 | 120 | 48 | 42 | P-Lam | 7,625 |
| 36413/229 | 120 | 54 | 29 | Veneer | 8,095 | 36413/242 | 120 | 54 | 42 | Veneer | 9,310 |
| 36413/529 | 120 | 54 | 29 | P-Lam | 6,975 | 36413/542 | 120 | 54 | 42 | P-Lam | 8,025 |
| 36414/229 | 120 | 60 | 29 | Veneer | 8,435 | 36414/242 | 120 | 60 | 42 | Veneer | 9,705 |
| 36414/529 | 120 | 60 | 29 | P-Lam | 7,230 | 36414/542 | 120 | 60 | 42 | P-Lam | 8,315 |
| 36415/229 | 132 | 42 | 29 | Veneer | 9,240 | 36415/242 | 132 | 42 | 42 | Veneer | 10,630 |
| 36415/529 | 132 | 42 | 29 | P-Lam | 8,255 | 36415/542 | 132 | 42 | 42 | P-Lam | 9,495 |
| 36416/229 | 132 | 48 | 29 | Veneer | 9,680 | 36416/242 | 132 | 48 | 42 | Veneer | 11,135 |
| 36416/529 | 132 | 48 | 29 | P-Lam | 8,585 | 36416/542 | 132 | 48 | 42 | P-Lam | 9,875 |
| 36417/229 | 132 | 54 | 29 | Veneer | 10,225 | 36417/242 | 132 | 54 | 42 | Veneer | 11,760 |
| 36417/529 | 132 | 54 | 29 | P-Lam | 8,995 | 36417/542 | 132 | 54 | 42 | P-Lam | 10,345 |
| 36418/229 | 132 | 60 | 29 | Veneer | 10,480 | 36418/242 | 132 | 60 | 42 | Veneer | 12,055 |
| 36418/529 | 132 | 60 | 29 | P-Lam | 9,190 | 36418/542 | 132 | 60 | 42 | P-Lam | 10,570 |
| 36419/229 | 144 | 48 | 29 | Veneer | 10,070 | 36419/242 | 144 | 48 | 42 | Veneer | 11,585 |
| 36419/529 | 144 | 48 | 29 | P-Lam | 8,850 | 36419/542 | 144 | 48 | 42 | P-Lam | 10,180 |
| 36420/229 | 144 | 54 | 29 | Veneer | 10,705 | 36420/242 | 144 | 54 | 42 | Veneer | 12,315 |
| 36420/529 | 144 | 54 | 29 | P-Lam | 9,325 | 36420/542 | 144 | 54 | 42 | P-Lam | 10,725 |
| 36421/229 | 144 | 60 | 29 | Veneer | 11,220 | 36421/242 | 144 | 60 | 42 | Veneer | 12,905 |
| 36421/529 | 144 | 60 | 29 | P-Lam | 9,710 | 36421/542 | 144 | 60 | 42 | P-Lam | 11,170 |

Standard Features:

- Tops are 1 1/4" thick, available in all standard Nienkamper veneers and plastic laminates.
- Self edge is typical.
- Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
- Silver anodized stretcher rails are standard.
- Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

Model # 36421/229



Model # 36421/242



TABLES

Shaker Table design - Nienkamper

| Model Number | W" | D" | H" | Top Finish | List Price | Model Number | W" | D" | H" | Top Finish | List Price |
|--------------------------------------------------|------------|-----------|-----------|--------------|---------------|--------------------------------|------------|-----------|-----------|--------------|---------------|
| SHAKER CONFERENCE TABLE RECTANGULAR SHAPE | | | | | | | | | | | |
| Fixed Height (Seating) | | | | | | Fixed Height (Standing) | | | | | |
| 36422/229 | 156 | 48 | 29 | Veneer | 10,220 | 36422/242 | 156 | 48 | 42 | Veneer | 11,755 |
| 36422/529 | 156 | 48 | 29 | P-Lam | 8,940 | 36422/542 | 156 | 48 | 42 | P-Lam | 10,285 |
| 36423/229 | 156 | 54 | 29 | Veneer | 10,800 | 36423/242 | 156 | 54 | 42 | Veneer | 12,420 |
| 36423/529 | 156 | 54 | 29 | P-Lam | 9,375 | 36423/542 | 156 | 54 | 42 | P-Lam | 10,785 |
| 36424/229 | 156 | 60 | 29 | Veneer | 11,455 | 36424/242 | 156 | 60 | 42 | Veneer | 13,175 |
| 36424/529 | 156 | 60 | 29 | P-Lam | 9,865 | 36424/542 | 156 | 60 | 42 | P-Lam | 11,345 |
| 36425/229 | 168 | 48 | 29 | Veneer | 10,440 | 36425/242 | 168 | 48 | 42 | Veneer | 12,010 |
| 36425/529 | 168 | 48 | 29 | P-Lam | 9,095 | 36425/542 | 168 | 48 | 42 | P-Lam | 10,460 |
| 36426/229 | 168 | 54 | 29 | Veneer | 11,050 | 36426/242 | 168 | 54 | 42 | Veneer | 12,710 |
| 36426/529 | 168 | 54 | 29 | P-Lam | 9,550 | 36426/542 | 168 | 54 | 42 | P-Lam | 10,985 |
| 36427/229 | 168 | 60 | 29 | Veneer | 11,655 | 36427/242 | 168 | 60 | 42 | Veneer | 13,405 |
| 36427/529 | 168 | 60 | 29 | P-Lam | 10,005 | 36427/542 | 168 | 60 | 42 | P-Lam | 11,510 |
| 36428/229 | 180 | 48 | 29 | Veneer | 10,945 | 36428/242 | 180 | 48 | 42 | Veneer | 12,590 |
| 36428/529 | 180 | 48 | 29 | P-Lam | 9,480 | 36428/542 | 180 | 48 | 42 | P-Lam | 10,905 |
| 36429/229 | 180 | 54 | 29 | Veneer | 11,600 | 36429/242 | 180 | 54 | 42 | Veneer | 13,340 |
| 36429/529 | 180 | 54 | 29 | P-Lam | 9,975 | 36429/542 | 180 | 54 | 42 | P-Lam | 11,475 |
| 36430/229 | 180 | 60 | 29 | Veneer | 12,240 | 36430/242 | 180 | 60 | 42 | Veneer | 14,080 |
| 36430/529 | 180 | 60 | 29 | P-Lam | 10,455 | 36430/542 | 180 | 60 | 42 | P-Lam | 12,025 |
| 36431/229 | 192 | 48 | 29 | Veneer | 13,000 | 36431/242 | 192 | 48 | 42 | Veneer | 14,950 |
| 36431/529 | 192 | 48 | 29 | P-Lam | 11,475 | 36431/542 | 192 | 48 | 42 | P-Lam | 13,200 |
| 36432/229 | 192 | 54 | 29 | Veneer | 13,685 | 36432/242 | 192 | 54 | 42 | Veneer | 15,740 |
| 36432/529 | 192 | 54 | 29 | P-Lam | 11,990 | 36432/542 | 192 | 54 | 42 | P-Lam | 13,790 |
| 36433/229 | 192 | 60 | 29 | Veneer | 14,400 | 36433/242 | 192 | 60 | 42 | Veneer | 16,560 |
| 36433/529 | 192 | 60 | 29 | P-Lam | 12,535 | 36433/542 | 192 | 60 | 42 | P-Lam | 14,420 |
| 36434/229 | 192 | 66 | 29 | Veneer | 14,965 | 36434/242 | 192 | 66 | 42 | Veneer | 17,210 |
| 36434/529 | 192 | 66 | 29 | P-Lam | 12,960 | 36434/542 | 192 | 66 | 42 | P-Lam | 14,905 |
| 36435/229 | 192 | 72 | 29 | Veneer | 15,545 | 36435/242 | 192 | 72 | 42 | Veneer | 17,880 |
| 36435/529 | 192 | 72 | 29 | P-Lam | 13,395 | 36435/542 | 192 | 72 | 42 | P-Lam | 15,405 |
| 36436/229 | 204 | 48 | 29 | Veneer | 13,380 | 36436/242 | 204 | 48 | 42 | Veneer | 15,390 |
| 36436/529 | 204 | 48 | 29 | P-Lam | 11,770 | 36436/542 | 204 | 48 | 42 | P-Lam | 13,540 |
| 36437/229 | 204 | 54 | 29 | Veneer | 14,100 | 36437/242 | 204 | 54 | 42 | Veneer | 16,215 |
| 36437/529 | 204 | 54 | 29 | P-Lam | 12,310 | 36437/542 | 204 | 54 | 42 | P-Lam | 14,160 |
| 36438/229 | 204 | 60 | 29 | Veneer | 14,840 | 36438/242 | 204 | 60 | 42 | Veneer | 17,070 |
| 36438/529 | 204 | 60 | 29 | P-Lam | 12,880 | 36438/542 | 204 | 60 | 42 | P-Lam | 14,815 |
| 36439/229 | 204 | 66 | 29 | Veneer | 15,420 | 36439/242 | 204 | 66 | 42 | Veneer | 17,735 |
| 36439/529 | 204 | 66 | 29 | P-Lam | 13,315 | 36439/542 | 204 | 66 | 42 | P-Lam | 15,315 |
| 36440/229 | 204 | 72 | 29 | Veneer | 16,225 | 36440/242 | 204 | 72 | 42 | Veneer | 18,660 |
| 36440/529 | 204 | 72 | 29 | P-Lam | 13,915 | 36440/542 | 204 | 72 | 42 | P-Lam | 16,005 |

Standard Features:

- Tops are 1¼" thick, available in all standard Nienkamper veneers and plastic laminates.
- Self edge is typical.
- Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
- Silver anodized stretcher rails are standard.
- Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

Model # 36421/229



Model # 36421/242



TABLES

Shaker Table design - Nienkamper

| Model Number | W" | D" | H" | Top Finish | List Price | Model Number | W" | D" | H" | Top Finish | List Price |
|--------------------------------------------------|------------|-----------|-----------|--------------|---------------|--------------------------------|------------|-----------|-----------|--------------|---------------|
| SHAKER CONFERENCE TABLE RECTANGULAR SHAPE | | | | | | | | | | | |
| Fixed Height (Seating) | | | | | | Fixed Height (Standing) | | | | | |
| 36441/229 | 216 | 48 | 29 | Veneer | 13,815 | 36441/242 | 216 | 48 | 42 | Veneer | 15,890 |
| 36441/529 | 216 | 48 | 29 | P-Lam | 12,110 | 36441/542 | 216 | 48 | 42 | P-Lam | 13,930 |
| 36442/229 | 216 | 54 | 29 | Veneer | 14,535 | 36442/242 | 216 | 54 | 42 | Veneer | 16,720 |
| 36442/529 | 216 | 54 | 29 | P-Lam | 12,650 | 36442/542 | 216 | 54 | 42 | P-Lam | 14,550 |
| 36443/229 | 216 | 60 | 29 | Veneer | 15,290 | 36443/242 | 216 | 60 | 42 | Veneer | 17,585 |
| 36443/529 | 216 | 60 | 29 | P-Lam | 13,230 | 36443/542 | 216 | 60 | 42 | P-Lam | 15,215 |
| 36444/229 | 216 | 66 | 29 | Veneer | 16,070 | 36444/242 | 216 | 66 | 42 | Veneer | 18,485 |
| 36444/529 | 216 | 66 | 29 | P-Lam | 13,815 | 36444/542 | 216 | 66 | 42 | P-Lam | 15,890 |
| 36445/229 | 216 | 72 | 29 | Veneer | 16,855 | 36445/242 | 216 | 72 | 42 | Veneer | 19,385 |
| 36445/529 | 216 | 72 | 29 | P-Lam | 14,400 | 36445/542 | 216 | 72 | 42 | P-Lam | 16,560 |
| 36446/229 | 228 | 48 | 29 | Veneer | 14,110 | 36446/242 | 228 | 48 | 42 | Veneer | 16,230 |
| 36446/529 | 228 | 48 | 29 | P-Lam | 12,340 | 36446/542 | 228 | 48 | 42 | P-Lam | 14,195 |
| 36447/229 | 228 | 54 | 29 | Veneer | 14,955 | 36447/242 | 228 | 54 | 42 | Veneer | 17,200 |
| 36447/529 | 228 | 54 | 29 | P-Lam | 12,980 | 36447/542 | 228 | 54 | 42 | P-Lam | 14,930 |
| 36448/229 | 228 | 60 | 29 | Veneer | 15,850 | 36448/242 | 228 | 60 | 42 | Veneer | 18,230 |
| 36448/529 | 228 | 60 | 29 | P-Lam | 13,655 | 36448/542 | 228 | 60 | 42 | P-Lam | 15,705 |
| 36449/229 | 228 | 66 | 29 | Veneer | 16,580 | 36449/242 | 228 | 66 | 42 | Veneer | 19,070 |
| 36449/529 | 228 | 66 | 29 | P-Lam | 14,205 | 36449/542 | 228 | 66 | 42 | P-Lam | 16,340 |
| 36450/229 | 228 | 72 | 29 | Veneer | 17,315 | 36450/242 | 228 | 72 | 42 | Veneer | 19,915 |
| 36450/529 | 228 | 72 | 29 | P-Lam | 14,750 | 36450/542 | 228 | 72 | 42 | P-Lam | 16,965 |
| 36451/229 | 240 | 48 | 29 | Veneer | 14,550 | 36451/242 | 240 | 48 | 42 | Veneer | 16,735 |
| 36451/529 | 240 | 48 | 29 | P-Lam | 12,680 | 36451/542 | 240 | 48 | 42 | P-Lam | 14,585 |
| 36452/229 | 240 | 54 | 29 | Veneer | 15,350 | 36452/242 | 240 | 54 | 42 | Veneer | 17,655 |
| 36452/529 | 240 | 54 | 29 | P-Lam | 13,280 | 36452/542 | 240 | 54 | 42 | P-Lam | 15,275 |
| 36453/229 | 240 | 60 | 29 | Veneer | 15,505 | 36453/242 | 240 | 60 | 42 | Veneer | 17,835 |
| 36453/529 | 240 | 60 | 29 | P-Lam | 13,210 | 36453/542 | 240 | 60 | 42 | P-Lam | 15,195 |
| 36454/229 | 240 | 66 | 29 | Veneer | 16,350 | 36454/242 | 240 | 66 | 42 | Veneer | 18,805 |
| 36454/529 | 240 | 66 | 29 | P-Lam | 13,845 | 36454/542 | 240 | 66 | 42 | P-Lam | 15,925 |
| 36455/229 | 240 | 72 | 29 | Veneer | 17,260 | 36455/242 | 240 | 72 | 42 | Veneer | 19,850 |
| 36455/529 | 240 | 72 | 29 | P-Lam | 14,550 | 36455/542 | 240 | 72 | 42 | P-Lam | 16,735 |

Standard Features:

- Tops are 1¼" thick, available in all standard Nienkamper veneers and plastic laminates.
- Self edge is typical.
- Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
- Silver anodized stretcher rails are standard.
- Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

Model # 36421/229



Model # 36421/242

