

# TABLES

Metronome™ Trestle Table Designer - Fig40



Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
--------------	----	----	----	------------	-------------	------------	--------------	----	----	----	------------	-------------	------------

## METRONOME TRESTLE TABLE SQUARE SHAPE

### 29" Height

26560/229	36	36	29	Veneer	1	4,185
<b>26560/529</b>	<b>36</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>3,855</b>
26561/229	48	48	29	Veneer	1	4,665
<b>26561/529</b>	<b>48</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>4,155</b>
26562/229	54	54	29	Veneer	1	5,120
<b>26562/529</b>	<b>54</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>4,280</b>
26563/229	60	60	29	Veneer	1	5,525
<b>26563/529</b>	<b>60</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>4,455</b>

### 38" Height

26560/238	36	36	38	Veneer	1	6,855
<b>26560/538</b>	<b>36</b>	<b>36</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>6,570</b>
26561/238	48	48	38	Veneer	1	7,350
<b>26561/538</b>	<b>48</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>6,910</b>
26562/238	54	54	38	Veneer	1	7,825
<b>26562/538</b>	<b>54</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>7,095</b>
26563/238	60	60	38	Veneer	1	8,370
<b>26563/538</b>	<b>60</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>7,445</b>

### Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

# TABLES

Metronome™ Trestle Table Designer - Fig40

Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
<b>METRONOME TRESTLE TABLE RECTANGULAR SHAPE</b>													
<b>2 Bases / 29" Height</b>							<b>2 Bases / 38" Height</b>						
26501/229	60	36	29	Veneer	1	4,550	26501/238	60	36	38	Veneer	1	7,305
<b>26501/529</b>	<b>60</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>3,940</b>	<b>26501/538</b>	<b>60</b>	<b>36</b>	<b>38</b>	<b>P-Lam</b>	1	<b>6,780</b>
26502/229	60	42	29	Veneer	1	4,725	26502/238	60	42	38	Veneer	1	7,460
<b>26502/529</b>	<b>60</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,065</b>	<b>26502/538</b>	<b>60</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	1	<b>6,890</b>
26503/229	60	48	29	Veneer	1	5,005	26503/238	60	48	38	Veneer	1	7,700
<b>26503/529</b>	<b>60</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,145</b>	<b>26503/538</b>	<b>60</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	1	<b>6,955</b>
26504/229	60	54	29	Veneer	1	5,335	26504/238	60	54	38	Veneer	1	7,990
<b>26504/529</b>	<b>60</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,295</b>	<b>26504/538</b>	<b>60</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,085</b>
26505/229	72	36	29	Veneer	1	4,800	26505/238	72	36	38	Veneer	1	7,560
<b>26505/529</b>	<b>72</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,165</b>	<b>26505/538</b>	<b>72</b>	<b>36</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,010</b>
26506/229	72	42	29	Veneer	1	5,205	26506/238	72	42	38	Veneer	1	7,910
<b>26506/529</b>	<b>72</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,340</b>	<b>26506/538</b>	<b>72</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,165</b>
26507/229	72	48	29	Veneer	1	5,305	26507/238	72	48	38	Veneer	1	8,000
<b>26507/529</b>	<b>72</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,440</b>	<b>26507/538</b>	<b>72</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,250</b>
26508/229	72	54	29	Veneer	1	5,510	26508/238	72	54	38	Veneer	1	8,175
<b>26508/529</b>	<b>72</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,595</b>	<b>26508/538</b>	<b>72</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,385</b>
26509/229	72	60	29	Veneer	1	5,765	26509/238	72	60	38	Veneer	1	8,395
<b>26509/529</b>	<b>72</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,800</b>	<b>26509/538</b>	<b>72</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,560</b>
26510/229	84	36	29	Veneer	1	5,250	26510/238	84	36	38	Veneer	1	7,985
<b>26510/529</b>	<b>84</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,385</b>	<b>26510/538</b>	<b>84</b>	<b>36</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,240</b>
26511/229	84	42	29	Veneer	1	5,505	26511/238	84	42	38	Veneer	1	8,205
<b>26511/529</b>	<b>84</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,615</b>	<b>26511/538</b>	<b>84</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,435</b>
26512/229	84	48	29	Veneer	1	5,655	26512/238	84	48	38	Veneer	1	8,340
<b>26512/529</b>	<b>84</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,740</b>	<b>26512/538</b>	<b>84</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,545</b>
26513/229	84	54	29	Veneer	1	5,960	26513/238	84	54	38	Veneer	1	8,605
<b>26513/529</b>	<b>84</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,945</b>	<b>26513/538</b>	<b>84</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,725</b>
26514/229	84	60	29	Veneer	1	6,315	26514/238	84	60	38	Veneer	1	8,910
<b>26514/529</b>	<b>84</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,200</b>	<b>26514/538</b>	<b>84</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,945</b>
26515/229	96	36	29	Veneer	1	5,500	26515/238	96	36	38	Veneer	1	8,240
<b>26515/529</b>	<b>96</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,635</b>	<b>26515/538</b>	<b>96</b>	<b>36</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,490</b>
26516/229	96	42	29	Veneer	1	5,805	26516/238	96	42	38	Veneer	1	8,505
<b>26516/529</b>	<b>96</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,890</b>	<b>26516/538</b>	<b>96</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,710</b>
26517/229	96	48	29	Veneer	1	6,035	26517/238	96	48	38	Veneer	1	8,700
<b>26517/529</b>	<b>96</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,040</b>	<b>26517/538</b>	<b>96</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,845</b>
26518/229	96	54	29	Veneer	1	6,390	26518/238	96	54	38	Veneer	1	9,010
<b>26518/529</b>	<b>96</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,345</b>	<b>26518/538</b>	<b>96</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	1	<b>8,105</b>
26519/229	96	60	29	Veneer	1	6,695	26519/238	96	60	38	Veneer	1	9,275
<b>26519/529</b>	<b>96</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,600</b>	<b>26519/538</b>	<b>96</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	1	<b>8,325</b>
26520/229	108	42	29	Veneer	1	6,185	26520/238	108	42	38	Veneer	1	8,870
<b>26520/529</b>	<b>108</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,050</b>	<b>26520/538</b>	<b>108</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	1	<b>7,890</b>
26521/229	108	48	29	Veneer	1	6,560	26521/238	108	48	38	Veneer	1	9,195
<b>26521/529</b>	<b>108</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,350</b>	<b>26521/538</b>	<b>108</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	1	<b>8,145</b>
26522/229	108	54	29	Veneer	1	6,690	26522/238	108	54	38	Veneer	1	9,305
<b>26522/529</b>	<b>108</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,420</b>	<b>26522/538</b>	<b>108</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	1	<b>8,205</b>
26523/229	108	60	29	Veneer	1	6,940	26523/238	108	60	38	Veneer	1	9,525
<b>26523/529</b>	<b>108</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,595</b>	<b>26523/538</b>	<b>108</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	1	<b>8,360</b>

**Standard Features:**

- Tops are 1/4" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

Model #26523/538 & #26523/529



# TABLES


Metronome™ Trestle Table Designer - Fig40

Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
<b>METRONOME TRESTLE TABLE RECTANGULAR SHAPE</b>													
<b>3 Bases / 29" Height</b>							<b>3 Bases / 38" Height</b>						
26524/229	120	42	29	Veneer	2	8,650	26524/238	120	42	38	Veneer	2	11,735
<b>26524/529</b>	<b>120</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>7,475</b>	<b>26524/538</b>	<b>120</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>10,720</b>
26525/229	120	48	29	Veneer	2	9,150	26525/238	120	48	38	Veneer	2	12,120
<b>26525/529</b>	<b>120</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>7,760</b>	<b>26525/538</b>	<b>120</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>10,920</b>
26526/229	120	54	29	Veneer	2	9,595	26526/238	120	54	38	Veneer	2	12,475
<b>26526/529</b>	<b>120</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,025</b>	<b>26526/538</b>	<b>120</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,115</b>
26527/229	120	60	29	Veneer	2	10,010	26527/238	120	60	38	Veneer	2	12,725
<b>26527/529</b>	<b>120</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,255</b>	<b>26527/538</b>	<b>120</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,210</b>
26528/229	132	42	29	Veneer	2	9,110	26528/238	132	42	38	Veneer	2	12,170
<b>26528/529</b>	<b>132</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>7,810</b>	<b>26528/538</b>	<b>132</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,050</b>
26529/229	132	48	29	Veneer	2	9,550	26529/238	132	48	38	Veneer	2	12,505
<b>26529/529</b>	<b>132</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,055</b>	<b>26529/538</b>	<b>132</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,210</b>
26530/229	132	54	29	Veneer	2	10,065	26530/238	132	54	38	Veneer	2	12,920
<b>26530/529</b>	<b>132</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,220</b>	<b>26530/538</b>	<b>132</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,325</b>
26531/229	132	60	29	Veneer	2	10,390	26531/238	132	60	38	Veneer	2	13,095
<b>26531/529</b>	<b>132</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,535</b>	<b>26531/538</b>	<b>132</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,490</b>
26532/229	144	48	29	Veneer	2	9,955	26532/238	144	48	38	Veneer	2	12,915
<b>26532/529</b>	<b>144</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,325</b>	<b>26532/538</b>	<b>144</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,505</b>
26533/229	144	54	29	Veneer	2	10,515	26533/538	144	54	38	Veneer	2	13,365
<b>26533/529</b>	<b>144</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,585</b>	<b>26533/538</b>	<b>144</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,695</b>
26534/229	144	60	29	Veneer	2	11,030	26534/238	144	60	38	Veneer	2	13,705
<b>26534/529</b>	<b>144</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,960</b>	<b>26534/538</b>	<b>144</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,910</b>
26535/229	156	48	29	Veneer	2	10,360	26535/238	156	48	38	Veneer	2	13,300
<b>26535/529</b>	<b>156</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,650</b>	<b>26535/538</b>	<b>156</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,820</b>
26536/229	156	54	29	Veneer	2	10,975	26536/238	156	54	38	Veneer	2	13,800
<b>26536/529</b>	<b>156</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,945</b>	<b>26536/538</b>	<b>156</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,045</b>
26537/229	156	60	29	Veneer	2	11,570	26537/238	156	60	38	Veneer	2	14,210
<b>26537/529</b>	<b>156</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,360</b>	<b>26537/538</b>	<b>156</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,295</b>
26538/229	168	48	29	Veneer	2	10,790	26538/238	168	48	38	Veneer	2	13,710
<b>26538/529</b>	<b>168</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,945</b>	<b>26538/538</b>	<b>168</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,115</b>
26539/229	168	54	29	Veneer	2	11,370	26539/238	168	54	38	Veneer	2	14,180
<b>26539/529</b>	<b>168</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,270</b>	<b>26539/538</b>	<b>168</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,365</b>
26540/229	168	60	29	Veneer	2	12,110	26540/238	168	60	38	Veneer	2	14,715
<b>26540/529</b>	<b>168</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,685</b>	<b>26540/538</b>	<b>168</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,615</b>
26541/229	180	48	29	Veneer	3	11,220	26541/238	180	48	38	Veneer	3	14,120
<b>26541/529</b>	<b>180</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>3</b>	<b>9,270</b>	<b>26541/538</b>	<b>180</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>3</b>	<b>12,430</b>
26542/229	180	54	29	Veneer	3	11,840	26542/238	180	54	38	Veneer	3	14,625
<b>26542/529</b>	<b>180</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>3</b>	<b>9,595</b>	<b>26542/538</b>	<b>180</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>3</b>	<b>12,680</b>
26543/229	180	60	29	Veneer	3	12,540	26543/238	180	60	38	Veneer	3	15,125
<b>26543/529</b>	<b>180</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>3</b>	<b>10,040</b>	<b>26543/538</b>	<b>180</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>3</b>	<b>12,960</b>

**Standard Features:**

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

**Model #26543/538**



# TABLES

Metronome™ Trestle Table Designer - Fig40



Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
<b>METRONOME TRESTLE TABLE RECTANGULAR SHAPE</b>													
<b>4 Bases / 29" Height</b>							<b>4 Bases / 38" Height</b>						
26544/229	192	48	29	Veneer	4	13,910	26544/238	192	48	38	Veneer	4	17,200
<b>26544/529</b>	<b>192</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>11,625</b>	<b>26544/538</b>	<b>192</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,220</b>
26545/229	192	54	29	Veneer	4	14,540	26545/238	192	54	38	Veneer	4	17,745
<b>26545/529</b>	<b>192</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,030</b>	<b>26545/538</b>	<b>192</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,570</b>
26546/229	192	60	29	Veneer	4	15,150	26546/238	192	60	38	Veneer	4	18,275
<b>26546/529</b>	<b>192</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,360</b>	<b>26546/538</b>	<b>192</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,855</b>
26547/229	204	48	29	Veneer	4	14,310	26547/238	204	48	38	Veneer	4	17,595
<b>26547/529</b>	<b>204</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>11,975</b>	<b>26547/538</b>	<b>204</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,570</b>
26548/229	204	54	29	Veneer	4	14,970	26548/238	204	54	38	Veneer	4	18,165
<b>26548/529</b>	<b>204</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,430</b>	<b>26548/538</b>	<b>204</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,965</b>
26549/229	204	60	29	Veneer	4	15,605	26549/238	204	60	38	Veneer	4	18,715
<b>26549/529</b>	<b>204</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,760</b>	<b>26549/538</b>	<b>204</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,250</b>
26550/229	216	48	29	Veneer	4	14,765	26550/238	216	48	38	Veneer	4	18,010
<b>26550/529</b>	<b>216</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,250</b>	<b>26550/538</b>	<b>216</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,835</b>
26551/229	216	54	29	Veneer	4	15,425	26551/238	216	54	38	Veneer	4	18,585
<b>26551/529</b>	<b>216</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,840</b>	<b>26551/538</b>	<b>216</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,350</b>
26552/229	216	60	29	Veneer	4	16,075	26552/238	216	60	38	Veneer	4	19,145
<b>26552/529</b>	<b>216</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,190</b>	<b>26552/538</b>	<b>216</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,650</b>
26553/229	228	48	29	Veneer	4	15,090	26553/238	228	48	38	Veneer	4	18,340
<b>26553/529</b>	<b>228</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,545</b>	<b>26553/538</b>	<b>228</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,140</b>
26554/229	228	54	29	Veneer	4	15,865	26554/238	228	54	38	Veneer	4	19,015
<b>26554/529</b>	<b>228</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,135</b>	<b>26554/538</b>	<b>228</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,650</b>
26555/229	228	60	29	Veneer	4	16,660	26555/238	228	60	38	Veneer	4	19,700
<b>26555/529</b>	<b>228</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,520</b>	<b>26555/538</b>	<b>228</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,980</b>
26556/229	240	48	29	Veneer	4	15,525	26556/238	240	48	38	Veneer	4	18,730
<b>26556/529</b>	<b>240</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,935</b>	<b>26556/538</b>	<b>240</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,485</b>
26557/229	240	54	29	Veneer	4	16,255	26557/238	240	54	38	Veneer	4	19,365
<b>26557/529</b>	<b>240</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,420</b>	<b>26557/538</b>	<b>240</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,910</b>
26558/229	240	60	29	Veneer	4	17,080	26558/238	240	60	38	Veneer	4	20,075
<b>26558/529</b>	<b>240</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,805</b>	<b>26558/538</b>	<b>240</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>17,240</b>

**Standard Features:**

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

# TABLES

Metronome™ Trestle Table Designer - Fig40



Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
<b>29" Height</b>							<b>38" Height</b>						
26625/229	36	36	29	Veneer	1	4,290	26625/238	36	36	38	Veneer	1	7,030
<b>26625/529</b>	<b>36</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>3,955</b>	<b>26625/538</b>	<b>36</b>	<b>36</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>6,735</b>
26626/229	48	48	29	Veneer	1	4,785	26626/238	48	48	38	Veneer	1	7,535
<b>26626/529</b>	<b>48</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>4,260</b>	<b>26626/538</b>	<b>48</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>7,085</b>
26627/229	54	54	29	Veneer	1	5,250	26627/238	54	54	38	Veneer	1	8,025
<b>26627/529</b>	<b>54</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>4,390</b>	<b>26627/538</b>	<b>54</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>7,275</b>
26628/229	60	60	29	Veneer	1	5,665	26628/238	60	60	38	Veneer	1	8,580
<b>26628/529</b>	<b>60</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>1</b>	<b>4,570</b>	<b>26628/538</b>	<b>60</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>1</b>	<b>7,635</b>

### Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

# TABLES

Metronome™ Trestle Table Designer - Fig40



Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
<b>2 Bases / 29" Height</b>							<b>2 Bases / 38" Height</b>						
26565/229	60	36	29	Veneer	1	4,665	26565/238	60	36	38	Veneer	1	7,490
<b>26565/529 60</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,040</b>	<b>26565/538 60 36 38 P-Lam</b>	1	<b>6,950</b>					
26566/229	60	42	29	Veneer	1	4,845	26566/238	60	42	38	Veneer	1	7,650
<b>26566/529 60</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,170</b>	<b>26566/538 60 42 38 P-Lam</b>	1	<b>7,065</b>					
26567/229	60	48	29	Veneer	1	5,135	26567/238	60	48	38	Veneer	1	7,895
<b>26567/529 60</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,250</b>	<b>26567/538 60 48 38 P-Lam</b>	1	<b>7,130</b>					
26568/229	60	54	29	Veneer	1	5,470	26568/238	60	54	38	Veneer	1	8,190
<b>26568/529 60</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,405</b>	<b>26568/538 60 54 38 P-Lam</b>	1	<b>7,265</b>					
26569/229	72	36	29	Veneer	1	4,920	26569/238	72	36	38	Veneer	1	7,750
<b>26569/529 72</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,270</b>	<b>26569/538 72 36 38 P-Lam</b>	1	<b>7,190</b>					
26570/229	72	42	29	Veneer	1	5,340	26570/238	72	42	38	Veneer	1	8,110
<b>26570/529 72</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,450</b>	<b>26570/538 72 42 38 P-Lam</b>	1	<b>7,345</b>					
26571/229	72	48	29	Veneer	1	5,440	26571/238	72	48	38	Veneer	1	8,200
<b>26571/529 72</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,555</b>	<b>26571/538 72 48 38 P-Lam</b>	1	<b>7,435</b>					
26572/229	72	54	29	Veneer	1	5,650	26572/238	72	54	38	Veneer	1	8,380
<b>26572/529 72</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,710</b>	<b>26572/538 72 54 38 P-Lam</b>	1	<b>7,570</b>					
26573/229	72	60	29	Veneer	1	5,910	26573/238	72	60	38	Veneer	1	8,605
<b>26573/529 72</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,920</b>	<b>26573/538 72 60 38 P-Lam</b>	1	<b>7,750</b>					
26574/229	84	36	29	Veneer	1	5,385	26574/238	84	36	38	Veneer	1	8,185
<b>26574/529 84</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,495</b>	<b>26574/538 84 36 38 P-Lam</b>	1	<b>7,425</b>					
26575/229	84	42	29	Veneer	1	5,645	26575/238	84	42	38	Veneer	1	8,415
<b>26575/529 84</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,735</b>	<b>26575/538 84 42 38 P-Lam</b>	1	<b>7,625</b>					
26576/229	84	48	29	Veneer	1	5,800	26576/238	84	48	38	Veneer	1	8,550
<b>26576/529 84</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,860</b>	<b>26576/538 84 48 38 P-Lam</b>	1	<b>7,735</b>					
26577/229	84	54	29	Veneer	1	6,110	26577/238	84	54	38	Veneer	1	8,825
<b>26577/529 84</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,070</b>	<b>26577/538 84 54 38 P-Lam</b>	1	<b>7,920</b>					
26578/229	84	60	29	Veneer	1	6,475	26578/238	84	60	38	Veneer	1	9,135
<b>26578/529 84</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,330</b>	<b>26578/538 84 60 38 P-Lam</b>	1	<b>8,145</b>					
26579/229	96	36	29	Veneer	1	5,640	26579/238	96	36	38	Veneer	1	8,450
<b>26579/529 96</b>	<b>36</b>	<b>29</b>	<b>P-Lam</b>	1	<b>4,755</b>	<b>26579/538 96 36 38 P-Lam</b>	1	<b>7,680</b>					
26580/229	96	42	29	Veneer	1	5,955	26580/238	96	42	38	Veneer	1	8,720
<b>26580/529 96</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,015</b>	<b>26580/538 96 42 38 P-Lam</b>	1	<b>7,905</b>					
26581/229	96	48	29	Veneer	1	6,190	26581/238	96	48	38	Veneer	1	8,920
<b>26581/529 96</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,170</b>	<b>26581/538 96 48 38 P-Lam</b>	1	<b>8,045</b>					
26582/229	96	54	29	Veneer	1	6,550	26582/238	96	54	38	Veneer	1	9,240
<b>26582/529 96</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,480</b>	<b>26582/538 96 54 38 P-Lam</b>	1	<b>8,310</b>					
26583/229	96	60	29	Veneer	1	6,865	26583/238	96	60	38	Veneer	1	9,510
<b>26583/529 96</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,740</b>	<b>26583/538 96 60 38 P-Lam</b>	1	<b>8,535</b>					
26584/229	108	42	29	Veneer	1	6,340	26584/238	108	42	38	Veneer	1	9,095
<b>26584/529 108</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,180</b>	<b>26584/538 108 42 38 P-Lam</b>	1	<b>8,090</b>					
26585/229	108	48	29	Veneer	1	6,725	26585/238	108	48	38	Veneer	1	9,425
<b>26585/529 108</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,485</b>	<b>26585/538 108 48 38 P-Lam</b>	1	<b>8,350</b>					
26586/229	108	54	29	Veneer	1	6,860	26586/238	108	54	38	Veneer	1	9,540
<b>26586/529 108</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,560</b>	<b>26586/538 108 54 38 P-Lam</b>	1	<b>8,415</b>					
26587/229	108	60	29	Veneer	1	7,115	26587/238	108	60	38	Veneer	1	9,765
<b>26587/529 108</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	1	<b>5,735</b>	<b>26587/538 108 60 38 P-Lam</b>	1	<b>8,570</b>					

**Standard Features:**

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

**Model # 26587/538**



# TABLES

Metronome™ Trestle Table Designer - Fig40



Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
--------------	----	----	----	------------	-------------	------------	--------------	----	----	----	------------	-------------	------------

## METRONOME TRESTLE TABLE RECTANGULAR SHAPE WITH 4" RADIUS SOFT CORNERS

### 3 Bases / 29" Height

26588/229	120	42	29	Veneer	2	8,870
<b>26588/529</b>	<b>120</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>7,665</b>
26589/229	120	48	29	Veneer	2	9,380
<b>26589/529</b>	<b>120</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>7,955</b>
26590/229	120	54	29	Veneer	2	9,835
<b>26590/529</b>	<b>120</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,230</b>
26591/229	120	60	29	Veneer	2	10,265
<b>26591/529</b>	<b>120</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,465</b>
26592/229	132	42	29	Veneer	2	9,340
<b>26592/529</b>	<b>132</b>	<b>42</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,010</b>
26593/229	132	48	29	Veneer	2	9,790
<b>26593/529</b>	<b>132</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,260</b>
26594/229	132	54	29	Veneer	2	10,320
<b>26594/529</b>	<b>132</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,430</b>
26595/229	132	60	29	Veneer	2	10,650
<b>26595/529</b>	<b>132</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,750</b>
26596/229	144	48	29	Veneer	2	10,205
<b>26596/529</b>	<b>144</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,535</b>
26597/229	144	54	29	Veneer	2	10,780
<b>26597/529</b>	<b>144</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,800</b>
26598/229	144	60	29	Veneer	2	11,310
<b>26598/529</b>	<b>144</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,185</b>
26599/229	156	48	29	Veneer	2	10,620
<b>26599/529</b>	<b>156</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>8,870</b>
26600/229	156	54	29	Veneer	2	11,250
<b>26600/529</b>	<b>156</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,170</b>
26601/229	156	60	29	Veneer	2	11,860
<b>26601/529</b>	<b>156</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,595</b>
26602/229	168	48	29	Veneer	2	11,060
<b>26602/529</b>	<b>168</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,170</b>
26603/229	168	54	29	Veneer	2	11,655
<b>26603/529</b>	<b>168</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,505</b>
26604/229	168	60	29	Veneer	2	12,415
<b>26604/529</b>	<b>168</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>2</b>	<b>9,930</b>
26605/229	180	48	29	Veneer	3	11,505
<b>26605/529</b>	<b>180</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>3</b>	<b>9,505</b>
26606/229	180	54	29	Veneer	3	12,140
<b>26606/529</b>	<b>180</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>3</b>	<b>9,835</b>
26607/229	180	60	29	Veneer	3	12,855
<b>26607/529</b>	<b>180</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>3</b>	<b>10,295</b>

### 3 Bases / 38" Height

26588/238	120	42	38	Veneer	2	12,030
<b>26588/538</b>	<b>120</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>10,990</b>
26589/238	120	48	38	Veneer	2	12,425
<b>26589/538</b>	<b>120</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,195</b>
26590/238	120	54	38	Veneer	2	12,790
<b>26590/538</b>	<b>120</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,395</b>
26591/238	120	60	38	Veneer	2	13,045
<b>26591/538</b>	<b>120</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,495</b>
26592/238	132	42	38	Veneer	2	12,475
<b>26592/538</b>	<b>132</b>	<b>42</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,330</b>
26593/238	132	48	38	Veneer	2	12,820
<b>26593/538</b>	<b>132</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,495</b>
26594/238	132	54	38	Veneer	2	13,245
<b>26594/538</b>	<b>132</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,610</b>
26595/238	132	60	38	Veneer	2	13,425
<b>26595/538</b>	<b>132</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,780</b>
26596/238	144	48	38	Veneer	2	13,240
<b>26596/538</b>	<b>144</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,795</b>
26597/238	144	54	38	Veneer	2	13,700
<b>26597/538</b>	<b>144</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>11,990</b>
26598/238	144	60	38	Veneer	2	14,050
<b>26598/538</b>	<b>144</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,210</b>
26599/238	156	48	38	Veneer	2	13,635
<b>26599/538</b>	<b>156</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,120</b>
26600/238	156	54	38	Veneer	2	14,145
<b>26600/538</b>	<b>156</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,350</b>
26601/238	156	60	38	Veneer	2	14,570
<b>26601/538</b>	<b>156</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,605</b>
26602/238	168	48	38	Veneer	2	14,055
<b>26602/538</b>	<b>168</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,420</b>
26603/238	168	54	38	Veneer	2	14,535
<b>26603/538</b>	<b>168</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,675</b>
26604/238	168	60	38	Veneer	2	15,085
<b>26604/538</b>	<b>168</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>2</b>	<b>12,935</b>
26605/238	180	48	38	Veneer	3	14,475
<b>26605/538</b>	<b>180</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>3</b>	<b>12,745</b>
26606/238	180	54	38	Veneer	3	14,995
<b>26606/538</b>	<b>180</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>3</b>	<b>13,000</b>
26607/238	180	60	38	Veneer	3	15,505
<b>26607/538</b>	<b>180</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>3</b>	<b>13,285</b>

### Standard Features:

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.

Model # 26607/238



# TABLES

Metronome™ Trestle Table Designer - Fig40



Model Number	W"	D"	H"	Top Finish	Top Section	List Price	Model Number	W"	D"	H"	Top Finish	Top Section	List Price
<b>METRONOME TRESTLE TABLE RECTANGULAR SHAPE WITH 4" RADIUS SOFT CORNERS</b>													
<b>4 Bases / 29" Height</b>							<b>4 Bases / 38" Height</b>						
26608/229	192	48	29	Veneer	4	14,260	26608/238	192	48	38	Veneer	4	17,630
<b>26608/529</b>	<b>192</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>11,920</b>	<b>26608/538</b>	<b>192</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,605</b>
26609/229	192	54	29	Veneer	4	14,905	26609/238	192	54	38	Veneer	4	18,190
<b>26609/529</b>	<b>192</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,335</b>	<b>26609/538</b>	<b>192</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,960</b>
26610/229	192	60	29	Veneer	4	15,530	26610/238	192	60	38	Veneer	4	18,735
<b>26610/529</b>	<b>192</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,670</b>	<b>26610/538</b>	<b>192</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,255</b>
26611/229	204	48	29	Veneer	4	14,670	26611/238	204	48	38	Veneer	4	18,035
<b>26611/529</b>	<b>204</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,275</b>	<b>26611/538</b>	<b>204</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>15,960</b>
26612/229	204	54	29	Veneer	4	15,345	26612/238	204	54	38	Veneer	4	18,620
<b>26612/529</b>	<b>204</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,745</b>	<b>26612/538</b>	<b>204</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,365</b>
26613/229	204	60	29	Veneer	4	16,000	26613/238	204	60	38	Veneer	4	19,185
<b>26613/529</b>	<b>204</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,080</b>	<b>26613/538</b>	<b>204</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,660</b>
26614/229	216	48	29	Veneer	4	15,135	26614/238	216	48	38	Veneer	4	18,465
<b>26614/529</b>	<b>216</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,560</b>	<b>26614/538</b>	<b>216</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,235</b>
26615/229	216	54	29	Veneer	4	15,815	26615/238	216	54	38	Veneer	4	19,050
<b>26615/529</b>	<b>216</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,165</b>	<b>26615/538</b>	<b>216</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,760</b>
26616/229	216	60	29	Veneer	4	16,480	26616/238	216	60	38	Veneer	4	19,625
<b>26616/529</b>	<b>216</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,520</b>	<b>26616/538</b>	<b>216</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>17,070</b>
26617/229	228	48	29	Veneer	4	15,470	26617/238	228	48	38	Veneer	4	18,800
<b>26617/529</b>	<b>228</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>12,860</b>	<b>26617/538</b>	<b>228</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,545</b>
26618/229	228	54	29	Veneer	4	16,265	26618/238	228	54	38	Veneer	4	19,495
<b>26618/529</b>	<b>228</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,465</b>	<b>26618/538</b>	<b>228</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>17,070</b>
26619/229	228	60	29	Veneer	4	17,080	26619/238	228	60	38	Veneer	4	20,195
<b>26619/529</b>	<b>228</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,860</b>	<b>26619/538</b>	<b>228</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>17,405</b>
26620/229	240	48	29	Veneer	4	15,915	26620/238	240	48	38	Veneer	4	19,200
<b>26620/529</b>	<b>240</b>	<b>48</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,260</b>	<b>26620/538</b>	<b>240</b>	<b>48</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>16,900</b>
26621/229	240	54	29	Veneer	4	16,665	26621/238	240	54	38	Veneer	4	19,850
<b>26621/529</b>	<b>240</b>	<b>54</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>13,760</b>	<b>26621/538</b>	<b>240</b>	<b>54</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>17,335</b>
26622/229	240	60	29	Veneer	4	17,510	26622/238	240	60	38	Veneer	4	20,580
<b>26622/529</b>	<b>240</b>	<b>60</b>	<b>29</b>	<b>P-Lam</b>	<b>4</b>	<b>14,155</b>	<b>26622/538</b>	<b>240</b>	<b>60</b>	<b>38</b>	<b>P-Lam</b>	<b>4</b>	<b>17,675</b>

**Standard Features:**

- Tops are 1¼" thick, available in all Nienkamper standard veneers and plastic laminates.
- 3" Taper and self edge available.
- Solid oak, maple or walnut legs and can be stained in all Nienkamper finishes.
- All tables with 2-piece tops include a center plinth base with lift off access panels.
- Foot rails are typical to all standing height configurations and are powder coated to match stretcher rail.
- Tables compatible with most Nienkamper integrated connectivity and power solutions.




# TABLES

Metronome™ Trestle Table Design - Fig40

## General Forum and Layout Details

### 36" Deep Table Specifics:



Simple Dot with Trim Forum

Simple Dot Forum



Simple Forum

Simple Rectangle Forum




Center Plinth bases are not available with 36" deep Trestle tables.  
If wire management is required, a standard or long cable conduit can be ordered.

\* Foot bars are not offered as an option for 36" deep tables.



### 42", 48", 54", 60" Deep Table Specifics:



M-Forum

Simple Dot with Trim Forum

Simple Dot Forum

Simple Forum



Plinth Base



Simple Rectangle Forum



Simple Pop-Up Forum



Side to Side Pop Up Forum

