



Model Number	W"	D"	H"	Top Finish	List Price	Model Number	W"	D"	H"	Top Finish	List Price
--------------	----	----	----	------------	------------	--------------	----	----	----	------------	------------

SHAKER CONFERENCE TABLE ROUND SHAPE

Fixed Height (Seating)

36461/229	42 Dia.	29	Veneer	4,885
36461/529	42 Dia.	29	P-Lam	4,520
36462/229	48 Dia.	29	Veneer	5,125
36462/529	48 Dia.	29	P-Lam	4,660
36463/229	54 Dia.	29	Veneer	5,530
36463/529	54 Dia.	29	P-Lam	4,960
36464/229	60 Dia.	29	Veneer	5,940
36464/529	60 Dia.	29	P-Lam	5,270


Fixed Height (Standing)

36461/242	42 Dia.	42	Veneer	5,620
36461/542	42 Dia.	42	P-Lam	5,200
36462/242	48 Dia.	42	Veneer	5,900
36462/542	48 Dia.	42	P-Lam	5,360
36463/242	54 Dia.	42	Veneer	6,360
36463/542	54 Dia.	42	P-Lam	5,710
36464/242	60 Dia.	42	Veneer	6,830
36464/542	60 Dia.	42	P-Lam	6,065

- Standard Features:**
- Tops are 1¼" thick, available in all standard Nienkamper veneers and plastic laminates.
 - Self edge is typical.
 - Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
 - Silver anodized stretcher rails are standard.
 - Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

TABLES

Shaker Table Designer - Nienkamper



Model Number	W"	D"	H"	Top Finish	List Price	Model Number	W"	D"	H"	Top Finish	List Price
--------------	----	----	----	------------	------------	--------------	----	----	----	------------	------------

SHAKER CONFERENCE TABLE RECTANGULAR SHAPE

Fixed Height (Seating)

36401/229	96	38	29	Veneer	5,500
36401/529	96	38	29	P-Lam	4,920
36402/229	96	42	29	Veneer	5,810
36402/529	96	42	29	P-Lam	5,160
36403/229	96	48	29	Veneer	6,050
36403/529	96	48	29	P-Lam	5,335
36404/229	96	54	29	Veneer	6,415
36404/529	96	54	29	P-Lam	5,610
36405/229	96	60	29	Veneer	6,730
36405/529	96	60	29	P-Lam	5,845
36406/229	108	38	29	Veneer	5,775
36406/529	108	38	29	P-Lam	5,140
36407/229	108	42	29	Veneer	6,150
36407/529	108	42	29	P-Lam	5,420
36408/229	108	48	29	Veneer	6,540
36408/529	108	48	29	P-Lam	5,710
36409/229	108	54	29	Veneer	6,665
36409/529	108	54	29	P-Lam	5,810
36410/229	108	60	29	Veneer	7,295
36410/529	108	60	29	P-Lam	6,280
36411/229	120	42	29	Veneer	7,350
36411/529	120	42	29	P-Lam	6,445
36412/229	120	48	29	Veneer	7,865
36412/529	120	48	29	P-Lam	6,830
36413/229	120	54	29	Veneer	8,340
36413/529	120	54	29	P-Lam	7,185
36414/229	120	60	29	Veneer	8,690
36414/529	120	60	29	P-Lam	7,450
36415/229	132	42	29	Veneer	9,520
36415/529	132	42	29	P-Lam	8,505
36416/229	132	48	29	Veneer	9,975
36416/529	132	48	29	P-Lam	8,845
36417/229	132	54	29	Veneer	10,535
36417/529	132	54	29	P-Lam	9,265
36418/229	132	60	29	Veneer	10,795
36418/529	132	60	29	P-Lam	9,470
36419/229	144	48	29	Veneer	10,375
36419/529	144	48	29	P-Lam	9,120
36420/229	144	54	29	Veneer	11,030
36420/529	144	54	29	P-Lam	9,605
36421/229	144	60	29	Veneer	11,560
36421/529	144	60	29	P-Lam	10,005

Fixed Height (Standing)

36401/242	96	38	42	Veneer	6,325
36401/542	96	38	42	P-Lam	5,660
36402/242	96	42	42	Veneer	6,685
36402/542	96	42	42	P-Lam	5,935
36403/242	96	48	42	Veneer	6,960
36403/542	96	48	42	P-Lam	6,135
36404/242	96	54	42	Veneer	7,375
36404/542	96	54	42	P-Lam	6,455
36405/242	96	60	42	Veneer	7,740
36405/542	96	60	42	P-Lam	6,725
36406/242	108	38	42	Veneer	6,645
36406/542	108	38	42	P-Lam	5,915
36407/242	108	42	42	Veneer	7,080
36407/542	108	42	42	P-Lam	6,235
36408/242	108	48	42	Veneer	7,520
36408/542	108	48	42	P-Lam	6,570
36409/242	108	54	42	Veneer	7,670
36409/542	108	54	42	P-Lam	6,685
36410/242	108	60	42	Veneer	8,390
36410/542	108	60	42	P-Lam	7,225
36411/242	120	42	42	Veneer	8,460
36411/542	120	42	42	P-Lam	7,415
36412/242	120	48	42	Veneer	9,050
36412/542	120	48	42	P-Lam	7,855
36413/242	120	54	42	Veneer	9,590
36413/542	120	54	42	P-Lam	8,270
36414/242	120	60	42	Veneer	10,000
36414/542	120	60	42	P-Lam	8,565
36415/242	132	42	42	Veneer	10,950
36415/542	132	42	42	P-Lam	9,780
36416/242	132	48	42	Veneer	11,470
36416/542	132	48	42	P-Lam	10,175
36417/242	132	54	42	Veneer	12,115
36417/542	132	54	42	P-Lam	10,660
36418/242	132	60	42	Veneer	12,420
36418/542	132	60	42	P-Lam	10,890
36419/242	144	48	42	Veneer	11,935
36419/542	144	48	42	P-Lam	10,490
36420/242	144	54	42	Veneer	12,685
36420/542	144	54	42	P-Lam	11,050
36421/242	144	60	42	Veneer	13,295
36421/542	144	60	42	P-Lam	11,510

Standard Features:

- Tops are 1¼" thick, available in all standard Nienkamper veneers and plastic laminates.
- Self edge is typical.
- Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
- Silver anodized stretcher rails are standard.
- Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

Model # 36421/229




Model # 36421/242



TABLES

Shaker Table Designer - Nienkamper



Model Number	W"	D"	H"	Top Finish	List Price	Model Number	W"	D"	H"	Top Finish	List Price
--------------	----	----	----	------------	------------	--------------	----	----	----	------------	------------

SHAKER CONFERENCE TABLE RECTANGULAR SHAPE

Fixed Height (Seating)

36422/229	156	48	29	Veneer	10,530
36422/529	156	48	29	P-Lam	9,210
36423/229	156	54	29	Veneer	11,125
36423/529	156	54	29	P-Lam	9,660
36424/229	156	60	29	Veneer	11,800
36424/529	156	60	29	P-Lam	10,165
36425/229	168	48	29	Veneer	10,755
36425/529	168	48	29	P-Lam	9,370
36426/229	168	54	29	Veneer	11,385
36426/529	168	54	29	P-Lam	9,840
36427/229	168	60	29	Veneer	12,005
36427/529	168	60	29	P-Lam	10,310
36428/229	180	48	29	Veneer	11,275
36428/529	180	48	29	P-Lam	9,765
36429/229	180	54	29	Veneer	11,950
36429/529	180	54	29	P-Lam	10,275
36430/229	180	60	29	Veneer	12,610
36430/529	180	60	29	P-Lam	10,770
36431/229	192	48	29	Veneer	13,390
36431/529	192	48	29	P-Lam	11,820
36432/229	192	54	29	Veneer	14,100
36432/529	192	54	29	P-Lam	12,350
36433/229	192	60	29	Veneer	14,835
36433/529	192	60	29	P-Lam	12,915
36434/229	192	66	29	Veneer	15,415
36434/529	192	66	29	P-Lam	13,350
36435/229	192	72	29	Veneer	16,015
36435/529	192	72	29	P-Lam	13,800
36436/229	204	48	29	Veneer	13,785
36436/529	204	48	29	P-Lam	12,125
36437/229	204	54	29	Veneer	14,525
36437/529	204	54	29	P-Lam	12,680
36438/229	204	60	29	Veneer	15,290
36438/529	204	60	29	P-Lam	13,270
36439/229	204	66	29	Veneer	15,885
36439/529	204	66	29	P-Lam	13,715
36440/229	204	72	29	Veneer	16,715
36440/529	204	72	29	P-Lam	14,335

Fixed Height (Standing)

36422/242	156	48	42	Veneer	12,110
36422/542	156	48	42	P-Lam	10,595
36423/242	156	54	42	Veneer	12,795
36423/542	156	54	42	P-Lam	11,110
36424/242	156	60	42	Veneer	13,575
36424/542	156	60	42	P-Lam	11,690
36425/242	168	48	42	Veneer	12,375
36425/542	168	48	42	P-Lam	10,775
36426/242	168	54	42	Veneer	13,095
36426/542	168	54	42	P-Lam	11,315
36427/242	168	60	42	Veneer	13,810
36427/542	168	60	42	P-Lam	11,860
36428/242	180	48	42	Veneer	12,970
36428/542	180	48	42	P-Lam	11,235
36429/242	180	54	42	Veneer	13,745
36429/542	180	54	42	P-Lam	11,820
36430/242	180	60	42	Veneer	14,505
36430/542	180	60	42	P-Lam	12,390
36431/242	192	48	42	Veneer	15,400
36431/542	192	48	42	P-Lam	13,600
36432/242	192	54	42	Veneer	16,215
36432/542	192	54	42	P-Lam	14,205
36433/242	192	60	42	Veneer	17,060
36433/542	192	60	42	P-Lam	14,855
36434/242	192	66	42	Veneer	17,730
36434/542	192	66	42	P-Lam	15,355
36435/242	192	72	42	Veneer	18,420
36435/542	192	72	42	P-Lam	15,870
36436/242	204	48	42	Veneer	15,855
36436/542	204	48	42	P-Lam	13,950
36437/242	204	54	42	Veneer	16,705
36437/542	204	54	42	P-Lam	14,585
36438/242	204	60	42	Veneer	17,585
36438/542	204	60	42	P-Lam	15,260
36439/242	204	66	42	Veneer	18,270
36439/542	204	66	42	P-Lam	15,775
36440/242	204	72	42	Veneer	19,220
36440/542	204	72	42	P-Lam	16,490

Standard Features:

- Tops are 1¼" thick, available in all standard Nienkamper veneers and plastic laminates.
- Self edge is typical.
- Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
- Silver anodized stretcher rails are standard.
- Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

Model # 36421/229




Model # 36421/242



TABLES

Shaker Table Designer - Nienkamper



Model Number	W"	D"	H"	Top Finish	List Price	Model Number	W"	D"	H"	Top Finish	List Price
--------------	----	----	----	------------	------------	--------------	----	----	----	------------	------------

SHAKER CONFERENCE TABLE RECTANGULAR SHAPE

Fixed Height (Seating)

36441/229	216	48	29	Veneer	14,230
36441/529	216	48	29	P-Lam	12,475
36442/229	216	54	29	Veneer	14,975
36442/529	216	54	29	P-Lam	13,030
36443/229	216	60	29	Veneer	15,750
36443/529	216	60	29	P-Lam	13,630
36444/229	216	66	29	Veneer	16,555
36444/529	216	66	29	P-Lam	14,230
36445/229	216	72	29	Veneer	17,365
36445/529	216	72	29	P-Lam	14,835
36446/229	228	48	29	Veneer	14,535
36446/529	228	48	29	P-Lam	12,715
36447/229	228	54	29	Veneer	15,405
36447/529	228	54	29	P-Lam	13,370
36448/229	228	60	29	Veneer	16,330
36448/529	228	60	29	P-Lam	14,065
36449/229	228	66	29	Veneer	17,080
36449/529	228	66	29	P-Lam	14,635
36450/229	228	72	29	Veneer	17,835
36450/529	228	72	29	P-Lam	15,195
36451/229	240	48	29	Veneer	14,990
36451/529	240	48	29	P-Lam	13,065
36452/229	240	54	29	Veneer	15,815
36452/529	240	54	29	P-Lam	13,680
36453/229	240	60	29	Veneer	15,975
36453/529	240	60	29	P-Lam	13,610
36454/229	240	66	29	Veneer	16,845
36454/529	240	66	29	P-Lam	14,265
36455/229	240	72	29	Veneer	17,780
36455/529	240	72	29	P-Lam	14,990

Fixed Height (Standing)

36441/242	216	48	42	Veneer	16,370
36441/542	216	48	42	P-Lam	14,350
36442/242	216	54	42	Veneer	17,225
36442/542	216	54	42	P-Lam	14,990
36443/242	216	60	42	Veneer	18,115
36443/542	216	60	42	P-Lam	15,675
36444/242	216	66	42	Veneer	19,040
36444/542	216	66	42	P-Lam	16,370
36445/242	216	72	42	Veneer	19,970
36445/542	216	72	42	P-Lam	17,060
36446/242	228	48	42	Veneer	16,720
36446/542	228	48	42	P-Lam	14,625
36447/242	228	54	42	Veneer	17,720
36447/542	228	54	42	P-Lam	15,380
36448/242	228	60	42	Veneer	18,780
36448/542	228	60	42	P-Lam	16,180
36449/242	228	66	42	Veneer	19,645
36449/542	228	66	42	P-Lam	16,835
36450/242	228	72	42	Veneer	20,515
36450/542	228	72	42	P-Lam	17,475
36451/242	240	48	42	Veneer	17,240
36451/542	240	48	42	P-Lam	15,025
36452/242	240	54	42	Veneer	18,185
36452/542	240	54	42	P-Lam	15,735
36453/242	240	60	42	Veneer	18,375
36453/542	240	60	42	P-Lam	15,655
36454/242	240	66	42	Veneer	19,370
36454/542	240	66	42	P-Lam	16,405
36455/242	240	72	42	Veneer	20,450
36455/542	240	72	42	P-Lam	17,240

Standard Features:

- Tops are 1¼" thick, available in all standard Nienkamper veneers and plastic laminates.
- Self edge is typical.
- Solid oak, maple or walnut legs and can be stained or painted in a variety of colours.
- Silver anodized stretcher rails are standard.
- Tables compatible with most Nienkamper wire management and integrated connectivity and power solutions.

Model # 36421/229



Model # 36421/242

