VOX® SPEAKER'S LECTERN



୍ଚ

| Number | L"x | D"x | H" | List Price |
|--------|--------|-----|--------|------------|
| 23460 | 35 1/2 | 24 | 46 3/4 | 9,765 |

D

H"

List Price

Model

L"

Product Description The Vox Speaker's Lectern is designed to complement the Vox Collection

The lectern is available in standard Nienkämper wood veneers and stains (see page 8).

Vertical legs, and grommet are available in all 5 anodized aluminum finishes (see page 12).

The paper stop is only provided in a clear anodized finish.

The Vox Speaker's Lectern work top is 351/2" W x 24" D providing a work area of 30" W x 14" D and has an 8° slope which is 43" high on the user side.

The Facet edge is on the front and user side, with self edges on the sides.

The two fluted aluminum Vox legs with flex panel on the front of the lectern conceal all internal wires.

Standard Features:

- · adjustable reading light
- a 15/8" aluminum grommet for additional wires on work top, model #23416
- aluminum paper stop (clear aluminum only)
- 1 fixed shelf 8" below user side of work top
- foot rest
- 45/8" dia. non-marking wheels for mobility
- · the front flex panel is available with either standard flat-cut grain, or herringbone veneer pattern. Specify clearly when ordering.

Front Panel:



Model # 23460



Model # 23460 Speaker's Lectern, view of user's side.





Specify: Standard Flat Cut


Specify: Herringbone

or



Model # 23460 Speaker's Lectern, view of work top.

VOX® PRESENTER'S LECTERN





The Vox Presenter's Lectern is priced with a pre-wired M-series Forum, Model M1, which has 3 modular plates that can be replaced should the client's power/data requirements change at a later date. Forum details and alternate plate options are described on pages 176-180, and can be viewed on the Vox Forum Configurator on our web site: www. nienkamper.com



Lecterns specified with aluminum screens can be ordered with a vinyl art of corporate logos applied. A digital image of the logo must be provided. Add \$650 list (one color logo only) to the lectern for this option.

| Т | he enhanced features on the Vox® Presenter's Lectern facilitate |
|---|--|
| | lectronic presentations; it is pre-wired for a microphone, and has a ull-out shelf that accommodates a laptop computer or projector. |
| С | he lectern also includes a Vox Forum providing voice/data/powe onnections for enhanced presentations (see details and images a oft) and a storage cabinet. |
| | ertical legs, screen, grommets, and forum are available in aluminu nishes (see page 12). |
| | he Vox Presenter's Lectern work top is 351/2" W x 271/2" D, roviding a work area of 30" W x 17" D. |
| | he work top has an 8° slope and is 43" high on the user side. The facet edge is on the front and user side, with self-edges on the side |
| | he two fluted aluminum Vox legs with flex panel on the front of the actern conceal all internal wires. |
| S | standard Features: |
| • | |
| : | adjustable reading light a 15/s" aluminum grommet for additional wires on work top (Moc |
| | #23416) |
| • | aluminum microphone grommet (Model # 23413) pre-wired at to and floor level to an XLR jack for easy microphone hook-up |
| : | aluminum paper stop (clear aluminum only) 14" wide accessory shelf slides out 171/2" on user's right hand sid |
| • | includes wire access cut-out for equipment wires |
| • | two doors for storage with push-latches and lock, interior |
| | dimensions 25" W x 131/2" D x 171/2" H |
| • | Forum for easy user plug-in mounted into lower shelf surface of cabinet, Model M1 - 3P-7V-1E |
| | See layout on the left |
| • | foot rest |
| : | 45/8" dia. non-marking wheels for mobility The front flex panel is available with either standard flat-cut grai |
| • | or Herringbone veneer pattern. Specify clearly when ordering. |
| _ | ront Panel: |
| Г | rom Panel: |
| Г | |
| | |



Specify: Standard Flat Cut

or

Specify:

Herringbone

VOX® PRESENTER'S LECTERN - PHOTOGRAPHS



Model #23465

THE VOX PRESENTER'S LECTERN (USER'S SIDE) includes a Vox M-series Forum providing voice/data/power connections for enhanced presentations. All cabling is provided.



Model #23465

THE VOX PRESENTER'S LECTERN is pre-wired at top and floor level (see photo below) to an XLR jack assembly for easy microphone hook-up (Model #23413); simply plug in.

Note: Vox Lectern legs, grommets, screen and Forums are available in all standard Nienkämper anodized aluminum finishes, refer to page 12.



Model #23465

A 14" wide accessory that shelf slides out 171/2" on the user's right-hand side includes wire access cut-out for equipment wires. This pull-out shelf accommodates a laptop computer or projector.



Model #23465 A footrest is provided on all Vox Lecterns. The footrest and non-marking wheels (41/2" diameter) can be used for repositioning the lectern.