



VOX® FORUMS

VOX® FORUMS	168-186
Introduction	170
Positioning Vox Forums In Conference Tables	171-173
Data/Voice Wiring Options	174
UL – Product Identification	175

“M” SERIES VOX FORUM™	176-185
Vox Forum™ Configurator – An On-line Tool	176-177
Guide To Specifying Modular “M & N” Series Vox Forums™	178
“M” Series Vox Forum™ 6” – Order Form	179
“N” Series Vox Forum™12” – Order Form	180
“M & N” Series Vox Forum™ – Standard Modular Faceplate Options	181-185
“M & N” Series Vox Forum™ – Custom Modular Order Form	186

"M & N" Series Vox Forums Pages 176-186



The latest addition to the Forum family, "M-Series" Forums – 6" wide and "N-Series" Forums – 12" wide, offer increased capacity and scale. Its modular design makes it simple to configure to your needs. Individual plates can be replaced / retrofitted as required in the field.

Vox International Forums



For projects anywhere in the world Vox International Forums provide a solution. For specific models and pricing contact Customer Service at **1.800.668.9318**, with the country of destination, and type of power required.

POSITIONING VOX® FORUMS ON CONFERENCE TABLES














DETERMINING FORUM PLACEMENT ON TABLES

The following table is a guideline only for defining/distributing Forums along the table top. The rectangular icons on the left are used for reference only, as all other shapes in the Collection fit within this shape.

For Access Bases & Tower Bases, Forums can be located over the base or not over the base.

For other Custom Forum positioning contact Customer Service at **1.800.668.9318**.















	Tables 72 x 36 - 84 x 42 	Tables 96 x 42 - 108 x 48 	Tables 120 x 42 - 132 x 54 	Tables 144 x 48 - 168 x 66 				
	M-Series Forum	N-Series Forum	M-Series Forum	N-Series Forum	M-Series Forum	N-Series Forum	M-Series Forum	N-Series Forum
 FP1 - At center	•	•	•	•	•	•	• N/A on Duo Base 42" - 48" D	
 FP2C - Centered	•	•	•	•	•	•	• N/A on Duo Base 42" - 48" D	• N/A on Duo Base 48" D
 FP2 - Equally Spaced	•	•	•	•	•	•	• N/A on Duo Base 42" - 48" D	• N/A on Duo Base 48" D
 FP2E - At ends of table			•	•	•	•	• N/A on Duo Base 42" - 48" D	• N/A on Duo Base 48" D
 FP3 - Equally Spaced			•	•	•	•	• N/A on Duo Base 42" - 48" D	
 FP4 - Equally Spaced								
 FP4A - Symmetrically Spaced						•	• N/A on Duo Base 42" - 48" D	• N/A on Duo Base 48" D

DETERMINING FORUM PLACEMENT ON TABLES

The following table is a guideline only for defining/distributing Forums along the table top. The rectangular icons on the left are used for reference only, as all other shapes in the Collection fit within this shape.

For Access Bases & Tower Bases, Forums can be located over the base or not over the base.

For other Custom Forum positioning contact Customer Service at **1.800.668.9318**.

	Tables 180 x 48 - 192 x 72 	Tables 204 x 54 - 216 x 78 	Tables 204 x 54 - 216 x 78 	Tables 228 x 54 - 240 x 84 				
	M-Series Forum	N-Series Forum	M-Series Forum	N-Series Forum	M-Series Forum	N-Series Forum	M-Series Forum	N-Series Forum
 FP1 - At center	• N/A 180", 192" with Duo Base	• N/A on Duo Base 48" D			•	•		•
 FP2C - Centered	•	• N/A on Duo Base 48" D	•	•	•	•	•	•
 FP2 - Equally Spaced	•	• N/A on Duo Base 48" D	•	•	•	•	•	•
 FP2E - At ends of table	•	• N/A on Duo Base 48" D	•	•	•	•	•	•
 FP3 - Equally Spaced	• N/A 180", 192" with Duo Base	• N/A on Duo Base 48" D			•	•		•
 FP4 - Equally Spaced								
 FP4A - Symmetrically Spaced	•	•	•	•	•	•	•	•
 FP5 - Equally Spaced	• N/A 180", 192" with Duo Base	•			•	•	•	•
 FP6 - Equally Spaced								
 FP6A - Symmetrically Spaced	•	• N/A on Duo Base 48" D	•	•	•	•	•	•

DETERMINING FORUM PLACEMENT ON TABLES

The following table is a guideline only for defining/distributing Forums on the table

For other Forum positioning contact Customer Service at **1.800.668.9318**.

	Tables 42" w/ø - 60" w/ø		Tables 42" w/ø - 60" w/ø		Tables 66" w/ø - 72" w/ø		Tables 66" w/ø - 72" w/ø		Tables 78" w/ø - 96" w/ø		Tables 78" w/ø - 96" w/ø		
	Forum Series M N		Forum Series M N		Forum Series M N		Forum Series M N		Forum Series M N		Forum Series M N		
 Wave Square Round FP1 - At center	•	•	•	•	•	•	•	•	•	•	•	•	
			N/A 42"	N/A 42", 48"									
 Wave Square Round FP2C - Centered					•	•	•	•	•	•	•	•	
							N/A 66"						
 Round tables only FP3 - Equally Spaced					•	•	•	•	•	•	N/A 78"	N/A 78"	
 Wave Square Round FP4 - Equally Spaced					N/A 66"	N/A 66"	N/A 66"	N/A 66"	•	•	N/A 78"	•	•


Nienkämper is a **recognized installer** for data systems described in **Vox® Forum products**.

Vox® Forums can be manufactured with several factory wired data systems including "Hubble", "Leviton", "Siemon", "Belden", Ortronics and "Hubbell." All of these systems guarantee the highest level of data transmissions.

Vox® Forum products have been tested by the independent laboratories of these companies and are compliant with all aspects of proper installation and performance.

Nienkämper recommends the use of these **pre-wired systems** as they offer the **best value, quality** and **safety**.


Options for data/voice connections



AMP

- CAT 5E System
or
- CAT 6 110Connect Jacks


T568A



SYSTEMAX

- PowerSUM® CAT 5E System
or
- GigaSPEED® CAT 6 System


T568A



THE SIEMON COMPANY

- Max® 5E
or
- Max® 6


T568A



BELDEN
SENDING ALL THE RIGHT SIGNALS

- CAT 5E
or
- CAT 6


T568A



HUBBELL

- CAT 6A
(available in custom plate only)

T568A



legrand®
Ortronics

- CAT 5E
or
- CAT 6

T568A

Nienkämper recommends the use of Vox® **pre-wired systems** as they offer the **best value, quality** and **safety** to the consumer.


Standard Vox Forums are listed by Underwriters Laboratories Inc. under several categories. These listings qualify a level of safety guaranteed by UL's published standards for safety which UL uses as a benchmark for testing and listing products.

The right to bear the UL mark is contingent on the fact that absolutely no alteration is made to the product as it was submitted and tested by Underwriters Laboratories. This is to ensure that assemblies are not manufactured with inferior or replacement parts; this would void or alter the result of the original examination and tests conducted by UL.

The UL mark is included on a label that is attached to the underside of listed Vox® products. This label includes:

- The date the component was assembled and tested.
- A serial number for tracking purposes.
- The listing category located under the UL mark.
- UL file number that can be used as a reference at UL for any inquiries about the product.

SAMPLE UL/CSA LABEL



All listed assemblies have POWER/ELECTRICAL components wired by Nienkämper and undergo the following tests:

Production Line Grounding Test - Continuity: This test checks for grounding continuity between the grounding conductor of the attachment plug and the designated main grounding point including any accessible dead-metal parts of the assembly. There must be grounding continuity between all parts.

Production-line Dielectric Voltage Withstand Test - Hi-pot: Each product shall withstand without electrical breakdown, as a routine production-line test, the application of an AC potential at a frequency within the range of 40-70 Hz or a DC potential between the primary wiring, including connected components, and accessible dead metal parts that are likely to become energized. This test is conducted when the product is fully assembled, and cannot be unwired, modified or disassembled afterwards.

Production-line - Polarity Test: This test verifies proper electrical polarity of both the grounded (neutral) and the ungrounded (hot) supply circuit conductors of the Forum and all parts intended to be connected to the grounded (neutral) and ungrounded (hot) supply circuit conductors of the attachment plug. Conductivity indications must confirm the correct connection of all parts specified.

VOX® FORUM CONFIGURATOR


Specifying the “M” and “N” series Vox Forum couldn’t be simpler.

“M” and “N” series Forums can be individually configured online with the “**Vox Forum Configurator**”.

Log onto the Nienkämper website www.nienkamper.com and follow the links or simply type www.nienkamper.com/vfc in your browser and go straight to this online tool.



Configuring your Forum is easy: simply drag and drop the options you want to build the product you need.



VOX® FORUM CONFIGURATOR


ON LINE ORDERING OF VOX FORUMS “M” & “N” SERIES

Once you've tried this amazing and simple tool you will appreciate the ease in which sample configurations can be built. You can create quick budgets, use as information sheets for discussions, meetings and placing orders.

Even custom plate configurations can be instantly selected and priced.

Below is an example of a completed Forum order sheet that can be printed, saved or submitted once the appropriate information has been filled out.

NIENKAMPER VOX FORUM CONFIGURATOR
Order total (list): \$ 2,305



YOUR CONFIGURATION

BASE
Model: MSERIES

PLATE 1
Model: 3P, Pre Wired Power contains the following: Single module faceplate with - 1 duplex power receptacle/ 15A-120V - With 2 USB ports 3 Hubble/ 5VDC Type a 2.0 - Pre wired with 10' cord & plug.
2USB ports - Type 2.0 rated - 3 Hubble/ 5VDC.

PLATE 2
Model: 7V, Single module blank faceplate

PLATE 3
Model: 1E, 2 - Hubble CAT6 DATA, 10' cord

PLEASE FILL IN YOUR INFORMATION BELOW

YOUR NAME:*

John Doe

TELEPHONE:*

1234567890

PROJECT/LOCATION:

XYZ Company, Alabama

QUOTE NO:

TAG REFERENCE:

Model # M-3P-7V-1E

INTREF:

VFC3-1479725440000-995

*Required fields

YOUR COMPANY:

ABC Furniture Company

EMAIL:*

johndoe@email.com

ORDER NO:

REGION:*

Alabama

COMMENTS:

quantity 3 required

A GUIDE TO SPECIFYING MODULAR "M & N" SERIES VOX® FORUMS



To specify modular Vox Forums® turn to the next page and complete the order form with the modular faceplates required. This document can also be downloaded at www.nienkamper.com.

Haven't found what you need?

It's easy to specify your own "M" or "N" Series Forum:

- 1 Create the Forum model number by selecting modular faceplates from pages 181-185.
- 2 Fill in each 2 digit faceplate model number in the desired position on page 179-180.
- 3 Fill in the corresponding price for each modular faceplate in the correct position. Total the cost.
- 4 For custom modular plates, use model number "CX" for each custom position. If there are more than one custom plate layout, label them CX1, CX2, etc. Create the custom modular plate and list cost on page 186, and transfer plate # and cost to page 179-180.
- 5 Sign and date the form, forward to Nienkämper with your request for quotation or purchase order.

"M" SERIES VOX® FORUM - 6" FORUM ORDER FORM

Download this form at www.nienkamper.com/vfc/forum

Modular Plate #1

Modular Plate #2

Modular Plate #3

Base Model # - M - _____

Modular Plate #1

Modular Plate #2

Modular Plate #3

\$ 495 _____

Base Model Cost	Plate #1 Cost	Plate #2 Cost	Plate #3 Cost	Total Forum Cost

Use this section when ordering Custom Modular Faceplates

Place your selection of part numbers from page 186.

	Position A	Position B	Position C
Custom Modular Plate #1 -	CX1	_____	_____
Custom Modular Plate #2 -	CX2	_____	_____
Custom Modular Plate #3 -	CX3	_____	_____

Quote # or Order #: _____ Date: _____

Approval Signature: _____

©2021 Nienkämper Price Guide | Vox | 179

"M & N" SERIES VOX® FORUM FACEPLATE CUSTOM MODULE ORDER FORM

PART NO.	PRE-WIRED	LIST \$	PART NO.	SITE-WIRED	LIST \$	
A0	AMP - CAT 6E DATA - 10' CORD	\$160	AX	AMP - CAT 6E DATA - NO CORD	\$135	
	A1 - AMP - CAT 6 DATA - 10' CORD	\$310		AIX	AMP - CAT 6 DATA - NO CORD	\$200
	A1A - AMP - CAT 6A DATA - 10' CORD	\$460		A1AX	AMP - CAT 6A DATA - NO CORD	\$215
A2	EVSIMAX - CAT 6E DATA - 10' CORD	\$240	A2X	EVSIMAX - CAT 6E DATA - NO CORD	\$135	
	A3 - EVSIMAX - CAT 6 DATA - 10' CORD	\$310		A3X	EVSIMAX - CAT 6 DATA - NO CORD	\$200
	A3A - EVSIMAX - CAT 6A DATA - 10' CORD	\$500		A3AX	EVSIMAX - CAT 6A DATA - NO CORD	\$245
A4	SEMON - CAT 6E DATA - 16' CORD	\$240	A4X	SEMON - CAT 6E DATA - NO CORD	\$135	
	A5 - SEMON - CAT 6 DATA - 16' CORD	\$310		A5X	SEMON - CAT 6 DATA - NO CORD	\$200
	A5A - SEMON - CAT 6A DATA - 16' CORD	\$430		A5AX	SEMON - CAT 6A DATA - NO CORD	\$215
A6	BELDON - CAT 6E DATA - 10' CORD	\$240	A6X	BELDON - CAT 6E DATA - NO CORD	\$135	
	A7 - BELDON - CAT 6 DATA - 10' CORD	\$310		A7X	BELDON - CAT 6 DATA - NO CORD	\$200
	A7A - BELDON - CAT 6A DATA - 10' CORD	\$425		A7AX	BELDON - CAT 6A DATA - NO CORD	\$215
A8	ORTRONICS - CAT 6E DATA - 10' CORD	\$280	A8X	ORTRONICS - CAT 6E DATA - NO CORD	\$135	
	A9 - ORTRONICS - CAT 6 DATA - 10' CORD	\$335		A9X	ORTRONICS - CAT 6 DATA - NO CORD	\$180
	A9A - ORTRONICS - CAT 6A DATA - 10' CORD	\$440		A9AX	ORTRONICS - CAT 6A DATA - NO CORD	\$205
A11AX	HUBBLE - CAT 6A DATA - 10' CORD	\$460	A11AX	HUBBLE - CAT 6A DATA - NO CORD	\$215	
B	AMP - VOICE - 10' CORD	\$125	BX	AMP - VOICE - NO CORD	\$110	
B1	EVSIMAX - VOICE - 10' CORD	\$240	B1X	EVSIMAX - VOICE - NO CORD	\$135	
B2	SEMON - VOICE - 10' CORD	\$240	B2X	SEMON - VOICE - NO CORD	\$135	
B3	NOROK / CDT - VOICE - 10' CORD	\$240	B3X	NOROK / CDT - VOICE - NO CORD	\$135	
B4	ORTRONICS - VOICE - 10' CORD	\$280	B4X	ORTRONICS - VOICE - NO CORD	\$135	
C	AUDIO - 3.5MM - 18' CORD	\$120	D	CUSTOM FITTING - NO CORD SAMPLE REQUIRED	\$80	
D	STEREO - 1/4" - 18' CORD	\$120	Q	DVI - CUTOFF ONLY	\$80	
E	RCA - 18' CORD	\$120	P	EMPTY / NO FITTING ONLY		
F	DB9 - 18' CORD	\$180				
G	HD-D815 - 18' CORD	\$180				
H	USB - 24' CORD	\$150				
H8	USB TYPE B - 24' CORD	\$110				
HD	HDMI - 24' CORD	\$200				
H5	DISPLAY PORT - VIDEO CONNECTING - 24' CORD	\$160				
J1	XLR / 3 PN - 18' CORD	\$215				
J2	XLR / 4 PN - 18' CORD	\$335				
J3	MINI - XLR / 3 PN - 18' CORD	\$305				
J4	MINI - XLR / 4 PN - 18' CORD	\$305				
L1	MINI - DIN / 4 PN - 18' CORD	\$215				
L2	MINI - DIN / 6 PN - 18' CORD	\$215				
L3	MINI - DIN / 8 PN - 18' CORD	\$215				
N	8NC POSITION - PASS THRU	\$110				

FACEPLATE CONNECTIONS ARE FEMALE. SUPPLY CORD PLUGS ARE MALE. DB9 FACEPLATE FITTINGS ARE MALE. DB9 SUPPLY CORD PLUGS ARE FEMALE.

THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIED OR DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKÄMPER FURNITURE & ACCESSORIES INC.

Nienkämper 2017 Vox® Price List • 213

Download this form at www.nienkamper.com/vfc/forum

Modular Plate #1 Modular Plate #2 Modular Plate #3



Base Model # - M - _____ - _____ - _____ -

Modular Plate #1 Modular Plate #2 Modular Plate #3

- Select the modular faceplate required from pages 181-185.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in “**CX**” as the model number.
- To create a custom modular plate, turn to pages 186.

\$ 570 + _____ + _____ + _____ = _____

Base Model Cost Plate #1 Cost Plate #2 Cost Plate #3 Cost Total Forum Cost

- Add up the cost.

Use this section when ordering Custom Modular Faceplates


Place your selection of part numbers from page 186.

		Position A	Position B	Position C
Custom Modular Plate #1 -	CX1	- _____ -	_____ -	_____
Custom Modular Plate #2 -	CX2	- _____ -	_____ -	_____
Custom Modular Plate #3 -	CX3	- _____ -	_____ -	_____

Quote # or Order # : _____ Date: _____

Approval Signature: _____

Download this form at www.nienkamper.com/vfc/forum



- Select the modular faceplate required from pages 181-185.
- Fill in the 2 digit model number of each plate in the desired location.
- For custom modular plates, fill in “CX” as the model number.
- To create a custom modular plate, turn to pages 186.

Base Model # - N - _____ - _____ - _____ - _____ - _____ - _____

Modular Plate #1 Modular Plate #2 Modular Plate #3 Modular Plate #4 Modular Plate #5 Modular Plate #6

\$ 625 + _____ + _____ + _____ + _____ + _____ + _____ = _____

Base Model Cost Plate #1 Cost Plate #2 Cost Plate #3 Cost Plate #4 Cost Plate #5 Cost Plate #6 Cost Total Forum Cost

• Add up the cost.

Use this section when ordering Custom Modular Faceplates

Place your selection of part number from page 186 in the desired location below.

	Position A	Position B	Position C
Custom Modular Plate	CX1 - _____	- _____	- _____
Custom Modular Plate	CX2 - _____	- _____	- _____
Custom Modular Plate	CX3 - _____	- _____	- _____
Custom Modular Plate	CX4 - _____	- _____	- _____
Custom Modular Plate	CX5 - _____	- _____	- _____
Custom Modular Plate	CX6 - _____	- _____	- _____

Quote # or Order # : _____ Date: _____

Approval Signature: _____

"M & N" SERIES VOX® FORUM – MODULAR FACEPLATES



SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OE	355	2 - Hubble Cat5e Data, 10' Cord
1E	715	2 - Hubble Cat6 Data, 10' Cord
2E	525	2 - Leviton Cat5e Data, 10' Cord
3E	715	2 - Leviton Cat6 Data, 10' Cord
4E	525	2 - Siemon Cat5e Data, 16' Cord
5E	715	2 - Siemon Cat6 Data, 16' Cord
6E	525	2 - Belden Cat5e Data, 10' Cord
7E	715	2 - Belden Cat6 Data, 10' Cord
8E	625	2 - Ortronics Cat5e Data, 10' Cord
9E	705	2 - Ortronics Cat6 Data, 10' Cord

Model Number	List Price	Site Wired – Only Jacks Supplied
OB	310	2 - Hubble Cat5e Data, Site Wiring Required
1B	440	2 - Hubble Cat6 Data, Site Wiring Required
2B	310	2 - Leviton Cat5e Data, Site Wiring Required
3B	440	2 - Leviton Cat6 Data, Site Wiring Required
4B	310	2 - Siemon Cat5e Data, Site Wiring Required
5B	440	2 - Siemon Cat6 Data, Site Wiring Required
6B	310	2 - Belden Cat5e Data, Site Wiring Required
7B	440	2 - Belden Cat6 Data, Site Wiring Required
8B	310	2 - Ortronics Cat5e Data, Site Wiring Required
9B	390	2 - Ortronics Cat6 Data, Site Wiring Required

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 1-DATA, 1-VOICE



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OK	325	1 - Hubble Cat5e Data & 1-Rj45 Voice - 10' Cords
1K	525	1 - Hubble Cat6 Data & 1-Rj45 Voice - 10' Cords
2K	545	1 - Leviton Cat5e Data & 1-Rj45 Voice - 10' Cords
3K	630	1 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords
4K	545	1 - Siemon Cat5e Data & 1-Rj45 Voice - 16' Cords
5K	630	1 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords
6K	545	1 - Belden Cat5e Data & 1-Rj45 Voice - 10' Cords
7K	630	1 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords
8K	535	1 - Ortronics Cat5e Data & 1-Rj45 Voice - 10' Cords
9K	575	1 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords

Model Number	List Price	Site Wired – Only Jacks Supplied
OJ	290	1 - Hubble Cat5e Data & 1-Rj45 Voice - Site Wired
1J	335	1 - Hubble Cat6 Data & 1-Rj45 Voice - Site Wired
2J	310	1 - Leviton Cat5e Data & 1-Rj45 Voice - Site Wired
3J	370	1 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired
4J	310	1 - Siemon Cat5e Data & 1-Rj45 Voice - Site Wired
5J	370	1 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired
6J	310	1 - Belden Cat5e Data & 1-Rj45 Voice - Site Wired
7J	370	1 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired
8J	310	1 - Ortronics Cat5e Data & 1-Rj45 Voice - Site Wired
9J	360	1 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 3-DATA



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OF	490	3 - Hubble Cat5e Data, 10' Cord
1F	1,040	3 - Hubble Cat6 Data, 10' Cord
2F	735	3 - Leviton Cat5e Data, 10' Cord
3F	1,040	3 - Leviton Cat6 Data, 10' Cord
4F	735	3 - Siemon Cat5e Data, 16' Cord
5F	1,040	3 - Siemon Cat6 Data, 16' Cord
6F	735	3 - Belden Cat5e Data, 10' Cord
7F	1,040	3 - Belden Cat6 Data, 10' Cord
8F	915	3 - Ortronics Cat5e Data, 10' Cord
9F	1,025	3 - Ortronics Cat6 Data, 10' Cord


Model Number	List Price	Site Wired – Only Jacks Supplied
OC	420	3 - Hubble Cat5e Data, Site Wiring Required
1C	615	3 - Hubble Cat6 Data, Site Wiring Required
2C	420	3 - Leviton Cat5e Data, Site Wiring Required
3C	615	3 - Leviton Cat6 Data, Site Wiring Required
4C	420	3 - Siemon Cat5e Data, Site Wiring Required
5C	615	3 - Siemon Cat6 Data, Site Wiring Required
6C	420	3 - Belden Cat5e Data, Site Wiring Required
7C	615	3 - Belden Cat6 Data, Site Wiring Required
8C	420	3 - Ortronics Cat5e Data, Site Wiring Required
9C	565	3 - Ortronics Cat6 Data, Site Wiring Required

SINGLE MODULE FACEPLATE CONTAINS THE FOLLOWING: 2-DATA, 1-VOICE



Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
OM	440	2 - Hubble Cat5e Data & 1-Rj45 Voice - 10' Cords
1M	815	2 - Hubble Cat6 Data & 1-Rj45 Voice - 10' Cords
2M	735	2 - Leviton Cat5e Data & 1-Rj45 Voice - 10' Cords
3M	925	2 - Leviton Cat6 Data & 1-Rj45 Voice - 10' Cords
4M	735	2 - Siemon Cat5e Data & 1-Rj45 Voice - 16' Cords
5M	925	2 - Siemon Cat6 Data & 1-Rj45 Voice - 16' Cords
6M	735	2 - Belden Cat5e Data & 1-Rj45 Voice - 10' Cords
7M	925	2 - Belden Cat6 Data & 1-Rj45 Voice - 10' Cords
8M	915	2 - Ortronics Cat5e Data & 1-Rj45 Voice - 10' Cords
9M	990	2 - Ortronics Cat6 Data & 1-Rj45 Voice - 10' Cords

Model Number	List Price	Site Wired – Only Jacks Supplied
OL	380	2 - Hubble Cat5e Data & 1-Rj45 Voice - Site Wired
1L	525	2 - Hubble Cat6 Data & 1-Rj45 Voice - Site Wired
2L	420	2 - Leviton Cat5e Data & 1-Rj45 Voice - Site Wired
3L	565	2 - Leviton Cat6 Data & 1-Rj45 Voice - Site Wired
4L	420	2 - Siemon Cat5e Data & 1-Rj45 Voice - Site Wired
5L	565	2 - Siemon Cat6 Data & 1-Rj45 Voice - Site Wired
6L	420	2 - Belden Cat5e Data & 1-Rj45 Voice - Site Wired
7L	565	2 - Belden Cat6 Data & 1-Rj45 Voice - Site Wired
8L	410	2 - Ortronics Cat5e Data & 1-Rj45 Voice - Site Wired
9L	525	2 - Ortronics Cat6 Data & 1-Rj45 Voice - Site Wired



Model Number	List Price
1P	545
1P- SW	565


SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate contains the following: 2 power receptacles 15A 120V pre wired with 10' cord and plug. Includes 12.5 amp overload protector.

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required

***Face plate formerly labeled 2P has been changed to 1P-SW.**




Model Number	List Price
2P	1,135
2P- SW	1,105

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With Surge Suppressor -, 240 joules/ 15000a per mode and light. Prewired with 10' cord and plug.

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With surge suppressor, 240 joules/ 15000a per mode and light. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required




Model Number	List Price
3P	940
3P- SW	910

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With 2 USB ports 3 Amp/ 5VDC Type a 2.0. Pre wired with 10' cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With 2 USB ports 3 Hubble/ 5VDC Type a 2.0. Comes with strain relief and 36" of metallic shielded cable wired to receptacle. Site Connection to power source required



Model Number	List Price
4P	1085
4P- SW	1045

SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

DESCRIPTION

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With USB A + C charging (5V, 5A) 25W. Pre wired with 10' cord & plug

Single module faceplate with - 1 duplex power receptacle/ 15A-120V. With USB A + C charging (5V, 5A) 25W. With 36" metallic shielded cable wired to receptacle. Site connection to power source required



SINGLE MODULE FACEPLATE - POWER RECEPTACLES:

Model Number	List Price
5P	1245
5P- SW	1205

DESCRIPTION

Single module faceplate contains the following: 1 duplex power receptacle 15A-120V, with USB C+C charging (5V, 5A) 25W and pre wired 10' cord

Single module faceplate contains the following: 1 duplex power receptacle 15A-120V, with USB C+C charging (5V, 5A) 25W and 36" metallic shielded cable wired to receptacle. Site connection to power source required.

OT - 9T




SINGLE MODULE FACEPLATE:

Model Number	List Price	Pre Wired – All Cords Terminated With Male Plugs
0T	465	1 - Hubble Cat5e Data, 10' Cord
1T	630	1 - Hubble Cat6 Data, 10' Cord
2T	545	1 - Leviton Cat5e Data, 10' Cord
3T	630	1 - Leviton Cat6 Data, 10' Cord
4T	545	1 - Siemon Cat5e Data, 16' Cord
5T	630	1 - Siemon Cat6 Data, 16' Cord
6T	545	1 - Belden Cat5e Data, 10' Cord
7T	630	1 - Belden Cat6 Data, 10' Cord
8T	605	1 - Ortronics Cat5e Data, 10' Cord
9T	625	1 - Ortronics Cat6 Data, 10' Cord

DESCRIPTION

Single module faceplate contains the following:
 1 - HD-DB15 (female) with 18" cord and male plug.
 1 - 3.5mm stereo with 18" cord and male plug.
 1 - DATA (OT-9T) with 10' cord and male plug.



Model Number	List Price
1V	105
2V	105
3V	105

SINGLE MODULE FACEPLATE:

DESCRIPTION

Single module split plate assembly contains the following: 3 cutouts - inside diameter sizes - 3/8", 1/2", 5/8" for pass-through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 3/8" for pass-through cable requirements.

Single module split faceplate contains the following: 2 cutouts - inside diameter sizes - 1/2" for pass-through cable requirements.




Model Number	List Price
7V	95
8V-8V	105

BLANK FACEPLATES:

DESCRIPTION

Single module blank faceplate

Double module blank faceplate



Model Number	List Price
6X	105
7X-7X	130


EXTRON “AAP” SERIES

DESCRIPTION

Single module adopter
-holds two Extron “AAP” modules in vertical position

Double module adopter
-holds four Extron “AAP” modules in horizontal position

Please refer to your Extron product catalogue for specific “AAP” module model numbers available



Model Number	List Price
8X	105
9X-9X	130

DECORA® INSERT PLATES

Single module, holds 1 Decora style insert (supplied by others)

Double module, holds 2 Decora style inserts (supplied by others)

EXTRON RETRACTOR FACEPLATE/RETRACTOR INCLUDED:

(Note: Retractors provided; choose from list below)

Model Number	List Price
5R	420
6R-6R	585

5R Retractor Faceplate with R-01 VGA Retractor Series II

5R Retractor Faceplate with R-02 3.5mm Audio Retractor Series II

5R Retractor Faceplate with R-03 Data-CAT 6 Retractor Series II


5R Retractor Faceplate with R-04 HDMI Retractor Series II

5R Retractor Faceplate with R-05 USB (signal) Retractor Series II

5R Retractor Faceplate with R-06 VGA & Audio Retractor Series II

EXTRON RETRACTOR OPTIONS:

Model Number	List Price	Description
RA-02	250	Blank filler plate
SERIES 2		
R-01	1,410	VGA - Retractor series II - with 36" long cord
R-02	1,410	3.5mm audio - retractor series II - with 36" long cord
R-03	1,410	Data - CAT 6 - retractor series II - with 36" long cord
R-04	1,410	HDMI - retractor series II - with 36" long cord
R-05	1,410	USB (signal) - retractor series II - with 36" long cord / USB-A to USB-A
R-06	1,565	VGA & audio - retractor series II - with 36" long cord / VGA M-M & 3.5mm audio
SERIES 2 XL		
R-07	1,565	VGA - Retractor series II XL - with 60" long cord
R-08	1,565	3.5mm audio - retractor series II XL - with 60" long cord
R-09	1,565	Data - CAT 6 - retractor series II XL - with 60" long cord
R-10	1,565	HDMI - retractor series II XL - with 60" long cord
R-11	1,565	USB (signal) - retractor series II XL - with 60" long cord / USB-A to USB-A
R-12	1,720	VGA & audio - retractor series II XL - with 60" long cord / VGA M-M & 3.5mm audio



Model Number	List Price
7R	330
8R-8R	500

EXTRON RETRACTOR FACEPLATE/RETRACTOR NOT INCLUDED:
 (Note: Retractors to be provided and installed by others)

DESCRIPTION
Single faceplate holds 1 Extron Retractor
Double faceplate holds up to 3 Extron Retractors



SINGLE CUSTOM MODULE FACEPLATE (SEE BELOW)

Model Number	List Price
CX	95

DESCRIPTION
 To build your Forum, select fittings from page 186.

HOW TO ORDER

1. From the list of jacks select the part number that describes your selection
2. Place the part number in one of three positions on the faceplate illustration "A", "B", or "C".
3. Fill in the associated List \$ of each fitting - total the cost.
4. Fill in the model number and transfer it to the proper position on the Forum order page 179 (6" Forum) or page 180 (12" Forum).
5. Add each modular plate price to complete the total Vox Forum list price.

Complete this for each custom plate required.


	Fitting Cost	
Position A	→ <input type="text"/>	- _____
Position B	→ <input type="text"/>	- _____
Position C	→ <input type="text"/>	- _____
	<input type="checkbox"/> <input type="checkbox"/>	+ \$95.00 plate cost
=====		Total Cost
	Position A Position B Position C	
Model Number	CX - _____ - _____ - _____	


"M & N" SERIES VOX® FORUM FACEPLATE CUSTOM MODULE ORDER FORM





Part Number Pre-Wired List Price


Part Number Site-Wired List Price


	A0	Hubbelle - CAT 5E Data - 10' Cord	225
	A1	Hubbelle - CAT 6 Data - 10' Cord	410
	A1A	Hubbelle CAT 6A Data - 10' Cord	590


	AX	Hubbelle - CAT 5E Data - No Cord	180
	A1X	Hubbelle - CAT 6 Data - No Cord	280
	A1AX	Hubbelle - CAT 6A Data - No Cord	295


	A2	Leviton - CAT 5E Data - 10' Cord	325
	A3	Leviton - CAT 6 Data - 10' Cord	410
	A3A	Leviton - CAT 6A Data - 10' Cord	660


	A2X	Leviton - CAT 5E Data - No Cord	180
	A3X	Leviton - CAT 6 Data - No Cord	280
	A3AX	Leviton - CAT 6A Data - No Cord	330


	A4	Siemon - CAT 5E Data - 16' Cord	325
	A5	Siemon - CAT 6 Data - 16' Cord	410
	A5A	Siemon - CAT 6A Data - 16' Cord	565












	A4X	Siemon - CAT 5E Data - No Cord	180
	A5X	Siemon - CAT 6 Data - No Cord	280
	A5AX	Siemon - CAT 6A Data - No Cord	295








	A6	Beldon - CAT 5E Data - 10' Cord	325
	A7	Beldon - Cat 6 Data - 10' Cord	410
	A7A	Beldon - CAT 6A Data - 10' Cord	555

	A6X	Beldon - CAT 5E Data - No Cord	180
	A7X	Beldon - CAT 6 Data - No Cord	280
	A7AX	Beldon - CAT 6A Data - No Cord	295

	A8	Ortronics - CAT 5E Data - 10' Cord	370
	A9	Ortronics - CAT 6 Data - 10' Cord	405
	A9A	Ortronics - CAT 6A Data - 10' Cord	575

	A8X	Ortronics - CAT 5E Data - No Cord	180
	A9X	Ortronics - CAT 6 Data - No Cord	260
	A9AX	Ortronics - CAT 6A Data - No Cord	285
	A11AX	Hubbelle - CAT 6A Data - No Cord	295

	B	Hubbelle - Voice - 10' Cord	170
	B1	Leviton - Voice - 10' Cord	325
	B2	Siemon - Voice - 10' Cord	325
	B3	Belden/ CDT - Voice - 10' Cord	325
	B4	Ortronics - Voice - 10' Cord	370
	C	Audio - 3.5mm - 18" Cord	165
	G	HD-DB15 - 18" Cord	260
	H	USB - 24" Cord	200
	HB	USB Type B - 24" Cord	155
	HD	HDMI - 24" Cord	280
	J1	XLR / 3 Pin / - 18" Cord	295

	BX	Hubbelle - Voice - No Cord	155
	B1X	Leviton - Voice - No Cord	180
	B2X	Siemon - Voice - No Cord	180
	B3X	Beldon - Voice - No Cord	180
	B4X	Ortronics - Voice - No Cord	180
	O	Custom Fitting - No Cord Sample Req	125
	P	Empty / No Fitting Required	

**FACEPLATE CONNECTIONS ARE FEMALE, SUPPLY CORD PLUGS ARE MALE.
DB9 FACEPLATE FITTINGS ARE MALE, DB9 SUPPLY CORD PLUGS ARE FEMALE.**

THIS DOCUMENT IS CONFIDENTIAL AND PROPRIETARY. NO PART OF THIS DRAWING MAY BE COPIES OR DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY PURPOSE WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF NIENKAMPER FURNITURE & ACCESSORIES IINC.