Logikal Colour Input Guide Document


May 2021



To input new finishes the software update for new AluK Price List please follow the instructions below.


Step 1:

In Element screen whilst inputting window, door or screening position. Select "Position Properties" category from left hand menu.




Step 2:

The Position Properties pop up window will include a **Colour** category which allows user to choose between either Single or Dual Colour options based on project specification



Step 3:

All of the new AluK colour ranges are included with a drop-down menu so that specific finishes within each range can be selected e.g. BASE 7016M.



Step 4:

If a finish is required that is NOT contained with AluK colour ranges, it is still possible to obtain pricing for this. Please contact your AluK customer services representative who will be able to provide the Price Banding for the colour. This will fall into one of the Colour Price Bands A-D. Users can then select the relevant colour banding without specifying colour code. The code for the colour can then be entered onto the order outputs either on word processor or spreadsheet formats.


When the order is processed the colour will then be uploaded on next Logikal version under the relevant price banding and so will be listed if used again on another project.



PLEASE NOTE: Ensure that correct colour band is obtained for finishes not listed as if the wrong price band is selected/input this could result in supplied quotation pricing being inaccurate.


Step 5:

In Home screen click the green Updates box.



Step 6:

If dual colour is needed for pricing and ordering this is chosen in the same way as the single colour apart from a colour needs allocation for both internal and external sides. Any finish from any AluK colour band can be selected and even mixed from different bands. If different bands are selected for internal and external sides the price will be assigned from the higher tier.



Number	Description	Colour Inside/Outside
AW513	28mm Glazing Bead	BASE RAL7016M
AW605	Equal Leg Std (58mm)	BASE HIPCA9910HG/BASE RAL7016M
AW613	E/G Euro Ovolo Vent	BASE HIPCA9910HG/BASE RAL7016M
AW632	Db Slim Flat Transom	BASE HIPCA9910HG/BASE RAL7016M
TW118	Drip Bar	BASE RAL7016M

Step 7:

If there are profiles within the position that cannot be dual coloured (they do not possess a polyamide thermal break as an assembled part) a notification will appear at the end to notify that a single colour finish will need to be selected instead.



If you have any questions, please call the Technical Services Team on 01291 639 739 or send an email here.