



**sonus**

# Square, Rectangle, Circle

## Suspended Cloud Panels

These simple shapes bring a fun and stylish scene to any room. With the ability to mix sizes with fun and exuberant colors that make any space pop. Our fabric wrapped or painted ceiling clouds are offered in many different standard sizes and 2 thicknesses to meet the acoustical demands of most applications.

### Features

- Easy to install
- Uses the highest-quality fiberglass core that hardened edges for stability
- Fabric adhered to core using patented VACU-BOND® process
- Edges are either wrapped, banded, or painted
- Durable impact and reflection protection available

# Square



Size	4' x 4', 5' x 5'
Thickness	1" or 2"
Tolerance	+/- 1/16"
Core	6-7lb Fiberglass Board
Edge Detail	Hardened
Edge Profile	Square
Mounting Type	Ceiling - Hanging
Mounting Hardware	Rotofast Cloud Anchors
Flamability	ASTM 84 Class A
NRC	From .80 – 1.05, depending upon: The surface material and cloud or baffle thickness

## Our craftsmanship guarantee is really simple:

If there is a craftsmanship defect detected, we will repair or replace the impacted product.

If the product was damaged during shipping and it was because of how we packaged it, we will repair or replace the impacted product.

The length of our guarantee is five (5) years provided you used a Certified PRO Installer; otherwise, it is a standard three (3) years.

For more details, see warranty details on our website.

## Lead Time

**Standard sizes and coverings:** 2-3 weeks


**Custom sizes and coverings:** 6-8 weeks

\* any customer supplied coverings may require additional time for delivery and testing. Additionally, wood veneers require perforation. Any wood veneers not in stock require an additional 4-6 weeks.

## Custom Shop

Need something unique? Want to co-create actionable solutions that improve the human experience? We believe, TOGETHER, we can ideate, design, and build solutions that create unique experiences. Call us to discuss our Custom Shop program.

# Square



Sound Absorption







Hz	125	250	500	1000	2000	4000	N.R.C
DAP-1"	.02	.37	.87	1.09	1.01	1.00	.85
DAP-2"	.21	.78	1.04	1.07	1.06	1.04	1.05

# Square








## Standard

	<b>Birch</b> 2335-2129-GOM-STD
	<b>Geranium</b> 2335-2084-GOM-STD
	<b>Asteroid</b> 2335-2053-GOM-STD
	<b>Graphite</b> 2758-2375-COM-STD
	<b>Chicory</b> 2758-1205-GOM-STD

	<b>Paradise (Paintable)</b> 2659-010-GOM-STD
	<b>Quarry Blue</b> 2335-2026-GOM-STD
	<b>Onyx</b> 2334-20116-GOM-STD
	<b>Lapis</b> 2335-2094-GOM-STD
	<b>Shade</b> 2758-2372-GOM-STD
	<b>Eucalyptus</b> 2335-2047-GOM-STD

## Premium

Premium fabrics may require special order. Additional lead times and charges apply

	<b>Talc</b> W16952-02-Knoll-PRM		<b>Sterling</b> W884-3A-Knoll-PRM
	<b>Sharkskin</b> W884-13A-Knoll-PRM		<b>Electrum</b> W169510-10-Knoll-PRM
	<b>Target</b> W884-10A-Knoll-PRM		



Monitors and printers vary. Please request a material sample to verify materials and colors.

# Rectangle

Size	2' x 4', 4' x 6', 4' x 8'. Custom sizes available.
Thickness	1" or 2"
Tolerance	+/- 1/16"
Core	6-7lb Fiberglass Board
Edge Detail	Hardened
Edge Profile	Square
Mounting Type	Ceiling – Hanging
Mounting Hardware	Rotofast Cloud Anchors
Flamability	ASTM 84 Class A
NRC	From .80 – 1.05, depending upon: The surface material and cloud or baffle thickness

## Our craftsmanship guarantee is really simple:

If there is a craftsmanship defect detected, we will repair or replace the impacted product.

If the product was damaged during shipping and it was because of how we packaged it, we will repair or replace the impacted product.

The length of our guarantee is five (5) years provided you used a Certified PRO Installer; otherwise, it is a standard three (3) years.

For more details, see warranty details on our website.

## Lead Time

**Standard sizes and coverings:** 2-3 weeks


**Custom sizes and coverings:** 6-8 weeks

\* any customer supplied coverings may require additional time for delivery and testing. Additionally, wood veneers require perforation. Any wood veneers not in stock require an additional 4-6 weeks.

## Custom Shop

Need something unique? Want to co-create actionable solutions that improve the human experience? We believe, TOGETHER, we can ideate, design, and build solutions that create unique experiences. Call us to discuss our Custom Shop program.

# Rectangle



Sound Absorption

Hz	125	250	500	1000	2000	4000	N.R.C
DAP-1"	.02	.37	.87	1.09	1.01	1.00	.85
DAP-2"	.21	.78	1.04	1.07	1.06	1.04	1.05









# Rectangle








## Standard

	<b>Birch</b> 2335-2129-GOM-STD
	<b>Geranium</b> 2335-2084-GOM-STD
	<b>Asteroid</b> 2335-2053-GOM-STD
	<b>Graphite</b> 2758-2375-COM-STD
	<b>Chicory</b> 2758-1205-GOM-STD

	<b>Paradise (Paintable)</b> 2659-010-GOM-STD
	<b>Quarry Blue</b> 2335-2026-GOM-STD
	<b>Onyx</b> 2334-20116-GOM-STD
	<b>Lapis</b> 2335-2094-GOM-STD
	<b>Shade</b> 2758-2372-GOM-STD
	<b>Sunshine</b> 2335-2082-GOM-STD

## Premium

Premium fabrics may require special order. Additional lead times and charges apply

	<b>Talc</b> W16952-02-Knoll-PRM		<b>Sterling</b> W884-3A-Knoll-PRM
	<b>Sharkskin</b> W884-13A-Knoll-PRM		<b>Electrum</b> W169510-10-Knoll-PRM
	<b>Target</b> W884-10A-Knoll-PRM		



Monitors and printers vary. Please request a material sample to verify materials and colors.

# Circle



Size	2', 3', 4', 5'
Thickness	1" or 2"
Tolerance	+/- 1/16"
Core	6-7lb Fiberglass Board
Edge Detail	Hardened, painted, or banded
Edge Profile	Square
Mounting Type	Ceiling – Hanging
Mounting Hardware	Rotofast Cloud Anchors
Flamability	ASTM 84 Class A
NRC	From .80 – 1.05, depending upon: The surface material and cloud or baffle thickness

## Our craftsmanship guarantee is really simple:

If there is a craftsmanship defect detected, we will repair or replace the impacted product.

If the product was damaged during shipping and it was because of how we packaged it, we will repair or replace the impacted product.

The length of our guarantee is five (5) years provided you used a Certified PRO Installer; otherwise, it is a standard three (3) years.

For more details, see warranty details on our website.

## Lead Time

**Standard sizes and coverings:** 2-3 weeks

**Custom sizes and coverings:** 6-8 weeks


\* any customer supplied coverings may require additional time for delivery and testing. Additionally, wood veneers require perforation. Any wood veneers not in stock require an additional 4-6 weeks.

## Custom Shop

Need something unique? Want to co-create actionable solutions that improve the human experience? We believe, TOGETHER, we can ideate, design, and build solutions that create unique experiences. Call us to discuss our Custom Shop program.



# Circle



## Sound Absorption

Hz	125	250	500	1000	2000	4000	N.R.C
DAP-1"	.02	.37	.87	1.09	1.01	1.00	.85
DAP-2"	.21	.78	1.04	1.07	1.06	1.04	1.05






# Suspended Cloud Panels

## Circle

### Color Options








### Standard

	<b>Birch</b> 2335-2129-GOM-STD		<b>Quarry Blue</b> 2335-2026-GOM-STD
	<b>Geranium</b> 2335-2084-GOM-STD		<b>Onyx</b> 2334-20116-GOM-STD
	<b>Asteroid</b> 2335-2053-GOM-STD		<b>Lapis</b> 2335-2094-GOM-STD
	<b>Graphite</b> 2758-2375-COM-STD		<b>Shade</b> 2758-2372-GOM-STD
	<b>Chicory</b> 2758-1205-GOM-STD		<b>Paradise (Paintable)</b> 2659-010-GOM-STD

### Premium

Premium fabrics may require special order. Additional lead times and charges apply

	<b>Talc</b> W16952-02-Knoll-PRM		<b>Sterling</b> W884-3A-Knoll-PRM
	<b>Sharkskin</b> W884-13A-Knoll-PRM		<b>Electrum</b> W169510-10-Knoll-PRM
	<b>Target</b> W884-10A-Knoll-PRM		



Monitors and printers vary. Please request a material sample to verify materials and colors.