

Monastic

Porcelain Tile | Matte

Taupe



Sand



Tile Formats

Sizes



12"x24"

Packaging

11.8"x23.62" 299.8x600.1mm	5mm 17.4	44 9	No	No

Shade Variation











High Variation

High shade and texture variation within each carton.



TECHNICAL FEATURES

Warpage diagonal

Dimensions | Surface flatness

Warpage edge	mm	599.8 ± 0.5%	ASTM C485
Physical properties			
Water absorption	%	≤.5	ASTM C373
Breaking strength	lbf	≥ 250	ASTM C648
Visible abrasion resistance		PEI (IV)	ASTM C1027
Thermal shock resistance		Resist	ASTM C484
Crazing resistance		Resist	ASTM C424
Resistance to freeze		Resist	ASTM C1026
Dynamic coefficient of friction (DCOF)		≥ 0.42	ANSI A326.3

mm

670.6 ± 0.15%

ASTM C485

Chemical properties

Chemical resistance		Class A Resist ¹	ASTM C650
Stain resistance	- 1	Class A	ASTM C1378

Avoid contact of the ceramic material with chemicals such as Muriatic Acid, Hydrofluoric Acid, Chlorine, Gasoline, Thinner, Diesel, cleaners that contain Potassium Hydroxide and other similar products, since the use of such substances can cause severe changes in the tile surface, altering its original appearance.

Lamosa USA Showroom East Beltwood Parkway Dallas, Tx. United States 75244









