

VENICUT42GN



SOFTNOCUT KNITTED GLOVE - PU-COATED PALM - REINFORCEMENT - GAUGE 15

Ref. DPVECUT42GN



Product specifications

SOFTnocut high performance fibre. Polyurethane coating on palm and fingertips. Reinforcement between the thumb and index finger. 10 cm cuff. Gauge 15.

Support: SOFTnocut fibre.

Coating: Polyurethane.

Reinforcement: Polyurethane.

COLOUR

Grey

SIZE

09

Product Use - Risks



CUTTING



Construction / Civil engineering



Heavy industry



Light industry



Services / Logistics

Product's highlights & user's benefits



Reinforcement between the thumb and index finger

Increased protection
Increased lifespan



Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

C: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A3: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
DPVECUT42GN09	3295249213619	Grey	09	36	6