

Entrance Pull Handles

Entrance Pull Handles > 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance



1373-SS



1368-BLK



7099-GN

Combo Kit

Includes:

- > 1 Pair Pull Handles
- > Double Turn Lock Kit
- > Floor Mount Doorstop



NEW Mini Lever Combo Kit

Includes:

- > 1 Pair Pull Handles
- > Mini Lever Lock Kit
- > Floor Mount Doorstop



Snake Pull Handle

7134
1239 Combo*



Torch Pull Handles

7104
1273 Combo*
1368 ML Combo**



7103



7069



7070



7103-SS

> All Stainless/Brass components

300mm crs
600mm o/a
38mm Ø bar
70mm pj

Finishes: ▀SS ▀PC

> All Stainless/Brass components

250mm crs
530mm o/a
38mm Ø bar
80mm pj

Finishes: ▀BLK, SS ▀PC

160mm crs
350mm o/a
32mm Ø bar
75mm pj

> All Stainless/Brass components

400mm crs
610mm o/a
25mm Ø bar
90mm pj

Finishes: ▀SS ▀PC

200mm crs
340mm o/a
19mm Ø bar
65mm pj

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

* Combo Kits include 1 Pair Pull Handles, 1183 or 1184 Double Turn Lock Kit & 5264 60mm Floor Mount Doorstop.

** Mini Lever (ML) Combo Kits include 1 Pair Pull Handles, 1364 or 1365 Mini Lever Lock Kit & 5264 60mm Floor Mount Doorstop.


Entrance Pull Handles > 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

Polo Pull Handles


7098

NEW



7099

NEW



7100

NEW




1221 Combo*

1366 ML Combo**

7101


NEW



7102

NEW





1221-SS

Finishes:

SS

BLK, GN (where shown)

PC

270mm crs
300mm o/a
30 x 15mm bar
50mm pj

410mm crs
450mm o/a
40 x 20mm bar
60mm pj

560mm crs
600mm o/a
40 x 20mm bar
60mm pj

860mm crs
900mm o/a
40 x 20mm bar
60mm pj

1160mm crs
1200mm o/a
40 x 20mm bar
60mm pj

> All Stainless/Brass components

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

* Combo Kits include 1 Pair Pull Handles, 1183 or 1184 Double Turn Lock Kit & 5264 60mm Floor Mount Doorstop.
** Mini Lever (ML) Combo Kits include 1 Pair Pull Handles, 1364 or 1365 Mini Lever Lock Kit & 5264 60mm Floor Mount Doorstop.

Entrance Pull Handles > 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

NEW Streamline Pull Handles

7238



7239



7240

1374 Combo*

1373 ML Combo**



7241



Finishes:

BLK, SS

PC

275mm crs
300mm o/a
25 x 13mm bar
50mm pj

420mm crs
450mm o/a
30 x 15mm bar
58mm pj

570mm crs
600mm o/a
30 x 15mm bar
58mm pj

870mm crs
900mm o/a
30 x 15mm bar
58mm pj


- > All Stainless/Brass components
- > Curved ends, no sharp edges to prevent catching your clothing, or small children knocking themselves on pointed corners

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

* Combo Kits include 1 Pair Pull Handles, 1183 or 1184 Double Turn Lock Kit & 5264 60mm Floor Mount Doorstop.
** Mini Lever (ML) Combo Kits include 1 Pair Pull Handles, 1364 or 1365 Mini Lever Lock Kit & 5264 60mm Floor Mount Doorstop.

Locking Pull Handle

7154




1100mm crs
1500mm o/a
35mm Ø
85mm pj

Finishes:


SS

PC



> Includes 5 Keys and dust socket

> Suitable for glass doors 10–16mm thick



SP7154

Keyed alike barrel for 7154 Pull Handle

1287

Key blanks to suit 7154 Locking Pull Handle

Entrance Pull Handles > 304 Grade Stainless Steel & Solid Brass

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

Marco Pull Handles

7187



7188



7189
1326 Combo*
1367 ML Combo**



7190





260mm crs

300mm o/a

20 x 10mm bar

50mm pj

400mm crs

450mm o/a

25 x 13mm bar

60mm pj

550mm crs

600mm o/a

25 x 13mm bar

60mm pj

850mm crs

900mm o/a

25 x 13mm bar

60mm pj

Finishes: BLK, SS

PC

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Solid Brass Handles

7024



RH

LH

Create a unique visual impact by installing sculptured solid brass Pull Handles by Windsor.



300mm crs

80mm pj

Finishes: BN, SC, UB

AB, NB, OR, PB, PC, RB

7024-BN / 1150-BN

Entrance Pull Handles > Offset 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

Nitro Pull Handles

7128



7129



7130
1238 Combo*
1369 ML Combo**



7131





280mm crs

300mm o/a

20 x 20mm bar

30mm Offset

50mm pj

425mm crs

450mm o/a

25 x 25mm bar

35mm Offset

60mm pj

575mm crs

600mm o/a

25 x 25mm bar

35mm Offset

60mm pj

875mm crs

900mm o/a

25 x 25mm bar

35mm Offset

60mm pj

Finishes: SS, BLK (where shown)

PC

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Curved Nitro Pull Handles

7182



7183



425mm crs

450mm o/a

25 x 25mm bar

78mm Offset

60mm pj

575mm crs

600mm o/a

25 x 25mm bar

85mm Offset

60mm pj

Finishes: SS PC

* Combo Kits include 1 Pair Pull Handles, 1183 or 1184 Double Turn Lock Kit & 5264 60mm Floor Mount Doorstop.
** Mini Lever (ML) Combo Kits include 1 Pair Pull Handles, 1364 or 1365 Mini Lever Lock Kit & 5264 60mm Floor Mount Doorstop.

* Combo Kits include 1 Pair Pull Handles, 1183 or 1184 Double Turn Lock Kit & 5264 60mm Floor Mount Doorstop.
** Mini Lever (ML) Combo Kits include 1 Pair Pull Handles, 1364 or 1365 Mini Lever Lock Kit & 5264 60mm Floor Mount Doorstop.

Ordering Leadtimes: 1-2 Days 14 Days Refer Inside Front Cover for further details on ordering leadtimes

9

Entrance Pull Handles > Offset 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

Square Profile

25mm Offset
7064 7065



276mm crs
450mm o/a
25 x 25mm bar
65mm pj

426mm crs
600mm o/a
25 x 25mm bar
65mm pj

Square Offsets

Code	crs (mm)	o/a (mm)	Bar Size (mm)	pj (mm)
7145	726	900	25 x 25	65
7146	1026	1200	25 x 25	65
7147	1626 +Mid Point	1800	25 x 25	65

Finishes: SS PC

Round Profile

25mm Offset
7027 7028



250mm crs
450mm o/a
32mm Ø bar
70mm pj

400mm crs
600mm o/a
32mm Ø bar
70mm pj

Round Offsets

Code	crs (mm)	o/a (mm)	Bar Ø (mm)	pj (mm)
7142	700	900	32	70
7143	1000	1200	32	70
7144	1600 +Mid Point	1800	32	70

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 316 Marine Grade Stainless Steel - Tubular

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

Round Profile




7126-SS / 1140-SS / 8003E-BN / 1148-BN / 1144-SS

Finishes: SS PC

Sold as back to back pairs, also available as singles with face fix or rear through door fixing.

316 Marine Grade Stainless Steel

7063 7125 7126 7127



> Marine grade stainless steel handles - the ultimate in durability
> All Stainless/Brass components

200mm crs
300mm o/a
19mm Ø bar
52mm pj

350mm crs
450mm o/a
19mm Ø bar
52mm pj

500mm crs
600mm o/a
19mm Ø bar
52mm pj

800mm crs
900mm o/a
19mm Ø bar
52mm pj

This 19mm range of pulls is manufactured from solid bar. With our custom length option we can supply you any length up to 2.4 metres.

Entrance Pull Handles > Solid Bar 19mm 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

Round Profile

- 7119 Straight (Pic)
7159 Offset







7120 Straight (Pic)
7160 Offset

7121 Straight
7161 Offset (Pic)


7122 Straight (Pic)
7162 Offset

7123 Straight (Pic)
7163 Offset

7124 Straight (Pic)
7164 Offset

19mm Custom Length Option



> All Stainless/Brass components

200mm crs
300mm o/a
19mm Ø bar
52mm pj

350mm crs
450mm o/a
19mm Ø bar
52mm pj

500mm crs
600mm o/a
19mm Ø bar
52mm pj

800mm crs
900mm o/a
19mm Ø bar
52mm pj

1100mm crs
1200mm o/a
19mm Ø bar
52mm pj

Any length to 2.4m
(Standard leg crs config. 100mm less than o/a measurement)
52mm pj

Finishes: SS PC

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

Entrance Pull Handles > 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance

Round Profile






7025

7026
1232 Combo*
1370 ML Combo**


7092

7093

7094

1800mm



> All Stainless/Brass components

250mm crs
450mm o/a
32mm Ø bar
78mm pj

400mm crs
600mm o/a
32mm Ø bar
78mm pj

700mm crs
900mm o/a
32mm Ø bar
78mm pj

1000mm crs
1200mm o/a
32mm Ø bar
78mm pj

1600mm crs
+ Mid Point
1800mm o/a
32mm Ø bar
78mm pj

Finishes: SS BLK (where shown) PC

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

* Combo Kits include 1 Pair Pull Handles, 1183 or 1184 Double Turn Lock Kit & 5264 60mm Floor Mount Doorstop.
** Mini Lever (ML) Combo Kits include 1 Pair Pull Handles, 1364 or 1365 Mini Lever Lock Kit & 5264 60mm Floor Mount Doorstop.

Ordering Leadtimes: 1-2 Days 14 Days Refer Inside Front Cover for further details on ordering leadtimes


13

12

Entrance Pull Handles > 304 Grade Stainless Steel

See Page 83-91 for Lock options
See Page 92 for Care and Maintenance
Fixings supplied for both timber and glass doors from 8mm–50mm thickness

Square Profile



200mm crs 300mm o/a 20 × 20mm bar 50mm pj	276mm crs 450mm o/a 25 × 25mm bar 68mm pj	426mm crs 600mm o/a 25 × 25mm bar 68mm pj	726mm crs 900mm o/a 25 × 25mm bar 68mm pj	1026mm crs 1200mm o/a 25 × 25mm bar 68mm pj	1626mm crs + Mid Point 1800mm o/a 25 × 25mm bar 68mm pj
--	--	--	--	--	---


Finishes: SS
BLK, GN (where shown)
PC

Sold as back to back pairs but also available as singles with face fix or rear through door fixing.

* Combo Kits include 1 Pair Pull Handles, 1183 or 1184 Double Turn Lock Kit & 5264 60mm Floor Mount Doorstop.
** Mini Lever (ML) Combo Kits include 1 Pair Pull Handles, 1364 or 1365 Mini Lever Lock Kit & 5264 60mm Floor Mount Doorstop.

Entrance Pull Handles > Solid Brass Gripsets, Pull Handles & Push Plates

Gripsets



Pull Handles On Plate



Push Plates



Melo & Minerva Style Pull Handles

