









@kwctapware

PR Kitchen & Washroom Systems

83 Bangholme Rd, Dandenong South VIC 3175 Tel: 03 9700 9100 www.kwcswiss.com.au

PR Kitchen & Washroom Systems NZ Ltd

P.O Box 53171, Auckland Airport, Auckland 2150 Tel: 09 964 0400 www.kwcswiss.co.nz



KWC FEATURES

Auto LED Shut Off



Easy Lock*



Highflex



Intelligent Control



Laminar Aerator



LED Shine



g.

Power Clean



Pull-Out



Spray Clean





Spray Lock



Swivel Spout



Touch Protect



Twist Protect*

Printed September 2019

KWC FEATURES

a.



Automatically shuts off LED Shine after 30 minutes.

b.



Ensures the pull-out is always in the right position and snaps it back into place for your convenience.*

C.



Move the tap in any direction with assurance it will remain stable when not in use.

d.



Replacing the conventional tap mixer, it reacts to a gentle tap for the ultimate convenience.

e.



Produces a clear, solid water stream with minimal splashing.

T.



Not only does LED Shine show the tiniest speck of dirt, it also makes a statement and lights up your workspace.

g.



From a standard spray to needle spray, easily control the flow of water from the spray head with a touch of a button.

h.



Ideal for filling pots and washing salads, it provides greater flexibility around the sink.

.



Removes limescale build-up while water is running, meaning cleaner water for you and your family.

J.



Keeps the water flow exactly how you like it with a continuous flow.

K.



Allows you to easily move your tap around the sink, extending your working area. Rotation is available from 120° to 360°.

l.



Features double skin technology to minimise burning. It allows the tap to become warm but not hot.

m.



Minimises knotting or twisting in the pull-out hose.*



WHY KWC?

Globally recognised as one of the finest tap makers, KWC achieves excellence through the constant pursuit of perfection in every step of the journey. Boasting functionality, innovation and design, KWC strives to enhance your kitchen with exclusive and premium product ranges.



Precise

We respond to our customers high expectations with precise solutions that encapsulates 140 years of experience in working with water. This promise applies both to the proven quality of our production processes and our commitment to Switzerland as a production location. It is also reflected in our well-established cooperation with employees, partners and customers in our reliable attention to detail and strong service philosophy.



Pure

KWC taps offer our customers extra value when it comes to comfort, care and investment security. Our solutions are developed in Switzerland and aim to fulfil the highest technological standards with intuitive and resource-friendly functions. This is because we share a long-term responsibility with our customers to use water, earths key resource, in a respectful way.



Elegant

The design elements of KWC's taps symbolise the Swiss Alps and its pure refreshing water. Our designs have won awards from international expert juries for their unique aesthetics and user-friendly ergonomics, while the aesthetic appearance of our taps ensures our customers' trust in the KWC brand.



In 1957, the first pull-out was invented by KWC.



Pure brass is used to make the fittings.



In 1978, KWC developed the first low-pressure die casting machine in the world.



Using low pressure die casting, the brass is melted and then poured into sand moulds.



Blanks for fittings.



Shape of the fitting in brass.




Each part is machined to meet the highest standards.






KWC Features	pg 9
KWC Range	pg 12
Era	pg 13
Zoe Touch Light Pro	pg 19
Zoe	pg 23
Eve	pg 27
Luna-E	pg 31
Inox	pg 35
Ava	pg 39
Ono	pg 43
Technical Drawings	pg 49
Warranty	pg 58

KWC FEATURES



Auto LED Shut Off

Automatically shuts off LED Shine after 30 minutes.




Easy Lock

Easy Lock is equipped with special positioning pins that ensures the pull-out is always in the right position.




Highflex

High Flex makes it possible to move the spring hose in every direction while ensuring it remains reliably table when note in use. Exclusive to the Ono range.




Intelligent Control

Intelligent Control reacts to a tap of your finger and can be programmed based on your personal habits and requirements. A light ring that indicates the current water temperature. Exclusive to the Zoe TLP range.




Laminar Aerator

Bring the beauty of laminar flow into your kitchen. Replacing the conventional mesh aerator, it produces a clear solid water stream with minimal splashing. Exclusive to the Era range.



LED Shine

LED Shine does more than just contrinbute to a special working atmosphere. This innovative feature makes it easier to see the tiniest speck of dirt and makes it possible to use the tap without turning on a light.



Power Clean

The spray you want at the touch of a button: Power Clean makes it easy to switch the flow of water on the spray head from a standard spray to a fine needle spray.



Pull-Out

A nozzle that pulls out of the tap, giving you greater flexibility to move around the sink.



Spray Clean

Actively helps with the removal of limescale build up. Any deposits are sprayed away when the water is running. A special fastening mechanism helps with more stubborn lime deposits.




Spray Lock

With Spray Lock, you can keep the jet of water from your tap flowing exactly how you want, even when the water is shut off. When you turn the water back on, the water flows in the same way again. Exclusive to the Inox range.




Twist Protect

Twist Protect prevents the pull-out hose from twisting or knotting.



Swivel Spout

Ranging from 120° to 360°, a swivel spout allows you to direct the water flow anywhere in the sink without a pull-out.



Touch Protect

Intelligently minimises scalding. An insulated hot water guidance system with a "double skin" principle means the body of the tap or the pull-out can become warm but never hot.



KWC RANGE























ERA

Available Features



2 Pull-Out

3 Spray Clean

4 Power Clean

5 Touch Protect

6 Laminar Aerator

TAP



Stainless Steel 10.392.024.700 WELS Reg: T33191







WELS Rating 5 star/ 6 Lpm

Spout Reach 230mm

Tech Drawing 1

= FEATURE INCLUDED

TAP



Stainless Steel 10.392.022.700 WELS Reg: T33193

Features 1 2 3 4 5 6
















Spout Reach 230mm

Tech Drawing

2

LEARN MORE ABOUT ERA



TAP



Stainless Steel 10.392.023.700

WELS Reg: T33192





WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 3

= FEATURE INCLUDED

TAP



Stainless Steel 10.392.323.700

WELS Reg: T33194





WELS Rating 5 star/ 6 Lpm

Spout Reach 230mm

Tech Drawing

4




SOAP DISPENSER



Stainless Steel Z.538.038.700

Capacity 300ml Mount Size ø26mm Tech Drawing 20





ZOE TLP.

Zoe Touch Light Pro is a tap controlled using intuition. It responds to a gentle touch and is extremely easy to program to suit your personal habits and needs.



Touch and refresh – 1 × tapBlue means cold water. Ideal for a glass of water, washing fruit or preparing salad.



Touch and clean – 2 x tapOrange means warm water. Ideal for washing your hands, rinsing a plate or filling small pans.



Touch and prepare – 3 × tapRed means hot water. Ideal for filling pasta pots and kettles or washing up roasting dishes and baking trays.

ZOE TLP

Available Features

- Swivel Spout 120° range
- 2 Pull-Out
- 3 Spray Clean
- 4 Power Clean
- 5 Touch Protect

- 6 LED Shine
- 7 Auto LED Shut Off
- 8 Intelligent Control

TAP



Matte Black 10.201.242.176 WELS Reg: T26837(V)



Stainless Steel 10.201.242.127 WELS Reg: T26838



Chrome 10.201.242.000 WELS Reg: T26837







Features 1 2 3 4 5 6 7 8 **WELS Rating** 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 5



= FEATURE INCLUDED

SOAP DISPENSER



Matte Black Z. 536.586.176



Stainless Steel Z.536.586.127



Chrome Z.536.586.000

Capacity

300ml

Mount Size

ø26mm

Tech Drawing 21

LEARN MORE ABOUT ZOE TLP











ZOE

Zoe brings a whole new level of luxury to your kitchen.
All of the latest trends in architecture and interior design have been incorporated into the development of Zoe.

ZOE

Available Features

- Swivel Spout 120° range
- 2 Pull-Out
- 3 Spray Clean
- 4 Power Clean
- 5 Touch Protect

- 6 LED Shine
- 7 Auto LED Shut Off

TAP



NEW **Matte Black** 10.201.122.176 WELS Reg: T25606



Stainless Steel 10.201.122.127 WELS Reg: T25608



Chrome 10.201.122.000 WELS Reg: T25606



Glacier White 10.201.122.150 WELS Reg: T25609



WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 6



= FEATURE INCLUDED

TAP WITHOUT LIGHT



Matte Black 10.201.102.176 WELS Reg: T25601(V)



Stainless Steel 10.201.102.127 WELS Reg: T25603



Chrome 10.201.102.000 WELS Reg: T25601

Features 1 2 3 4 5 6











WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 6



LEARN MORE ABOUT ZOE







SOAP DISPENSER



Matte Black Z. 536.586.176



Stainless Steel Z.536.586.127



Chrome Z.536.586.000



Glacier White Z.536.586.150

Capacity

300ml

Mount Size

ø26mm

Tech Drawing 22






EVE

Designed to appeal to your sense of elegance, the integrated LEDs illuminate the jet of water to create an enchanting sculpture of light. Eve is a shining example of sustainable innovation.



EVE

Available Features





3 Touch Protect

4 LED Shine

5 Auto LED Shut Off





Black Chrome 10.121.103.151 WELS Reg: T11096



Stainless Steel 10.121.103.700 WELS Reg: T11096



Chrome 10.121.103.000 WELS Reg: T11096



Glacier White 10.121.103.150 WELS Reg: T11096



WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 7

= FEATURE INCLUDED

TAP

WITHOUT LIGHT



Stainless Steel 10.111.103.700 WELS Reg: T11095



Chrome 10.111.103.000 WELS Reg: T11095









WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 7



LEARN MORE ABOUT EVE



SOAP DISPENSER



Black Chrome Z. 536.586.176



Stainless Steel Z.536.063.700



Chrome Z.536.063.000



Glacier White Z.536.063.150

Capacity 300ml

Mount Size

ø26mm

Tech Drawing 23







LUNA-E

Available Features



2 Pull-Out

3 Spray Clean

4 Power Clean

5 Touch Protect

TAP



Stainless Steel 10.441.023.700 WELS Reg: T31573



Chrome 10.441.023.000 WELS Reg: T31572



NEW **Matte Black** 10.441.023.176 WELS Reg: T31572 (V)



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 225mm

Tech Drawing 8

= FEATURE INCLUDED

TAPS



Stainless Steel 10.441.113.700 WELS Reg: T31571







WELS Rating 4 star/ 7.5 Lpm

Spout Reach 225mm

Tech Drawing 9



LEARN MORE ABOUT LUNA-E



TAP



Chrome 10.441.033.000 WELS Reg: T31570



NEW **Matte Black** 10.441.033.176 WELS Reg: T31570 (V)



WELS Rating 4 star/ 7.5 Lpm


Spout Reach 220mm

Tech Drawing 10

= FEATURE INCLUDED

= FEATURE NOT INCLUDED





INOX

Available Features

Swivel Spout 160° range

2 Pull-Out

3 Power Clean

4 Spray Clean

5 Spray Lock

6 Touch Protect

TAP



Stainless Steel 10.271.033.700

WELS Reg: T16054

Features 1 2 3 4 5 6

WELS Rating 4 star/ 7.5 Lpm

Spout Reach 235mm

Tech Drawing 12

LEARN MORE ABOUT INOX



SOAP DISPENSER



Stainless Steel Z.536.062.700

Capacity 300ml

Mount Size

ø26mm

Tech Drawing 24








Simply beautiful. Simply water.





Available Features





3 Spray Clean

4 Power Clean

5 Touch Protect

TAP



Chrome 10.191.023.000 WELS Reg: T05456



WELS Rating 5 star/ 6 Lpm

Spout Reach 210mm

Tech Drawing 13

= FEATURE INCLUDED

TAP



Chrome 10.191.033.000 WELS Reg: T16254



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 210mm

Tech Drawing 14

LEARN MORE ABOUT AVA



Ava Tap Information


SOAP DISPENSER



Chrome Z.536.159.000

Capacity 300ml Mount Size ø26mm Tech Drawing 25





ONO

Available Features





3 Spray Clean

4 Power Clean

5 Touch Protect

6 Highflex

TAP







Chrome 10.151.023.000 WELS Reg: T16251



WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 15

= FEATURE INCLUDED

TAP



Stainless Steel 10.151.033.700 WELS Reg: T16252



Chrome 10.151.033.000 WELS Reg: T16252



WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 16

LEARN MORE ABOUT ONO



TAP







Chrome 10.151.102.000 WELS Reg: T16253







WELS Rating 5 star/ 6 Lpm

Spout Reach 225mm

Tech Drawing 17

= FEATURE INCLUDED

TAP



Chrome 10.151.003.000 WELS Reg: T17914










WELS Rating 5 star/ 6 Lpm

Spout Reach 220mm

Tech Drawing 18

ONO

Available Features



- 2 Pull-Out
- 3 Spray Clean
- 4 Power Clean
- 5 Touch Protect



TAP



Chrome 10.151.423.000 WELS Reg: T04881



WELS Rating 4 star/ 7.5 Lpm

Spout Reach 220mm

Tech Drawing 19

= FEATURE INCLUDED

SOAP DISPENSER





Stainless Steel Z.536.060.700

Chrome Z.536.060.000

Capacity

300ml

Mount Size

ø26mm

Tech Drawing 26









TECHNICAL DRAWINGS - TAP


1 ERA – pg. 15




3 ERA – pg. 16




5 ZOE TLP – pg. 21




2 ERA – pg. 15




4 ERA – pg. 16




6 ZOE - pg. 25




7 EVE - pg. 29




8 LUNA-E – pg. 33




9 LUNA-E – pg. 33




10 LUNA-E – pg. 34




11 INOX – pg. 37




12 INOX – pg. 37




AVA – pg. 41




AVA – pg. 41




ONO – pg. 45




ONO – pg. 45




ONO – pg. 46




ONO – pg. 46







20 ERA – pg. 18




ZOE TLP – pg. 21




ZOE – pg. 26




EVE - pg. 30




INOX – pg. 38



AVA – pg. 42









KWC taps are covered with a 15 year warranty.*

Scan the below code for full terms and conditions.







