

FIND THE RIGHT RIDE

We have sleds for every type of rider. Tell us what kind you are, and we'll steer you toward the perfect match.

> **BUYER'S GUIDE** arcticcat.com/snowbuyersguide





arcticcat.com

Snowmobiling is serious fun. Be sure to read and understand your owner's manual and please pay special attention to the safety instructions. Arctic Cat Inc. endorses and encourages the safe use of all snowmobiles. Be careful; you can get hurt. Wear an approved helmet and don't drink and ride. Be aware of natural hazards you may encounter, allow yourself plenty of room to safely stop your snowmobile under all conditions, and maintain your equipment. Your safety is in your hands, so take care. All scenes depicted or described in this brochure were performed by professional riders under carefully controlled conditions. Leave the fancy riding to the pros; they practice for years and train very hard to make it look easy. Never attempt to duplicate these maneuvers or encourage others to do so. We care about your safety and enjoyment of the sport. All materials and specifications are subject to change without notice. All specifications, competitive specifications, claims and information contained within are based on current knowledge and readily available printed material available as of January 1, 2023. All rights reserved. Cobra™ and Ripsaw™ are trademarks of Camso Inc. FOX®, FOX FLOAT® and FOX® ZERO are registered trademarks of FOX Racing Shox. Garmin is a trademark of Garmin Ltd. or its subsidiaries. ADAPT™, Alpha One®, Arctic Cat®, Arctic Mountain Suspension™, Arctic Race Suspension™, ARS™, Ascender™, Arctic Wishbone Suspension™, AWS™, Bearcat®, CATALYST™, C-TEC2™, C-TEC4™, CVTEC™ATAC[®], Mountain Cat[®], Power Claw™, ProClimb™, SLIDE-ACTION Rear Suspension™, Sno Pro[®], Sno-Cross™, Team Arctic[®], Thundercat[®], Torque-Sensing Link™ and ZR[®] Norseman[®] and BLAST[®] are trademarks or registered trademarks of Arctic Cat Inc. The Arctic Cat snow mobile brand is among the most widely recognized and respected in the industry. The company designs, engineers, manufactures and markets snowmobiles, in addition to related parts, garments and accessories under the Arctic Cat brand name. Offerings and features are subject to change without notice. For more information, visit: www.arcticcat.com. ARCTICCAT.COM ARCTIC CAT'S ONLINE HQ. EVERYTHING FROM MACHINES AND SPECS DOWN TO THE ACCESSORIES AND GEAR YOU NEED TO TAKE ON THE WORLD. Part #82655-G5.



THIS CHANGES EVERYTHING NOMATTER HOW YOU RIDE.

PLATFORM

We build sleds for every kind of rider and constantly push the envelope of performance. Now, our all-new, built-from-the-skis-up CATALYST[™] platform joins decades of industry leading designs. No matter what kind of rider you are, you'll find your next sled right here. YOU'LL FEEL THE DIFFERENCE IN EVERY TAKEOFF, TURN AND JUMP

> These sleds are up to 10 percent lighter for incredible agility. We used fewer parts, lighter seats, a redesigned intake configuration and many other weightsaving components that all work together to create a better ride.



Get more details on the CATALYST

DESIGNED FOR THE DEMANDS OF ANY RIDER

The steering and suspensions are optimized to provide the performance, handling and balance required for the differing demands of mountain, trail and crossover riders. This includes both front and rear suspensions, spindles, steering, the seat, the drive system and even running boards.

CORNER AND CARVE WITH LESS EFFORT

From the exclusive laydown engine design to the innovative and narrow ADAPT[™] CVT System, we focused on keeping the weight of the sled centralized and balanced for incredible handling.

STYLE AND PERFORMANCE

The CATALYST platform sleds look both sleek and aggressive, yet the advanced design goes much deeper than the appearance. In addition to a new, more aerodynamic body, the panels themselves were reengineered to provide seamless transitions in the body to further streamline each sled.

THE ALL-NEW

CATALYST REVOLUTIONIZING RIDING

The CATALYST[™] platform is much more than just aggressive, cutting-edge looks. Its technological advancements set it apart from anything you've ridden before. Go beneath the surface and see how this leap in performance – which has been years in the making – changes everything.



Get more details on the CATALYST platform at arcticcat.com/catalyst

OUTSTANDING DURABILITY

7

An ultra-high-strength steel, one-piece chassis with an aluminum tunnel provides rock-solid support in a compact body for improved ergonomics. The all-new design includes improved weld joints on the chassis to mitigate stress, resulting in stronger, more efficient components, which are easier to service.





EASY MAINTENANCE Accessing key components, such as belts, the oil reservoir and coolant, is nearly effortless. You'll experience less rope wear with the new recoil rope routing. Even the seat is easily removed for quick access to the battery compartment.

7

IMPROVED COOLING

The all-new heat exchanger in the CATALYST platform features a fin profile that provides the maximum surface area for improved cooling performance, even in low-snow conditions. The snow flap design on the trail and crossover models offers better cooling performance no matter what trail conditions you face.

REDEFINED ERGONOMICS

With revised body panels, a tapered tunnel, a reengineered fuel tank, a redesigned seat and optimal rider geometry, the CATALYST platform minimizes fatigue, giving you greater confidence and control. The redesigned running boards and composite toe stops will decrease vibrations in your feet.

CENTRALIZED DESIGN



CATALYST REAL RIDERS. REAL REACTIONS.

SO MUCH MORE MANEUVERABILITY." SARA T. | WASILLA, AK

When we first introduced the new CATALYST[™] platform, we knew it was the kind of ride you had to experience to truly understand. From countless entries into our Casting Call contest, six winners from across the country were chosen. In January, these lucky few gathered in Togwotee Pass, WY, to ride new sleds alongside the Black Cats.

> → "THIS THING'S UNREAL."

> > TRENT S. SPRINGVILLE, UT



"IT'S JUST PERFECT."

BOB K. | BIGFORK, MN

Get more details on the CATALYST platform at arcticcat.com/catalyst

"UNBELIEVABLE. OUTSTANDING RIDE. A WHOLE 'NOTHER LEVEL."

JIM E. | MINOCQUA, WI







ADVANCED ARCTIC CAT TECHNOLOGY

MORE REASONS TO SHARE THE RIDE

Finding new ways to give you an incredible riding experience is what we do. We push the limits, making changes both big and small, so that every time you're riding an Arctic Cat, it's a ride worth sharing.

SINGLE-BEAM REAR SUSPENSION

Maneuver your sled and carve tighter with less effort than riders on conventional, dual-rail snowmobiles. As the industry's only lightweight, single-beam design, the ALPHA ONE[®] suspension provides an unprecedented level of agility, designed to help you move around the mountain like a pro.

AVAILABLE ON: M 600, M 8000 MOUNTAIN CAT, M 8000 HARDCORE, BLAST[®] M 4000, RIOT X 8000

CONTINUOUSLY VARIABLE TRANSMISSION

ADAPT[™] provides a smoother takeoff with consistent power delivery at slow speeds for a better overall ride. It's all thanks to an idler bearing that keeps belt temperatures down, helping belts stay tighter at all speeds. This truly one-of-a-kind self-adjusting clutch stands as yet another industry-exclusive Arctic Cat offering.

AVAILABLE ON: EVERY FULL-SIZED SLED

The terrain can change in a hurry. With ATAC[®] Adjustable-On-the-Fly Suspension, you can adapt just as quickly without having to get off your snowmobile to manually adjust the shocks. With the push of a button, you can choose between two customizable rider profiles, three firmness settings and engage lockout mode.

AVAILABLE ON: RIOT 600, RIOT 8000, RIOT 9000, ZR 600, ZR 8000, ZR 9000 THUNDERCAT



GARMIN

GARMIN GPS

Our Garmin[™] Tread[®] GPS kit lets you experience the fun and togetherness of snowmobiling like never before. Featuring a bright, high-resolution 5.5" touch screen, this optional GPS aftermarket kit comes preloaded with terrain maps, navigational tools and group ride technology to keep everyone connected.

AVAILABLE ON: ALL MID-SIZED AND FULL-SIZED SNOWMOBILES *Not available in Canada

CATALYST ATACH

ATACH ACCESSORY SYSTEM

ATACH by Arctic Cat revolutionizes the rider experience, allowing users to customize their vehicle more quickly and easily than ever before. Standard on the CATALYST™ platform, this all-new system is seamlessly integrated onto the tunnel and is completely secure. Simply snap your accessories into place – no unsightly rivets or bolts here. ATACH also features key locks that allow you to secure a variety of bags and accessories onto your sled. Plus, the rugged, high-strength composite design is built to stand up against the harshest conditions. With ATACH, you'll have everything you need for any adventure.

AVAILABLE ON: M 600, RIOT 600, ZR 600, ZR 600 R-XC



ELECTRONIC POWER STEERING (EPS) Speed and control meet to give you greater

confidence, superior handling and less fatigue. Arctic Cat was the first to put EPS on our high-performance, turbocharged sleds for an unmatched level of steering ease and comfort.

AVAILABLE ON: RIOT 9000, ZR[®] 9000 RR AND ZR 9000 THUNDERCAT[®]

MOUNTAIN

EXPLORE NEW HEIGHTS

Our all-new CATALYST[™] platform M 600 mountain sled responds instantly to every input. Because it takes less effort to corner, cut and maneuver, it makes you the deciding factor on the mountain. It joins a lineup where Arctic Cat already reigns supreme, thanks to the ALPHA ONE[®] Single-Beam Rear Suspension on all of our mountain sleds.

CATALYST

M 600

This lightweight new design gives you unmatched agility and the ability to stay on top of the snow for complete control no matter where on the mountain your next ride takes you.

- > All-new CATALYST platform offers enhanced maneuverability, control and comfort.
- > Upgraded C-TEC2[™] 599cc, 600-series engine with 125-class horsepower lets you keep up with the best of them.
- > Arctic Cat M Belt Drive provides a lightweight, low-maintenance drive system that efficiently gets power to the track.
- > AWS 36" front suspension utilizes a mountain-specific design that allows riders to maneuver confidently around obstacles.
- > Optimized centerline vertical steering for technical mountain riding with ease.



M 8000 HARDCORE

Take on big climbs and grab bigger air. If you're craving the extreme and ready to outdo the rest of your crew, the Hardcore is your ride.

R

- > C-TEC2 794cc, 165HP-class engine delivers clean, responsive and powerful 2-stroke performance.
- > FOX® 1.5 ZERO QS3/QSL Coil-Over Ski and Track Shocks offer fade-free performance and smooth riding in the bumps.
- > ALPHA ONE Single-Beam Rear Suspension provides enhanced maneuverability and flotation in deep snow.



M 8000 MOUNTAIN CAT

Pushing the limits is part of the fun, and the Mountain Cat offers thrills for everyone, from backcountry firsttimers to master boondockers getting into deep snow.

R

- > C-TEC2 794cc, 165HP-class engine delivers clean, responsive and powerful 2-stroke performance.
- > Power Claw[™] Track is available in 146" with 2.6" lug, 154" with 2.6" or 3.0" lug, or 165" with 3.0" lug to match your riding style.
- > ALPHA ONE Single-Beam Rear Suspension provides enhanced maneuverability and flotation in deep snow.







BLAST M 4000

Capable, lightweight and nimble, the BLAST[®] M is perfect for new mountain riders looking to get in on the fun and see what they're made of.

- > 397cc, single cylinder C-TEC2 65HP-class engine packs plenty of power and features push-button reverse.
- > ALPHA ONE Single-Beam Rear Suspension provides enhanced maneuverability and flotation in deep snow.
- > 36" Arctic Mountain ski stance delivers an aggressive mid-sized ride.

R

CROSSOVER

ANY TERRAIN, ANY TIME

The all-new RIOT 600 CATALYST[™] sled has advanced rider geometry with lighter, tighter steering that makes you a more confident rider. With Arctic Cat's crossover sleds, you get the superior control and unrivaled flexibility to make each ride a thrill.







RIOT 600

You are in total control on the CATALYST platform RIOT 600. With handling that's lighter and more responsive than anything you've ever ridden, you'll find excitement around every turn.

- > All-new CATALYST platform offers enhanced maneuverability, control and comfort.
- > Upgraded C-TEC2[™] 599cc, 600-series engine with 125-class horsepower lets you keep up with the best of them.
- > AWS 39" front suspension with ratio-steering brings unmatched control and maneuverability to every ride.
- > Centerline variable ratio steering for the performance of power steering without the weight.



RIOT X 8000

Riding in deep snow may be your first love, but with the versatile RIOT X you've got everything you need to conquer the trail, too.

R

- > C-TEC2 794cc, 165HP-class engine delivers clean, responsive and powerful 2-stroke engine performance.
- > ALPHA ONE[®] Single-Beam Rear Suspension brings more maneuverability in the backcountry.
- > AMS front suspension with 40" wide ski stance and sway bar provides better trail manners without giving up deep snow maneuverability.



RIOT 8000 | RIOT 9000

Whether you love flying down trails or exploring unridden backcountry, RIOT sleds bring the excitement.

- > C-TEC2 794cc, 165HP-class or C-TEC4[™] 998cc Turbo with 200HPclass engines provide power options for everyone.
- > Available ATAC[®] Adjustable On-the-Fly Suspension with three modes allows you to adjust to the terrain with a push of a button.
- > ARS[™] II front suspension and CROSS-ACTION rear suspension offer a smoother ride, better cornering on-trail and excellent weight transfer off-trail.



Touring sled, because every ride is better when

- accommodate a passenger for a stable, enjoyable 2-up ride.
- > 146" Ripsaw[™] track with 1.25" lug provides excellent trail performance.



BLAST XR 4000

R

The BLAST XR is easy on first-timers, yet has the nimble performance and versatility on- and off-trail that keeps even the most experienced riders coming back for more.

- > 397cc, single cylinder, C-TEC2 65HP-class engine packs plenty of power and features push-button reverse.
- > Lightweight mid-sized chassis offers easier handling and maneuverability.
- > Slide-rail rear suspension with a 146" Cobra^m track is built to tackle on- and off-trail snow conditions.

R

TRAIL

NNN

ADVENTURE WILL FIND YOU

The CATALYST[™] platform ZR[®] 600 and ZR 600 R-XC deliver a combination of lightweight agility and trail performance that's like nothing you've experienced before. They're just the latest additions to a lineup that's never been afraid to blaze trails, including the ZR Thundercat[®], the world's fastest production snowmobile.





ZR 600 SLIDE-ACTION ADAPT ATAC

The lightweight, nimble CATALYST platform ZR 600 responds instantly to every input, adding a new level of excitement and confidence to every ride.

- > All-new CATALYST platform offers enhanced maneuverability, control and comfort.
- > Upgraded C-TEC2[™] 599cc, 600-series engine with 125-class horsepower lets you keep up with the best of them.
- > AWS 42" front suspension delivers confidence-inspiring handling for any rider level with increased control.



ZR 600 R-XC

The toughest terrain requires a sled that's incredibly agile, easy to control and just as tough as the terrain its taking on. That's why cross-country racers and aggressive trail riders will turn to the CATALYST platform ZR 600 R-XC.

- > All-new CATALYST platform offers enhanced maneuverability, control and comfort
- > Upgraded C-TEC2 599cc, 600-series engine with 125-class horsepower lets you keep up with the best of them.
- > R-XC SLIDE-ACTION[™] rear suspension with adjustable rear coupling delivers a wide range of transfer control.
- > FOX[®] QS3R ski and rear track shock and QS3 front track **shock** provides adjustable shock settings based on terrain and riding style to increase confidence and control.



ZR 9000 THUNDERCAT

When speed is your thing, there's just one choice. The ZR Thundercat is the world's fastest production snowmobile, giving you an experience nothing else can match.

- > C-TEC4[™] turbocharged 998cc 3-cvlinder engine delivers instant 200-class horsepower that keeps you way ahead of the pack.
- > Electronic power steering provides optimal handling and less rider fatique.
- > ATAC[®] Adjustable On-the-Fly Suspension allows you to adjust to the terrain with a push of a button.



ZR 7000 | ZR 8000

N


Agility. Control. And plenty of oomph. These are just a few of the reasons you'll find everyone from long-timers to first-timers behind the controls of the ZR.

- > C-TEC4, 1049cc or C-TEC2, 794cc engine options make it easy to find the power level that meets your riding style.
- > ARS[™] II front suspension delivers confidence-inspiring handling for any rider level, with increased cornering control and ground clearance.
- > Arctic Cat IFP, FOX ZERO QS3 or ATAC suspension packages allow for a customizable experience.

14








TRAIL











ZR 8000 RR | ZR 9000 RR

When fast just isn't fast enough, you'll find the speed you're looking for in the ZR° line of race sleds, including the turbocharged ZR 9000 RR equipped with Electronic Power Steering (EPS).

R

- > C-TEC2[™] 794cc, 165HP-class or C-TEC4[™] 998cc Turbo with 200HP-class engines provide power options for everyone.
- Premium FOX[®] ZERO QSR3 Kashima-Coated shocks offer enhanced support for any trail conditions.
- > ARS[™] II front suspension delivers confidence-inspiring handling for any rider level, with increased cornering control and ground clearance.



BLAST ZR 4000

Make every ride one to remember behind the controls of the easy-to-handle, mid-sized BLAST[®] ZR.

- > 397cc, single-cylinder C-TEC2 65HP-class engine packs plenty of power and features push-button reverse.
- > BLAST ZR cockpit design allows for easier handling for any size rider.
- > Slide-Rail rear suspension with 121" track provides plenty of agility and traction to conquer every twist and turn on the trail.



PANTERA 7000

Grab a friend, explore the new trails and experience everything the outdoors has to offer in complete comfort on your Pantera 7000.

- > 1049cc, 3-cylinder C-TEC4 135HP-class engine offers a quiet and smooth ride without compromising any power.
- > ARS II front suspension delivers confidence-inspiring handling for any rider level, with increased cornering control and ground clearance.
- > Premium heated 2-up seats provide unmatched comfort for you and a passenger all day long.

R

R

UTILITY



A JOB WELL DONE

Arctic Cat has perfected the formula for performance, whether there's a job to be done or excitement to be found.



NORSEMAN X 8000

There's no quit in the Norseman[®] X. Tackle those heavy-duty jobs then feel free to open up the throttle and have some fun.

- > C-TEC2[™] 794cc, 165HP-class engine delivers clean, responsive and powerful 2-stroke engine performance.
- > XTRA-ACTION[™] rear suspension improves maneuverability for towing and hauling.
- > Standard tow hitch, rear rack and tunnel bag ensure you have all the right gear for the job.



BLAST LT 4000

XTRA ACTION

Once you've checked that last item on your to-do list, let loose behind the controls of the nimble and responsive BLAST[®] LT.

K

- > 146" Cobra[™] track with 1.6" lug offers the perfect grip for a wide variety of tasks.
- > XTRA-ACTION rear suspension improves maneuverability for towing and hauling.
- > Standard rear rack provides ample space for gear while a 15.5" windshield protects you from the elements.





YOUTH

IT'S LOVE AT FIRST RIDE

Your first Arctic Cat will transform you into a lifelong rider. With the perfect combination of power, control and safety features, these sleds will set the standard and ignite a life-long passion.



ZR 120

K

They've watched mom, dad, brothers and sisters ride. Now your young one is ready for the excitement only the ZR[®] 120 can deliver. It's time for an experience they'll remember forever.

- > 4-stroke engine is speed-governed to 8mph and easy to start.
- Safety features including always-on headlights and taillights, a safety flag for visibility and a removable key to keep the parents in control.
- > A-Arm front suspension brings the same level of support as a full-size Arctic Cat sled.



ZR 200

 κ

When your adventurous young rider has outgrown the backyard and is ready to tackle a trail or tag along with you, upgrade them to the ZR 200.

- > SSCC trail certification makes it legal to ride on public trails where applicable with a certified snowmobiler.
- > 192cc fan-cooled, single-cylinder 4-stroke engine delivers extra fun out on the trail.
- > Longer track and tunnel, higher seat and handlebar and five front and rear spring adjustment settings mean this sled is designed for transitional riders.





NEW CATALYST 2









	M 600	M 8000 HARDCORE	M 8000 MOUNTAIN CAT	BLAST M	RIOT 600	RIOT X 8000	RIOT 9000
KEY TECHNOLOGIES (†Optional)	ADAPT, ALPHA ONE, ATACH	ADAPT, ALPHA ONE	ADAPT, ALPHA ONE	ALPHA ONE	ADAPT, ATAC [†] , ATACH	ADAPT, ALPHA ONE	ADAPT, ATAC [†] , EPS
COLOR OPTIONS							
STANDARD COLORS	Black or Star White	Skye Blue	Skye Blue	Dynamic Charcoal / Skye Blue	Black or Sunset Orange	Medium Green	Medium Green
ENGINE							
ENGINE / TYPE / DISPLACEMENT / Cooling / Cylinders	600 Series / 2-Stroke / 599cc / Liquid / 2 Cylinder	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder	600 Series / 2-Stroke / 599cc / Liquid / 2 Cylinder	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	9000 Series / 4-Stroke / 998cc / Liquid / 3 Cylinder - Turbocharged
FUEL CAPACITY / OIL SYSTEM CAPACITY	10.4 gal / 2.85 qt	10.4 or 11.7 gal / 3.25 qt	10.4 or 11.7 gal / 3.25 qt	10.4 gal / 3.25 qt	10.4 gal / 3 qt	11.7 gal / 3.25 qt	9.9 gal / 3.8 qt
DRIVE CLUTCH	ADAPT	ADAPT	ADAPT	CVTech Trailbloc	ADAPT	ADAPT	ADAPT
DRIVEN CLUTCH	ADAPT	ADAPT	ADAPT	CVTech Invance	ADAPT	ADAPT	ADAPT
SUSPENSION							
FRONT SUSPENSION	Arctic Wishbone Suspension (AWS) 36	Arctic Mountain Suspension (AMS)	Arctic Mountain Suspension (AMS)	Arctic Mountain Suspension (AMS)	Arctic Wishbone Suspension (AWS) 39	Arctic Mountain Suspension (AMS)	Arctic Race Suspension (ARS) II with ATAC
REAR SUSPENSION	ALPHA ONE Rear Suspension	ALPHA ONE Rear Suspension	ALPHA ONE Rear Suspension	ALPHA ONE Rear Suspension	CROSS-ACTION with 3 Wheel Rear Axle Assembly, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs, with or without ATAC	ALPHA ONE Rear Suspension	CROSS-ACTION with 3 Wheel Rear Axle Assembly, Torque-Sensing Link Rear Arm, Adjustable Torsion Springs and ATAC
SKI SHOCKS	Arctic Cat IFP 1.5	FOX 1.5 ZERO QS3 COIL-OVER	FOX FLOAT 3 QS3	Hydraulic Twin Tube	Arctic Cat IFP 1.5 or FOX 1.5 ZERO iQS	FOX 1.5 ZERO QS3 COIL-OVER	FOX 1.5 ZERO iQS
FRONT TRACK SHOCK	Arctic Cat IFP 1.5	FOX 1.5 ZERO QS3 COIL-OVER	FOX FLOAT 3 QS3	Hydraulic Twin Tube	Arctic Cat IFP 1.5	FOX 1.5 ZERO QS3 COIL-OVER	Arctic Cat IFP 1.5
REAR TRACK SHOCK	Arctic Cat IFP 1.5	FOX 1.5 ZERO QS3 COIL-OVER	FOX FLOAT 3 QSL	Hydraulic Twin Tube	Arctic Cat IFP 2.0 or FOX 2.0 ZERO iQS	FOX 1.5 ZERO QSL COIL-OVER	FOX 2.0 ZERO iQS
CHASSIS & TRACK							
CHASSIS OVERALL LENGTH / WIDTH / HEIGHT	122 in. or 126.5 in. / 42-44 in. / 50 in.	128 in. or 132 in. or 137 in. / 42.5-44.5 in. / 50 in.	128 in. or 132 in. or 137 in. / 42.5-44.5 in. / 50 in.	128 in. / 42.5-44.5 in. / 48 in.	130.5 in. / 48-49 in. / 49 in.	131 in. / 46.5-48.5 in. / 49 in.	132 in. / 48-49 in. / 48 in.
TRACK TYPE	PowerClaw	PowerClaw	PowerClaw	Challenger	Cobra (1.6) or Hurricane (1.75)	PowerClaw	Cobra
TRACK WIDTH / LENGTH / LUG	15 in. / 146 in. or 154 in. / 2.6 in. or 3.0 in.	15 in. / 146 in. or 154 in. or 165 in. / 2.6 in. or 3.0 in.	15 in. / 146 in. or 154 in. or 165 in. / 2.6 in. or 3.0 in.	15 in. / 146 in. / 2.0 in.	15 in. / 146 in. / 1.6 in. or 1.75 in.	15 in. / 146 in. / 2.6 in.	15 in. / 146 in. / 1.6 in.
SKI STANCE	35-37 in. Adjustable	35.5-37.5 in. Adjustable	35.5-37.5 in. Adjustable	35.5-37.5 in. Adjustable	38-40 in. Adjustable	39.5-41.5 in. Adjustable	41.5-43.5 in. Adjustable
FEATURES							
STARTER	Electric Push-Button (Manual Available on Select Models)	Electric Push-Button or Manual	Electric Push-Button or Manual	Electric Turn-Key	Electric Push-Button	Electric Push-Button	Electric Push-Button
HEADLIGHTS	LED	LED with Accent	LED with Accent	Halogen 1-Bulb	LED	LED with Accent	LED with Accent
WINDSHIELD	N/A	1 in. Mountain-Height	1 in. Mountain-Height	4 in. Low-Height	6 in. Low-Height	1 in. Mountain-Height	5.5 in. Race-Height
STANDARD FEATURES	12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front/Short Tunnel Heat Exchanger, Ice Scratchers, Standard Brake Disc, Vertical Steering, ATACH 4-Point Latching System, Mountain Seat, Tether Switch, Visor Plug-Ins	12v Outlet, Sport Front Bumper, Goggle Holder, Handlebar Bag, Hand & Thumb Warmers, Front/Short Tunnel Heat Exchanger, Ice Scratchers, Lightweight Mountain Brake Disc, Vertical Steering, Mountain Storage Bag, Lightweight Mountain Seat, Tether Switch	12v Outlet, Sport Front Bumper, Goggle Holder, Handlebar Bag, Hand & Thumb Warmers, Front/Short Tunnel Heat Exchanger, Ice Scratchers, Lightweight Mountain Brake Disc, Vertical Steering, Mountain Storage Bag, Lightweight Mountain Seat, Tether Switch	Hand & Thumb Warmers, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Lightweight Mountain Seat, Tether Switch	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front/ Long Tunnel Heat Exchanger, Ice Scratchers, Standard Brake Disc, Standard Steering, ATACH 4-Point Latching System, Trail Seat, Tether Switch, Visor Plug-Ins	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front/ Long Tunnel Heat Exchanger, Ice Scratchers, Lightweight Mountain Brake Disc, Vertical Steering, Mountain Storage Bag, Mountain Seat, Tether Switch	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front, Long Tunnel Heat Exchanger, Heated Driver's Seat, Ice Scratchers, Standard Brake Disc, Electronic Power Steering Mid Tunnel Bag, Mountain Seat, Tether Switch



RIOT 8000

BLAST XR

BLAST XR TOURING

ADAPT, ATAC[†]

	Medium Green	Dynamic Charcoal / Sunset Orange	Dynamic Charcoal / Sunset Orange			
	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder	4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder			
	11.7 gal / 3.25 qt	11.7 gal / 3.25 qt	11.7 gal / 3.25 qt			
	ADAPT	CVTech Trailbloc	CVTech Trailbloc			
	ADAPT	CVTech Invance	CVTech Invance			
	Arctic Race Suspension (ARS) II with or without ATAC	Arctic Mountain Suspension (AMS)	Arctic Mountain Suspension (AMS)			
, m,	CROSS-ACTION with 3 Wheel Rear Axle Assembly, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs, with or without ATAC	Slide-Rail, Dual Shock and Adjustable Torsion Springs	Slide-Rail, Dual Shock, Adjustable Torsion Springs and Overload Springs			
	FOX 1.5 ZERO QS3 or FOX 1.5 ZERO iQS	Hydraulic Twin Tube	Hydraulic Twin Tube			
	Arctic Cat IFP 1.5	Hydraulic Twin Tube	Hydraulic Twin Tube			
	FOX 2.0 ZERO QS3 or FOX 2.0 ZERO iQS	Hydraulic Twin Tube	Hydraulic Twin Tube			
	132 in. / 48-49 in. / 48 in.	128 in. / 44-45 in. / 45 in.	128 in. / 46-47 in. / 51 in.			
	Cobra	Cobra	Ripsaw			
	15 in. / 146 in. / 1.6 in.	15 in. / 146 in. / 1.6 in.	15 in. / 146 in. / 1.25 in.			
	41.5-43.5 in. Adjustable	37.5-38.5 in. Adjustable	39.5-40.5 in. Adjustable			
	Electric Push-Button	Electric Turn-Key	Electric Turn-Key			
	LED with Accent	Halogen 1-Bulb	Halogen 1-Bulb			
	5.5 in. Race-Height	4 in. Low-Height	15.5 in. High-Height			
t nt/ r, e ng, at,	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front/ Long Tunnel Heat Exchanger, Ice Scratchers, Standard Brake Disc, Standard Steering, Mid Tunnel Bag, Mountain Seat, Tether Switch	Hand & Thumb Warmers, Front/ Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Mountain Seat, Tether Switch	Sway Bar, Hand & Thumb Warmers, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Passenger Seat, Mountain Seat, Tether Switch			













	ZR 600	ZR 600 R-XC	ZR 9000 THUNDERCAT	ZR 9000 RR	ZR 8000 RR	ZR 8000	ZR 7000	BLAST ZR	PANTERA 7000	NORSEMAN X 8000	BLAST LT	ZR 200	ZR 120
KEY TECHNOLOGIES (†Optional)	ADAPT, ATAC [†] , ATACH	ADAPT, ATACH	ADAPT, ATAC [†] , EPS	ADAPT, EPS	ADAPT	ADAPT, ATAC [†]	ADAPT		ADAPT	ADAPT			
COLOR OPTIONS													
STANDARD COLORS	Black or Galaxy Blue	Medium Green	Black Magic	Medium Green	Medium Green	Medium Green	Woody's Orange	Dynamic Charcoal / Medium Green	Black	Fire Red	Dynamic Charcoal/Fire Red	Medium Green	Medium Green
ENGINE													
ENGINE / TYPE / DISPLACEMENT / COOLING / CYLINDERS	600 Series / 2-Stroke / 599cc / Liquid / 2 Cylinder	600 Series / 2-Stroke / 599cc / Liquid / 2 Cylinder	9000 Series / 4-Stroke / 998cc / Liquid / 3 Cylinder - Turbocharged	9000 Series / 4-Stroke / 998cc / Liquid / 3 Cylinder - Turbocharged	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	7000 Series / 4-Stroke / 1049cc / Liquid / 3 Cylinder	4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder	7000 Series / 4-Stroke / 1049cc / Liquid / 3 Cylinder	8000 Series / 2-Stroke / 794cc / Liquid / 2 Cylinder	4000 Series / 2-Stroke / 397cc / Liquid / 1 Cylinder	200 Series / 4-Stroke / 192cc / Air / 1 Cylinder	120 Series / 4-Stroke / 123cc / Air / 1 Cylinder
FUEL CAPACITY / OIL SYSTEM Capacity	10.4 gal / 3 qt	10.4 gal / 3 qt	9.9 gal / 3.8 qt	9.9 gal / 3.8 qt	11.7 gal / 3.25 qt	11.7 gal / 3.25 qt	9.9 gal / 4.4 qt	11.7 gal / 3.25 qt	10.7 gal / 4.4 qt	11.7 gal / 3.25 qt	11.7 gal / 3.25 qt	2.2 gal / 0.6 qt	0.5 gal / 0.6 qt
DRIVE CLUTCH	ADAPT	ADAPT	ADAPT	ADAPT	ADAPT	ADAPT	ADAPT	CVTech Trailbloc	ADAPT	ADAPT	CVTech Trailbloc	Arctic 5.25-in. diameter - RPM sensing	Arctic Centrifugal
DRIVEN CLUTCH	ADAPT	ADAPT	ADAPT	ADAPT	ADAPT	ADAPT	ADAPT	CVTech Invance	ADAPT	ADAPT	CVTech Invance	6.75-in. diameter Arctic - roller cam	N/A
SUSPENSION													
FRONT SUSPENSION	Arctic Wishbone Suspension (AWS) 42	Arctic Wishbone Suspension (AWS) 42	Arctic Race Suspension (ARS) II with ATAC	Arctic Race Suspension (ARS) II	Arctic Race Suspension (ARS) II	Arctic Race Suspension (ARS) II with or without ATAC	Arctic Race Suspension (ARS) II	Arctic Mountain Suspension (AMS)	Arctic Race Suspension (ARS)	Arctic Race Suspension (ARS)	Arctic Mountain Suspension (AMS)	Arctic Wishbone Suspension (AWS)	Arctic Wishbone Suspension (AWS)
REAR SUSPENSION	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs, with or without ATAC	SLIDE-ACTION with 4 Wheel Rear Axte Assembly, Coupling Blocks, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque- Sensing Link Rear Arm, Adjustable Torsion Springs, and ATAC Suspension	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs, with or without ATAC	SLIDE-ACTION with 3 Wheel Rear Axle Assembly, Coupling Blocks, Torque- Sensing Link Rear Arm, and Adjustable Torsion Springs	Slide-Rail, Dual Shock and Adjustable Torsion Springs	SLIDE-ACTION Rear Suspension, Coupling Blocks, Torque-Sensing Link Rear Arm, Adjustable Torsion Springs and Fiberglass Overload Springs	XTRA-ACTION Rear Suspension with Adjustable Torsion Springs, and Torque-Sensing Link Rear Arm	XTRA-ACTION Rear Suspension with Dual Shocks & Adjustable Torsion Springs	Slide-Rail, Adjustable Torsion Spring, Coil-Over Rear Shock	Slide-Rail, Adjustable Torsion Spring
SKI SHOCKS	Arctic Cat IFP 1.5 or FOX 1.5 ZERO iQS	FOX QS3R Black Ano	FOX 1.5 ZERO iQS	FOX 1.5 ZERO QS3R KASHIMA	FOX 1.5 ZERO QS3R KASHIMA	FOX 1.5 ZERO QS3 or FOX 1.5 ZERO iQS	Arctic Cat IFP 1.5	Hydraulic Twin Tube	Arctic Cat IFP 1.5	Arctic Cat IFP 1.5	Hydraulic Twin Tube	Hydraulic Twin Tube	Hydraulic Twin Tube
FRONT TRACK SHOCK	Arctic Cat IFP 1.5	FOX 1.5 QS3	Arctic Cat IFP 1.5	FOX 1.5 ZERO QS3 KASHIMA	FOX 1.5 ZERO QS3 KASHIMA	Arctic Cat IFP 1.5	Arctic Cat IFP 1.5	Hydraulic Twin Tube	Arctic Cat IFP 1.5	Arctic Cat IFP 1.5	Hydraulic Twin Tube	N/A	N/A
REAR TRACK SHOCK	Arctic Cat IFP 2.0 or FOX 2.0 ZERO iQS	FOX 2.0 ZERO QS3	FOX 2.0 ZERO iQS	FOX 2.0 ZERO QS3R KASHIMA	FOX 2.0 ZERO QS3R KASHIMA	FOX 2.0 ZERO QS3 or FOX 2.0 ZERO iQS	Arctic Cat IFP 2.0	Hydraulic Twin Tube	Arctic Cat IFP 1.5	Arctic Cat IFP 1.5	Hydraulic Twin Tube	Hydraulic Twin Tube	N/A
CHASSIS & TRACK													
CHASSIS OVERALL LENGTH / WIDTH / HEIGHT	118 in. or 126 in. / 48-49 in. / 47 in.	126 in. / 48-49 in. / 48 in.	125 in. / 48-49 in. / 52 in.	125 in. / 48-49 in. / 48 in.	125 in. / 48-49 in. / 48 in.	125 in. / 48-49 in. / 52 in.	125 in. / 48-49 in. / 52 in.	115 in. / 44-45 in. / 45 in.	129 in. / 48 in. / 51 in.	132 in. / 45.5-51.5 in. / 52 in.	128 in. / 44-45 in. / 51 in.	84 in. / 35-37 in. / 36 in.	73 in. / 35-37 in. / 34 in.
TRACK TYPE	Ripsaw II	Cobra	Ripsaw II	Ripsaw II	Ripsaw II	Ripsaw II	Ripsaw II	Standard	Ripsaw	PowerClaw	Cobra	Cobra	Cobra
TRACK WIDTH / LENGTH / LUG	15 in. / 129 in. or 137 in. / 1.25 in.	15 in. / 137 in. / 1.35 in.	15 in. / 137 in. / 1.25 in.	15 in. / 137 in. / 1.25 in.	15 in. / 137 in. / 1.25 in.	15 in. / 137 in. / 1.25 in.	15 in. / 137 in. / 1.25 in.	14 in. / 121 in. / 1.0 in.	15 in. / 146 in. / 1.25 in.	15 in. / 153 in. / 2.25 in.	15 in. / 146 in. / 1.6 in.	10 in. / 93 in. / 1.0 in.	10 in. / 67 in. / 0.75 in.
SKI STANCE	41.25-42.25 in. Adjustable	41.25-42.25 in. Adjustable	42-43 in. Adjustable	42-43 in. Adjustable	42-43 in. Adjustable	42-43 in. Adjustable	42-43 in. Adjustable	37.5-38.5 in. Adjustable	42-43 in. Adjustable	35.5-41.5 in. Adjustable	37.5-38.5 in. Adjustable	29.5-31.5 in. Adjustable	30.5 in.
FEATURES													
STARTER	Electric Push-Button	Electric Push-Button or Manual	Electric Push-Button	Electric Push-Button	Electric Push-Button	Electric Push-Button	Electric Turn-Key	Electric Turn-Key	Electric Turn-Key	Electric Push-Button	Electric Turn-Key	Electric Turn-Key	Manual
HEADLIGHTS	LED	LED	LED with Accent	LED with Accent	LED with Accent	LED with Accent	LED with Accent	Halogen 1-Bulb	LED with Accent	Dual Halogen 2-Bulb	Halogen 1-Bulb	Halogen 1-Bulb	Halogen 1-Bulb
WINDSHIELD	6 in. Low-Height	6 in. Low-Height	11 in. Mid-Height	5.5 in. Race-Height	5.5 in. Race-Height	11 in. Mid-Height	11 in. Mid-Height	4 in. Low-Height	14 in. Mid-Height	14 in. Mid-Height	15.5 in. High-Height	4 in. Low-Height	4 in. Low-Height
STANDARD FEATURES	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Trail Seat, Tether Switch, Visor Plug-Ins, ATACH 4-Point Latching System	Sway Bar, 12V Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Handguards, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, 3.5 in. Handlebar Riser, ATACH 4-Point Latching System, Trail Seat, Tether Switch, Visor Plug-Ins	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Team Arctic Handguards, Front/Long Tunnel Heat Exchanger, Heated Driver's Seat, Standard Brake Disc, Electronic Power Steering, Mid Tunnel Bag, High Performance Seat, Tether Switch, Tunnel Flare, Visor Plug-Ins	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Team Arctic Handguards, Front/Long Tunnel Heat Exchanger, Heated Driver's Seat, Standard Brake Disc, Electronic Power Steering, Mid Tunnel Bag, High Performance Seat, Tether Switch, Visor Plug-Ins	Sway Bar, 12v Outlet, Sport Front Bumper, Hand & Thumb Warmers, Team Arctic Handguards, Front/ Long Tunnel Heat Exchanger, Lightweight Performance Brake Disc, Standard Steering, Mid Tunnel Bag, High Performance Seat, Tether Switch	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Mid Tunnel Bag, High Performance Seat, Tether Switch, Tunnel Flare	Sway Bar, 12v Outlet, Sport Front Bumper, Goggle Holder, Hand & Thumb Warmers, Front Heat Exchanger, Radiator, Heated Driver's Seat, Standard Brake Disc, Standard Steering, Rear Tunnel Bag, High Performance Seat, Tether Switch, Tunnel Flare, Visor Plug-Ins Dynamic Charcoal/ Medium Green	Hand & Thumb Warmers, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Mid- Size Seat, Tether Switch	Sway Bar, 12v Outlet, Adjustable Backrest, Sport Front Bumper, Hand & Thumb Warmers, Front Heat Exchanger, Radiator, Heated Driver's & Passenger's Seats, Standard Brake Disc, Mirrors, Standard Brake Disc, Mirrors, Passenger Wind Deflectors, Rear Storage Compartment, Touring Seat, Tether Switch, Visor Plug-Ins	12v Outlet, Sport Front Bumper, Hand & Thumb Warmers, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Rear Rack, Norseman Bag, Mountain Seat, Tether Switch	Hand & Thumb Warmers, Front/Long Tunnel Heat Exchanger, Standard Brake Disc, Standard Steering, Rear Rack, Mountain Seat, Tether Switch	Youth Front Bumper, Hand Warmers, Standard Brake Disc, Standard Steering, Youth 200 Seat, Tether Switch	Youth Front Bumper, Hand Warmers, Standard Brake Disc, Standard Steering, In-Seat Rear Storage, Orange Safety Flag, Youth 120 Seat, Tether Switch

