





#### **ACCESSORIES**

- 04 ACCESSORY KITS
- 08 COVERS & TRANSPORT
- 14 WINDSHIELDS
- 19 BAGS & STORAGE
- 28 BUMPERS
- 34 TOURING
- 40 UTILITY
- 42 HANDLEBARS
- 46 PROTECTION
- 52 YOUTH
- 58 PERFORMANCE
- 68 BACKCOUNTRY ACCESS
- 74 TRACKS
- 78 HANDLING & TRACTION
- 86 MAINTENANCE
- 90 BELTS
- 94 OIL & CARE
- 102 INDEX

## FEATURED ACCESSORIES

- 34 TOURING
- 56 CROSSOVER
- 76 MOUNTAIN
- 100 TRAIL



FEATURED ON SLED: 8639-355 / PROCROSS LIGHTED HAND GUARDS - MEDIUM GREEN





FEATURED ON SLED: 8639-515 / EVO FRONT BUMPER - FIRE RED 8639-519 / EVO REAR BUMPER - FIRE RED 8639-496 / ATACH 14L TUNNEL PACK



#### TRAIL BLAZER KIT

- 8639-197 Pro MTN Bumper (Black)
- 8639-030 Trail Pack (Large)
- 8639-185 Handlebar Bag
- 7639-688 Mid Touring Windshield (15-in.)

8639-434 BLACK | '18-'24 ZR 8000; '18-'23 ZR 6000;



#### TRAIL BLAZER KIT

- 7639-301 Pro Bumper (Black)
- 8639-030 Trail Pack (Large)
- 8639-185 Handlebar Bag
- 7639-688 Mid Touring Windshield (15-in.)


**8639-377 BLACK |** '17-'24 ZR, Thundercat, Riot 9000



- 8639-390 ProClimb™ Bumper (Black Textured)
- 8639-363 Trail Pack
- 1616-089 High Touring Windshield (15-in.)

8639-375 BLACK | '21-'24 BLAST ZR, '22-'24 BLAST XR

## GROSSOVER





#### **FULL SEND KIT**

- 8639-197 Pro MTN Bumper (Black)
- 8639-031 Mountain Pack
- 8639-041 Team Arctic Hand Guards
- 7639-700 Mid Performance Windshield (15-in.)

**8639-373 BLACK |** '20-'24 Riot 8000; '20-'23 RIOT 6000





#### PRO KIT

- 8639-390 ProClimb Bumper (Black Textured)
- 8639-031 Mountain Pack
- 8639-364 Handlebar Bag

8639-370 BLACK | '21-'24 BLAST M



#### WINTER ESSENTIALS KIT

- 8639-390 ProClimb Bumper (Black Textured)
- 8639-416 Hitch Kit
- 8639-364 Handlebar Bag

**8639-368 BLACK |** '21-'24 BLAST LT, '22-'24 XR (ALL)





#### STARTER KIT

- 7639-994 Tunnel Pack
- 8639-213 Team Arctic Hand Guards
- 7639-838 High Windshield (10")

**8639-367 |** '18-'24 ZR 200

# COVERS & TRANSPORT











- Advantage covers provide unrivaled ease of use and a snug fit everytime
- Full-length perimeter straps conform to the sides of the snowmobile with single-point tension adjustment
- Premium cover made from water-repellant, UV-protected Surlast™ fabric
- Standard cover made from treated, high-quality canvas
- Adjustable hook-and-loop front fasteners enclose spindles
- Adjustable windshield strap and convenient zippered gas cap panel
- Trailerable
- Trail versions fit low, mid, and high windshields, mirrors, and hand guards
- MTN versions fit low windshields and hand guards only

8639-522 -PREMIUM | '24 ZR, Riot 600 NEW

8639-523- PREMIUM | '24 M 600 NEW

8639-524 - STANDARD | '24 ZR, Riot 600 NEW

8639-525- STANDARD | '24 M 600 NEW

8639-526- STANDARD | '24 ZR, Riot 600 with Passenger Seat NEW



#### PREMIUM COVERS

- The ultimate outdoor storage cover
- Fade-resistant, UV-protected, long-lasting premium Surlast fabric
- Water-repellent coating
- Adjustable windshield strap provides a custom windshield/mirror fit
- · Cinch-down side attachments
- Adjustable hook-and-loop front spindle fasteners
- Easy-access, zippered gas cap panel
- Trailerable
- 129-137" models fit low, mid and high windshields and mirrors, 141-165" models fit low and mid windshields

**8639-155** | '12-'24 F; ZR; Thundercat; XF 129-137" (EXCEPT '24 600)

**8639-392** | '12-'24 M; Riot X; XF High Country; King Cat 141-165" (EXCEPT '24 600)

**8639-160 |** '12-'24 M; Riot X; XF High Country; King Cat 141-165" (Except '24 600)

**8639-161** | '12-'24 M; Riot X; XF High Country; King Cat 141-165" (Except '24 600)

8639-393 | '20-'24 Riot; (EXCEPT '24 600) '20 Riot X 146"

**8639-394 |** '21-'24 Riot X 146''



## STORAGE COVER

- Lightweight nylon cover is ideal for storage and keeping away dust
- Secure-fitting elastic bottom cord stretches to fit a wide variety of models
- $\bullet\,$  Not recommended for trailering or prolonged outdoor use

8639-527 | UNIVERSAL (Except Models with Passenger Seat) NEW



#### **POLYESTER COVERS**

- Provides excellent outdoor storage
- Fade-resistant, UV-protected polyester fabric
- Water-repellent coating
- Adjustable windshield strap provides a custom windshield/ mirror fit
- Adjustable hook-and-loop front fasteners
- Easy-access, zippered gas cap panel
- 4 cinch-down side straps
- Trailerable

**8639-329** | '12-'24 M; Riot X; XF High Country; King Cat 141-165" (EXCEPT '24 600) BEST SELLER

8639-328 | '12-'24 F, ZR, Thundercat, XF 129-137" (EXCEPT '24 600)

8639-330 | '15-'24 Pantera 3/6/7000 146"



#### **CANVAS COVERS**

- Excellent longevity from specially treated canvas
- Adjustable windshield strap provides a custom windshield/ mirror fit (not included on 2-up Touring models)
- 4 cinch-down side straps
- Adjustable hook-and-loop front fasteners
- Easy-access, zippered gas cap panel
- Trailerable
- Fits low, mid and high windshields and mirrors

**8639-001** | '12-'24 F, ZR, Thundercat, XF 129-137" (Except '24 600)

**8639-003** | '12-'24 M; Riot X; XF High Country; King Cat 141-165" (Except '24 600)

**8639-150** | '20-'24 Riot; (EXCEPT '24 600) '20 Riot X 146"

8639-360 | '21-'24 BLAST ZR

8639-361 | '21-'24 BLAST M, LT, XR

**8639-362** | '22-'24 XR Touring; '21-'24 BLAST LT, XR 146" With Passenger Seat

8639-006 | '15-'24 Pantera 3/6/7000 146"

**8639-002** | '12-'24 F, ZR, Thundercat, XF 129-141" With Passenger Seat (Except '24 600)

8639-008 | '18-'24 Norseman; '16-'17 Bearcat 3000 LT 146-154"

8639-152 | '18-'23 Norseman With Passenger Seat



#### **CUSTOM CANVAS COVERS**

- Custom-fit options for non-current sled models
- Excellent longevity from specially treated canvas
- Cinch-down side attachments
- Adjustable hook-and-loop front fasteners
- Easy-access, zippered gas cap panel
- Trailerable

**8639-004** | '15-'20 Lynx; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1

**8639-005** | '15-'20 Lynx LT; '15-'18 Bearcat LT 2000; '08-'14 T570, TZ1; '09-'14 Bearcat 570

**8639-007** | '16-'19 Pantera 7000 XT LTD

**8639-010** | '16-'19 Bearcat 7000 XT

**7639-998** | '15-'20 Bearcat 2000 XT; '09-'15 XT

**5639-017** | '03-'06 Firecat, Sabercat 128".

**5639-018** | '99-'06 Z, ZL, ZR, ZRT, Thundercat, T660 121"

6639-044 | '06-'11 Crossfire; '06-'07 M 136-141"

**5639-241** | '05-'11 M 153-162"

**5639-020** | '00-'06 Panther, Pantera, T660 2-Up Touring



#### HALF COVER

- Prevents snow buildup on seat and dash
- Lightweight and ideal for overnight trips
- Includes hooks to attach to running boards
- Not recommended for trailering

**6639-701 |** '15-'24 Pantera 3/6/7000 146''



## PREMIUM COVER CLIP & STRAP

1641-479 | FITS COVERS WITH PLASTIC CINCH STRAPS



## COVER HOOK & STRAP (4-PACK)

0636-527 | FITS COVERS WITH FABRIC CINCH STRAPS



#### RATCHET TIE-DOWNS

- Secure sled to your trailer with heavy-duty nylon straps
- Spring-loaded retainer clips prevent S-hooks from falling off
- Comfortable ratchet-handle grip for easy operation
- 1.125" X 102" strap features Arctic Cat logos and 1,200-lb. load rating
- Sold in pairs

**7639-183** | Universal



#### EZ WHEELZ

- Move your sled around the garage or load and unload your trailer with ease
- Protects carbides and driving surface from damage and provides full steering control
- Premium stainless steel and aluminum construction
- 10" airless tires with sealed ball bearings for unmatched durability and long life
- Install or remove in seconds without tools or permanent hardware
- Sold in pairs, no assembly required

8639-550 | Universal '12-'24







## FIND THE PERFECT WINDSHIELD TO MATCH YOUR STYLE OF RIDING.

**PERFORMANCE RIDERS:** A low windshield is right for you. The low cut will be more aerodynamic, and if you roll your sled, the chances of your windshield getting caught and breaking are reduced.

#### **EXTREME LOW**



#### **LOW SNO PRO**



#### MID PERFORMANCE



12"

#### **TOURING AND LONG DISTANCE RIDERS:**

15"

A tall snowmobile windshield will be perfect to keep you warm and protected from the wind.

#### **MID TOURING**



#### **HIGH TOURING**



18"



#### **EXTREME LOW**

- 2.5" High x 16" Wide
- Accepts Hand Guards

7639-692 BLACK | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models



#### LOW SNO PRO®

- 5" High x 20" Wide
- Accepts Hand Guards

7639-696 BLACK | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models **7639-607 WHITE** | (Same application as 7639-696)



#### PRO MTN

- · Unique design acts as a low-profile windshield while providing glove/goggle storage
- Semi-rigid construction holds its shape

7639-293 BLACK | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models



#### MID PERFORMANCE

- 12" High x 21" Wide
- 7639-838 measures 10" High x 23" Wide
- Accepts Hand Guards

**7639-700 BLACK** | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models

7639-701 MEDIUM GREEN | (Same application as 7639-700)

**8639-220 HYPER GREEN |** (Same application as 7639-700)

**8639-221 ELECTRIC BLUE |** (Same application as 7639-700)



#### XC

- Shaped to the unique demands of terrain racing, this windshield offers ample wind protection in a slim, aggressive shape
- 14" High x 18" Wide

7639-913 BLACK | '14-'247/8/9000; '14-'23 6000; '14-'17 4/5000; '16-'19 3000; '12-'13 F, M, XF 800/1100; '12-'14 Sno Pro 600 NEW



#### MID TOURING

CATALYST

- 12" High x 24" Wide
- No-drill auxiliary fastener installation

8639-520 | '24 ZR, Riot, M 600 NEW



#### HIGH TOURING

#### CATALYST

- 17" High X 27" Wide
- No-drill auxiliary fastener installation
- Accepts 6639-770 Mirrors

8639-521 | '24 ZR, Riot, M 600 NEW



#### LOW SNO PRO

#### CATALYST

- 5" High x 20" Wide
- Accepts Hand Guards

1616-245 BLACK | '24 ZR, Riot, M 600 NEW

1616-428 MEDIUM | (Same application as 1616-245) NEW



#### MID LXR

• 13" High X 27" Wide

NOTE: Handlebar riser may need adjustment to provide clearance between hand guards and the windshield

8639-134 BLACK | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models

8639-135 MEDIUM GREEN | (Same application as 8639-134)



#### MID TOURING

- 15" High x 27" Wide
- Accepts 6639-630, 6639-770 Mirrors

7639-688 BLACK | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models

**8639-077 MEDIUM GREEN |** (Same application as 7639-688)

7639-368 BLACK | '14-'17 4/5/6/8000; '14-'16 9000; '12-'13 800/1100 Models BEST SELLER



#### HIGH TOURING

- 7639-383, 7639-371 measure 18" High x 28" Wide, accept Mirrors 6639-630, 6639-770
- 1616-089 measures 16" High / 24" Wide

**7639-383 BLACK |** '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models BEST SELLER

7639-371 BLACK | '14-'17 4/5/6/8000; '14-'16 9000; '12-'13 800/1100 Models

1616-089 TINT | '21-'24 BLAST (All)



#### LOW SNO PRO

- Measures 4" High X 18" Wide
- Accepts Hand Guards

**7606-555 |** '21-'24 BLAST (AU)



#### MID PERFORMANCE

- Measures 10" High X 23" Wide
- Accepts Hand Guards

8639-504 | '21-'24 BLAST (All) NEW



## WINDSHIELD DART

667790 | Mid Touring; High Touring; Pro Mtn Windshield



## WINDSHIELD RETAINER

**2606-853** | '15-'19 Pantera, Bearcat 3/7000 High Touring Windshield

#### WINDSHIELD HARDWARE KIT

• Includes replacement LH + RH molded retainers and fasteners

8639-148 | Catalyst Mid & High Touring Windshields





Add and remove accessories on your sled in seconds, revolutionizing how you customize your ride. This rugged,

high-strength composite design is suited for the harshest conditions and requires no modification, fasteners or tools. With ATACH, it doesn't matter if you're in the showroom, at home or out on the trail – it's easier than ever to configure accessories.



#### **HOW TO INSTALL**

- Open the dust covers, if equipped
- Set the accessory over the desired mounting location and drop the interlocking features into place
- Slide the accessory forward until both sides click into position, securing it to the vehicle
- If utilized, use the provided key in the lock to prevent theft

#### **HOW TO REMOVE**

- Unlock with the provided key to disable theft-prevention
- Press and hold the button on both sides and slide the accessory rearward
- Lift the accessory from the vehicle
- Replace the dust covers, if equipped



#### ATACH HIGH COUNTRY PACK

- Ultimate technical riding bag with a low profile and optimized features for the backcountry
- Exclusive ATACH technology allows install and removal in seconds without tools, includes 1 lock and 2 keys for extra security
- Lid stores most shovels fully assembled and doubles as a detachable utility tray
- Semi-rigid construction with premium materials, waterproof interior pockets, glove-friendly buckles, and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 21-liter capacity
- NOTE: Avalanche experts recommend carrying a shovel in your backpack and a second shovel on the sled

8639-499 21L | '24 ZR, Riot, M 600; ATACH Base Kit NEW



#### ATACH SADDLEBAGS

- Designed specifically for the Catalyst platform, these saddlebags offer extra carrying capacity for big adventures
- Exclusive ATACH technology allows install and removal in seconds without tools

NOTE: Secured to vehicle with another ATACH accessory or ATACH Latch Kit (Sold separately). Not compatible with accessory running boards

- Semi-rigid construction with premium materials, glovefriendly buckles, and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 11-liter capacity each (Sold in pairs)

8639-500 22L | '24 ZR, Riot, M 600 NEW



#### ATACH TUNNEL PACK

- · Robust, all-purpose bags to bring essential gear with you
- Exclusive ATACH technology allows install and removal in seconds without tools, includes 1 lock and 2 keys for extra security
- Semi-rigid construction with premium materials, glove-friendly buckles, and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 14-liter, [8639-496] 22-liter [8639-497] capacity

8639-496 14L | '24 ZR, Riot, M 600; ATACH Base Kit NEW

8639-497 22L | '24 ZR, Riot, M 600; ATACH Base Kit NEW



#### ATACH CATALYST PACK

- •Designed specifically for the Catalyst platform, this bag combines roomy storage and a sleek appearance
- Exclusive ATACH technology allows install and removal in seconds without tools, includes 1 lock and 2 keys for extra security
- Semi-rigid construction with premium materials and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 17-liter capacity

8639-498 17L | '24 ZR, Riot, M 600



#### ATACH BASE KIT

- The ATACH accessory mounting system brings unparalleled convenience and security to the riding experience
- Constructed from durable, high-strength composite materials to function reliably in any environment
- Includes 2 base plates, 2 dust covers, hardware, and instructions

**8639-506** | '13-'24 F; ZR; Thundercat; Riot; M; XF Models (Except '24 600)



#### TRAIL PACK

- Durable and stylish bags provide easy-access storage for the long-distance touring rider
- Semi-rigid construction
- Includes cam-lock or strap-and-hook attachments
- Available in two sizes; Mid fits 129-137" models, Large fits 137" models
- 27-liter, (8639-029) 33-liter, (8939-030) 18.5-liter ( 8639-363) capacity

**8639-029 MEDIUM |** '13-'24 F, ZR, Thundercat, Riot 129-146" (Except '24 600) BEST SELLER

**8639-030 LARGE** | '16-'24 ZR, Thundercat, Riot 137-146" (Except '24 600) BEST SELLER 8639-363 MEDIUM | '21-'24 BLAST (All) 121-146"



#### TUNNEL PACK

- Large capacity bags provide convenient, economical storage
- Strap-and-hook attachment fits most flat-tunnel models
- Available in two sizes; Mid fits 129" and 137" models, Large fits 137" models
- 20-liter, (8639-033) 30-liter (8639-034) capacity

**8639-033 MEDIUM |** '13-'24 F, ZR, Thundercat, Riot 129-146" (Except '24 600) BEST SELLER

**8639-034 LARGE |** '16-'24 ZR, Thundercat, Riot 137-146" (Except '24 600)



#### **TUNNEL GEAR BAG**

- · Large storage capacity
- Built-in cinch straps keep cargo secure
- Strap-and-hook attachment
- Measures 20" X 12" X 8"

6639-704 | '15-'20 Lynx; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1



#### XL TUNNEL GEAR BAG

- Extra large, heavy-duty storage bag
- Semi-rigid construction with expandable top section
- Cam-lock attachment with quarter-turn lock system eliminates straps and hooks
- Measures 22" X 12" X 7"

7639-894 | '13-'24 F; ZR; Thundercat; Riot; M; XF Models (Except '24 600)



#### MOUNTAIN SHOVEL PACK

- These rugged, low-profile bags offer easy-access storage and provide quick access to your shovel
- Semi-rigid construction
- Cam-lock attachment with quarter-turn lock system eliminates straps and hooks
- Accepts all BCA shovels
- Mid 17-liter, Large 28-liter capacity

NOTE: Avalanche experts recommend carrying a shovel in your backpack and a second shovel on the sled

**8639-031 MEDIUM |** '12-'24 M, Riot, (Except '24 600) BLAST M, XF High Country; King Cat 141-165" BEST SELLER

8639-032 LARGE | Same application as 8639-031



#### **MOUNTAIN PACK**

- Tunnel storage bags specialized for the mountains
- Sleek, compression-molded construction to shed snow
- Cam-lock attachment with quarter-turn lock system eliminates straps and hooks
- 7639-433 features removable lid, cargo dividers, and cinch straps to keep contents secure
- Large 18-liter, (22" X 15" X 6") Mid 14-liter (13" X 14" X 8") capacity

7639-433 LARGE | '10-'24 M; '21-'24 Riot, Riot X; (Except '24 600) '13-'19 XF Models

**7639-432 MEDIUM |** '10-'24 M; '21-'24 Riot, Riot X; (Except '24 600) '13-'19 XF Models



#### **MOUNTAIN TUNNEL PACK**

- Low-profile storage with adjustable straps and quick-attaching clips for simple removal
- Designed to fit models with short Mountain seat (Non-electric start)
- Measures 16" X 12" X 4"

6639-798 | '14-'24 M 8000; '14-'23 M 6000 (Except ES Models)



#### WINDSHIELD BAG

- Offers out-of-the-way storage for smaller items
- Fits neatly behind windshield

**7639-691** | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models **7639-289** | '14-'17 4/5/6/8000; '14-'16 9000; '12-'13 F, M, XF 800/1100



#### DASH CADDY

- Dash storage with sturdy polyethylene construction
- Compartment door features a foam seal to keep contents safe and dry
- Not compatible with Mid Performance windshield

**8639-219 |** '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models



## HANDLEBAR BAG

- Easy-access storage
- · Convenient hook-and-loop attachment

8639-185 | '07-'24 Models With Trail Handlebar BEST SELLER

**8639-186** | '05-'24 Models With MTN Handlebar

8639-364 | '21-'24 BLAST (ALL)



## PANTERA HANDLEBAR BAG

- Easy-access storage
- · Convenient hook-and-loop attachment

**6639-715** | '15-'24 Pantera 3/6/7000



#### **CUSTOM HANDLEBAR BAG**

• Lightweight storage for any sled

6639-716 | Universal



#### TANK BAG

- · Convenient, easy-access storage
- · Easily removes for refueling
- · Large map window

**7639-287** | '12-'24 M, Riot, ZR, Thundercat, XF, F (Except '24 600)



#### HEATED GOGGLE BAG

• Engine heat dries goggles, masks or gloves while you ride NOTE: Do not leave goggles in holder for extended periods; heat may damage goggles.

**7639-591** | '18-'24 8000; '18-'23 6000; '17-'24 9000 Models

**5639-767** | '14-'17 4/5/6/8000; '14-'24 7000; '17-'19 3000; '14-'16 9000; '12-'13 F, M, XF 800/1100 Models BEST SELLER

8639-366 | '21-'24 BLAST (All)



#### CARGO BAG

- · Large main storage area
- Quick-attach mounting straps

7639-764 | '18-'24 Norseman; '16-'17 Bearcat 3000 LT 146-154"



#### TUNNEL CARGO BAG WITH SADDLEBAGS

- Extra storage capacity tunnel bag with attached saddlebags
- 20 x 12 x 5" center compartment
- 21 x 10 x 5" saddlebags (Each)

**7639-286** | '14-'24 ZR; (Except '24 600) '12-'15 XF; (Except High Country, Cross Country, CrossTour) '12-'13 F Models



#### HARD SADDLEBAGS

- Premium injection-molded saddlebags provide clean, lockable storage
- Features large-capacity storage and quick-release attachment
- Includes right and left-side bags, each measures 21" X 10" X 8"

**7639-568** | '15-'24 Pantera 3/6/7000; '16-'18 XF CrossTour 6/7/9000

#### SPEEDRACK® II SYSTEM

- A simple, fast and strong accessory attachment system with accessories that can be added or removed in seconds
- Attach in two easy steps:
  - 1. Position the accessory,
  - 2. Insert SpeedLock™ and press down thumb lock



#### SPEEDRACK BASE KIT

- SpeedRack Base attaches to the tunnel to provide the mount for SpeedRack accessories
- Includes front and rear SpeedRack base mounts and one SpeedLock

7639-342 | Universal '13-'24 (Except '24 600 Models; '20 Riot; '17-'19 XF Cross Country; Pantera; Crosstour)



#### SPEEDRACK GEAR BAG

- Compact storage bag attaches to SpeedRack Base
- Required SpeedLock is included in SpeedRack Base Kit
- 20-liter capacity

8639-178 | WORKS WITH SPEEDRACK BASE KIT



#### SPEEDRACK GEAR RACK

- Lightweight aluminum rack provides capacity and tiedown points for cargo
- Attaches to SpeedRack Base Kit
- Required SpeedLock is included in SpeedRack Base Kit
- 10" L x 11" W

7639-344 BLACK | WORKS WITH SPEEDRACK BASE KIT

7639-345 TEAM ARCTIC GREEN | WORKS WITH SPEEDRACK BASE KIT

7639-346 ORANGE | WORKS WITH SPEEDRACK BASE KIT

7639-347 WHITE | WORKS WITH SPEEDRACK BASE KIT

7639-348 MEDIUM GREEN WORKS WITH SPEEDRACK BASE KIT

7639-349 RED | WORKS WITH SPEEDRACK BASE KIT



#### SPEEDRACK CARGO BOX

- Durable molded polyethylene construction
- Removable lid with foam seal
- Built-in cinch strap keeps cargo secure
- Attaches to SpeedRack Base
- Required SpeedLock is included in SpeedRack Base Kit
- 20" L x 12" W x 10" H, 25-liter capacity

7639-351 | WORKS WITH SPEEDRACK BASE KIT



#### SPEEDRACK CARGO RACK

- Tubular steel rack provides added storage capacity
- Attaches to SpeedRack Base Kit
- Required SpeedLock is included in SpeedRack Base Kit
- 13" L x 15" W

7639-350 | WORKS WITH SPEEDRACK BASE KIT



#### **SPEEDLOCK**

- Drop-in system quickly attaches with easy-to-use thumb locks
- Durable cast-aluminum components with one-click unlocking for fast removal

2436-501 | WORKS WITH SPEEDRACK BASE KIT



#### SPEEDLOCK COVER

• Slip-on rubber cover retains mechanical mobility of SpeedLock in wet, slushy conditions

2436-540 | WORKS WITH SPEEDLOCK



#### **TUNNEL RACK**

- Slim, stylish, powder-coated aluminum rack
- Tunnel Reinforcement Kit (M models) recommended for large loads
- 11" L x 14" W

7639-336 BLACK | Universal (Flat-Top Tunnel)

7639-337 TEAM ARCTIC GREEN | Universal (Flat-Top Tunnel)

7639-338 ORANGE | Universal (Flat-Top Tunnel)

**7639-339 WHITE |** Universal (Flat-Top Tunnel)



#### **BILLET TUNNEL RACK**

- Durable billet aluminum with anodized finish
- Includes extensions to customize width
- Tunnel Reinforcement Kit (M models) recommended for large loads
- 7.75" L x 12.25-14" W x 2.5" H

8639-056 BLACK | Universal (Flat-Top Tunnel)

8639-057 GRAY | Universal (Flat-Top Tunnel)

8639-058 PURPLE | Universal (Flat-Top Tunnel)

8639-230 BRONZE| Universal (Flat-Top Tunnel)



## LOW PROFILE TUNNEL RACK

- Stylish, lightweight, powder-coated aluminum
- Tunnel Reinforcement Kit (M models) recommended for large loads
- 8" L x 14" W

**8639-059 BLACK** | '14-'23 ZR, Thundercat 137"; '12-'23 M; '21-'23 BLAST ZR, M, XR; '12-'19 XF HIGH COUNTRY; '13-'16 XF

 $\bf 8639\text{-}060$  MEDIUM GREEN | Same application as 8639-059

**8639-062 ORANGE |** Same application as 8639-059

**8639-063 PURPLE | Same application as 8639-059** 

8639-237 ELECTRIC BLUE | Same application as 8639-059

**8639-166 ALUMINUM |** Same application as 8639-059



#### TUNNEL PAD

- Protects the top of the tunnel when carrying cargo
- · Adhesive attachment

7639-997 | Universal (Except '24 600 Models)



#### RACK STRAP

- Strong, heavy-duty nylon straps
- Quick-release buckle
- Easily secure gear and fuel cans

7639-463 | Universal






#### **EVO BUMPER**

- Single-piece front bumper provides rigid protection from obstacles and a custom appearance
- High-strength, lightweight aluminum construction features extruded tubes and rugged center bash plate
- Durable, factory-matched powder-coat finish
- 2.6 lbs

8639-514 MEDIUM GREEN | '24 ZR, Riot, M 600 NEW

**8639-515 FIRE RED |** Same application as 8639-514 **NEW** 





#### PRO BUMPER

- Aluminum bumper provides added protection
- Durable factory-matched powder-coat finish
- 4.5 lbs

8639-400 GEN 2 BLACK | '18-'24 8000; '18-'23 6000; '21-'24 4000; '19-'24 7000; '19 3000 BEST SELLER

**8639-401 GEN 2 MEDIUM GREEN |** (Same application as 8639-400)

**8639-402 GEN 2 HYPER GREEN |** (Same application as 8639-400)

7639-301 GEN 2 BLACK | '17-'24 9000

7639-302 GEN 2 TEAM ARCTIC GREEN | Same application as 7639-301

6639-724 GEN 1 BLACK | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100

6639-723 GEN 1 ALUMINUM | Same application as 6639-724 NEW



#### PRO MTN BUMPER

- Lightweight aluminum bumper with a stylish, aggressive design
- Open design minimizes snow buildup
- Durable factory-matched powder-coat finish
- 3.0 lbs

8639-197 GEN 2 BLACK | '18-'24 8000; '18-'23 6000; '19-'24 7000; '19 3000 BEST SELLER

**8639-189 GEN 2 MEDIUM GREEN |** (Same application as 8639-197)

**8639-190 GEN 2 HYPER GREEN |** (Same application as 8639-197)

**8639-192 GEN 2 ORANGE |** (Same application as 8639-197)

8639-196 GEN 2 FIRE RED | (Same application as 8639-197)

7639-308 GEN 1 BLACK | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100

7639-307 GEN 1 ALUMINUM | (Same application as 7639-308)



#### PROCLIMB™ BUMPER

- Large-diameter top tube provides added protection
- Open-tube design lets snow drop through
- Durable factory-matched powder-coat finish
- 3.5 lbs

8639-405 GEN 2 BLACK | '18-'23 6/8000; '21-'23 4000; '19 3/7000 BEST SELLER

8639-390 GEN 2 BLACK TEXTURED | (Same application as 8639-405)

8639-406 GEN 2 MEDIUM GREEN | (Same application as 8639-405)

**8639-407 GEN 2 HYPER GREEN |** (Same application as 8639-405)

8639-409 GEN 2 FIRE RED | (Same application as 8639-405)

6639-286 GEN 1 BLACK | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100



#### EVO REAR BUMPER

- Single-piece rear bumper provides improved ergonomics, enhanced chassis stiffness, and a custom appearance
- High-strength, lightweight aluminum construction features extruded tubes and contoured reinforcement plates
- Rear grab handle optimized for accessibility and minimal drag in deep snow
- · Durable, factory-matched powder-coat finish
- Accepts factory or accessory running boards

**8639-517 MEDIUM GREEN |** '24 ZR 600 129", M 600 146" NEW

**8639-495 SKYE BLUE |** (Same application as 8639-517)

**8639-518 MEDIUM GREEN |** '24 ZR 600 137", M 600 154"

\_\_\_\_\_

**8639-483 SKYE BLUE |** (Same application as 8639-518) NEW

8639-519 FIRE RED | '24 Riot 600 NEW

**8639-484 SKYE BLUE |** (Same application as 8639-519)



#### PROCROSS™ REAR BUMPER

- Rugged, 3-piece aluminum bumper features stylish side plates and tubular grab handle for ergonomic function
- Durable powder-coat finish

7639-316 BLACK | '13-'23 F, ZR 129"

7639-317 TEAM ARCTIC GREEN | (Same application as 7639-316)

**7639-318 ORANGE** | (Same application as 7639-316)

**7639-319 WHITE** | (Same application as 7639-316)

**7639-320 MEDIUM GREEN |** (Same application as 7639-316)

7639-323 BLACK | '18-'24 ZR, XF 6/7/8000; '17-'24 ZR, XF 9000 137" (Except '24 600)

7639-324 TEAM ARCTIC GREEN | (Same application as 7639-323)

7639-325 ORANGE | (Same application as 7639-323)

**7639-326 WHITE |** (Same application as 7639-323)

**7639-331 TEAM ARCTIC GREEN |** '21-'24 Riot X; '16-'24 M 141-146"; '13-'17 XF, '16-'19 XF High Country 137-141"; '16 ZR 137" (Except '24 600)

**7639-332 ORANGE | (Same application as 7639-331)** 

**7639-333 WHITE** | (Same application as 7639-331)



#### PRO MTN REAR BUMPER

- Rugged bumper features aluminum side plates and a tubular grab handle
- Embossed features add style and strength
- Durable powder-coat finish
- Accepts Pro MTN Running Boards
- 141-154", 4.5 lbs; 162-165", 5.2 lbs

**8639-085 BLACK |** '12-'24 M 153-154"; '20-'24 Riot; '20 Riot X; '17-'19 XF High Country 153"; '12-'15 XF High Country (Except '24 600)

**8639-086 MEDIUM GREEN |** (Same application as 8639-085)

**8639-279 HYPER GREEN |** (Same application as 8639-085)

**8639-282 FIRE RED |** (Same application as 8639-085)

**8639-091 BLACK GLOSS** | (Same application as 8639-085)

8639-092 MEDIUM GREEN | '12-'23 M, King Cat 162-165"

**8639-286 HYPER GREEN |** (Same application as 8639-092)

**8639-289 FIRE RED |** (Same application as 8639-092)



- Rugged design and glove-friendly touchscreen made for the toughest riding environments
- Preloaded topography, road, and land maps, compatible with trail maps
- Group Ride Radio features tracking for up to 20 riders
- Pair with compatible Bluetooth device for handsfree communication and enhanced features through the official Tread app
- Update device via Wi-Fi™
- No subscription needed

## TREAD

#### PREMIUM GPS KIT

TREAD GPS KIT\* - 3441-555

Includes: GPS, Group Ride Radio module + antenna + cable, universal mount, power cable, and user guide

#### STANDARD GPS KIT

**TREAD GPS KIT - 3441-557** 

Includes: GPS, universal mount, power cable, and user guide

## HYBRID

#### GPS INSTALL KIT - 8639-528 NEW

'24 ZR. RIOT. M 600

- « Mounts Tread in a neutral position ahead of the gauge for a clear view
- « Custom semi-rigid mount isolates screen from vibration and opens to access heated storage compartment below

Includes: GPS mount, power harness, antenna mount, and instructions

## TRAIL

#### GPS INSTALL KIT - 8639-436

'18-'24 8000; '17-'24 9000; '14-'24 7000; '18-'23 6000; '17-'19 3000 MODELS



- « Mounts Tread above the gauge for superior visibility from a seated riding position
- « Custom housing protects all components, compatible with most windshields (Excludes Mid Performance and Pro MTN)

Includes: GPS console mount, power harness, hardware, and instructions

## MOUNTAIN

#### GPS INSTALL KIT - 8639-435

'18-'24 8000; '17-'24 9000; '18-'23 6000 MODELS

- « Mounts Tread below the gauge for easy viewing from a standing riding position and protection from backcountry obstacles
- « Integrated heated storage bag for goggles, phone, or other items

Includes: GPS bag, power harness, antenna mount, and instructions





FOR MORE TREAD FEATURES AND COMPLETE DETAILS, VISIT ARCTICCAT.COM OR A DEALER NEAR YOU. GARMIN - GARMIN IS A REGISTERED TRADEMARK OF GARMIN, INC. OR ITS SUBSIDIARIES

## TOURING



Jaw dropping features mean faster turns, easier rides, and fewer compromises.





### WIND DEFLECTORS

- Lightweight, stylish deflectors add wind protection
- Sold as a pair, with right and left deflectors

7639-816 GEN 2 TRAIL | '18-'24 6/8000 (Except M, '21-'23 Riot X, '24 600); '17-'24 9000; '19-'24 7000; '19 3000 Models

6639-453 GEN 1 | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100 Models



### WINDSHIELD MIRRORS

- Mounts to the outside of the windshield
- 6639-630, 6639-770 fit accessory Mid Touring and High Touring windshields
- 6639-902 fits Mid LXR windshields
- Sold in pairs

6639-630 | ProCross Mid Touring & High Touring Windshields

6639-770 | ProCross & Catalyst Mid Touring & High Touring Windshields BEST SELLER

6639-902 | ProCross Mid LXR Windshields



### **HOOD-MOUNTED MIRRORS**

- Mounts to the hood panel
- · Adjustable shaft for optimum view
- Works with all production or accessory windshields
- Sold in pairs

**8639-276 GEN 2** | '18-'24 8000; '18-'23 6000; '17-'24 9000; '21-'24 4000; '19-'24 7000; '19 3000 Models

**5639-832 GEN 1** | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-'13 800/1100



### **COMPACT MIRROR**

- Mounts to the inside of the windshield
- · Sold individually

4639-565 | '15-'20 Lynx; '15-'18 Bearcat 2000; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, Bearcat 570; '09-'11 Z1



### HAND MIRROR

• Easy on/off with hook-and-loop strap

4992-810 | Universal BEST SELLER



### ATACH PASSENGER SEAT

- Removes in seconds without tools
- Includes 1 lock and 2 keys for extra security
- Built-in storage box
- Includes passenger seat with backrest, handholds, tunnel reinforcements and wind deflectors
- Passenger hand warmers, heated seat, and heated shield outlet included with heated option

8639-501 STANDARD | '24 ZR, Riot, M 600 NEW

**8639-502 HEATED |** Same application as 8639-501 **NEW** 



### **PASSENGER SEAT**

- Share the riding experience in comfort and style
- Detachable base allows easy conversion from solo to 2-up riding and back again
- Includes passenger seat with backrest, handholds, tunnel mounts and footrests

NOTE: Riot, XF High Country, and Cross Country models with mountain seat require a compatible trail (ZR) seat

8639-217 | '13-'24 F, ZR, Riot, (See Note) XF (Except '24 600) BEST SELLER



### **PASSENGER SEAT**

- Easily converts your sled to carry a passenger
- Includes passenger seat with backrest, handholds, tunnel mounts and footrests

8639-410 | '21-'24 BLAST LT, XR

7639-826 | '18-'24 Norseman (ALL); '16-'17 Bearcat LT 3000



### **PASSENGER SEAT**

- · Passenger seat with backrest, handholds and footrests
- Includes seat assembly and tunnel-mounted storage box

**7639-833** | '18-'19 Bearcat 7000 XT



### PASSENGER WIND DEFLECTORS

• Semi-rigid guards add style and protect passenger hands from the cold

8639-437 | '22-23 BLAST XR Touring; Passenger Seat 8639-410 (Replacement)



### PASSENGER MUFFS

- Water- and wind-resistant nylon outer
- Easy-attach hook-and-loop straps
- · Mounts with or without standard wind deflectors

7639-361 | '15-'24 Pantera; '15-'20 Lynx LT; '15-'18 Bearcat LT 2000; '08-'14 T570, TZ1; '09-'14 Bearcat 570

**8639-177** | Fits Passenger Seat 8639-217



### PASSENGER HAND WARMERS

- Increase 2-up rider comfort by adding passenger hand warmers
- Includes elements, (8639-217) wiring harness, passenger control switch, hardware, and instructions

8639-212 | Fits Passenger Seat 8639-217

6639-281 | Fits Passenger Seat 8639-410, 7639-826; BLAST XR Touring



### **HEATED SEAT**

- · Provides rider warmth and comfort
- · Includes heating element and wiring
- 6/8000 models require LED headlight

8639-539 BLACK | '24 ZR, Riot, M 600 NEW



### **HEATED SEAT KITS**

- · Provides rider warmth and comfort
- · Includes heating element and wiring
- 6/8000 models require LED headlight

**7639-968** | '18-'24 8000, '18-'23 6000 Models with LED Headlight (EXCEPT M)

**7639-965** | '18-'24 ZR 7000; '18-'19 ZR 3000; '18-'19 XF High Country 9000

**7639-966** | '18-'19 Pantera 3000; '18 Pantera 7000



### HEATED SHIELD OUTLET

· Dash-mounted outlet for heated shield

**7639-041** | Universal '12-'24 BEST SELLER



### HEATED SHIELD ADAPTER

Quickly adapts a heated shield cord to the sled's accessory outlet

### 5639-645 | Universal



### **ELECTRIC START KITS**

- Crank up your machine effortlessly with the turn of a key
- Includes starter components, ring gear, wiring harness, hardware, and battery

NOTE: M 8000 requires larger fuel tank and seat from ES model

**8639-133 |** '19-'24 8000 Models

**7639-846 |** '18 8000 Models

**7639-126** | '14-'17 8000; '12-'13 F, XF, M 800

**7639-501** | '14-'17 ZR 6000; '15-'17 M, XF High Country 6000







### **OVERLOAD KITS**

- Added spring tension to support 2-up riding
- Increased tow load pull and carry
- Quick engagement/disengagement

8639-378 | '21-'24 BLAST LT, XR

7639-978 | '19-'24 Norseman; '16-'18 XF CrossTour; '16-'17 Bearcat 3000; '14-'16 Bearcat XTE



### HITCH KITS

### CATALYST

- Sturdy steel draw bar kit allows confident towing with pivot or pintle-style hitch
- Installs below factory or accessory rear bumper
- Maximum tow rating 20 lbs vertical load, 150 lbs drawbar (pull)

8639-529 PIVOT | '24 ZR 600 129" NEW

**8639-530 PINTLE |** (Same application as 8639-529)

**8639-531 PIVOT |** '24 ZR 600 137" (Except R XC), M 600 146 NEW

**8639-532 PINTLE |** (Same application as 8639-531) **NEW** 

**8639-533 PIVOT |** '24 Riot 600, M 600 154" NEW

**8639-534 PINTLE |** (Same application as 8639-533) **NEW** 



### HITCH KITS

- Strong, secure steel bumper available with a pivot or pintle hitch
- 129-153" most kits include 8 mounting pockets
- Maximum tow rating 20 lbs vertical load, 150 lbs drawbar (pull)

**7639-356 PIVOT |** '18-'24 8000, '18-'23 6000, '19-'24 7000, '17-'24 9000 137"

**7639-357 PINTLE** | (Same application as 7639-356)

6639-991 PIVOT | '21-'24 Riot X; '16-'19 XF High Country, M 141"; '16-'17 5/6/8000, '16 9000, '16-'18 7000 XF CrossTrek, ZR 137"; '13-'15 XF 137-141"

6639-911 PINTLE | (Same application as 6639-991)

**6639-992 PIVOT |** '12-'24 M 153-154"; '20-'24 Riot; '20 Riot X; '17-'19 XF High Country 153"; '13-'15 XF High Country (Except '24 600)

**6639-912 PINTLE** | (Same application as 6639-992)

6639-993 PIVOT | '12-'24 M 162-165"

**6639-913 PIVOT | (Same application as 6639-993)** 

6639-061 PIVOT | '12 F 128"

4639-723 PIVOT | '15-'20 LYNX LT; '15-'18 Bearcat LT 2000; 2008-'14 T570, TZ1; 2009-'14 Bearcat 570



### TOW HITCH

- · Quick and easy installation
- · Mounts to standard bumper
- For light-duty use

6639-541 PIVOT | '12-'24 M, Riot, ZR, Thundercat, XF, F (Except '24 600) BEST SELLER

8639-416 PIVOT | '18-'24 Norseman; '21-'24 BLAST; '15-'24 Pantera;

6639-740 PINTLE | (Same application as 8639-416)

'16-'18 XF CrossTour BEST SELLER

**5639-324 PIVOT |** '15-'20 LYNX; '12-'14 F5, F570; '09-'11 CF, CFR, M; '10-'11 F, Z1



### TOW STRAP

- Safe, easy towing with even weight distribution
- Durable nylon strap
- · Handy storage pouch included
- For towing disabled vehicle, never use to tow or transport people; use a solid hitch when towing or transporting people


4639-247 | Universal



### TOW ROPE

- Easy-attach spring-clip buckles
- Heavy-duty nylon rope
- For towing disabled vehicle, never use to tow or transport people; use a solid hitch when towing or transporting people

0636-577 | Universal





### FLEX-TEC LITE HAND GUARDS

- · Legendary protection with a slender gauntlet profile optimized for backcountry riding
- Flexible backbone design
- Models with mountain handlebars require trimming
- Sold in pairs
- Includes machined aluminum mounts

8639-510 BLACK | '07-'24 Trail Handlebar, '12-'24 MTN Handlebar Models NEW

**8639-511 SKYE BLUE |** (Same application as 8639-510) **NEW** 

**8639-512 FIRE RED |** (Same application as 8639-510)



### FLEX-TEC HAND GUARDS

- · Handles the toughest conditions while keeping your hands warm and protected
- Flexible backbone design
- Models with mountain handlebars require trimming
- · Sold in pairs
- · Includes machined aluminum mounts

8639-467 GEN 3 BLACK | '07-'24 Trail Handlebar, '12-'24 MTN Handlebar Models

**8639-468 GEN 3 WHITE | (Same application as 8639-467)** 

**8639-469 GEN 3 MEDIUM GREEN |** (Same application as 8639-467)

**8639-470 GEN 3 ORANGE |** (Same application as 8639-467)

8639-048 GEN 2 PURPLE | (Same application as 8639-467)

REPLACEMENT PARTS

1641-488 PLASTIC STIFFENER (PAIR) | Flex-Tec Hand Guards

1641-489 MOUNT ASSEMBLY (PAIR) | Flex-Tec Hand Guards

1641-108 HARDWARE KIT | Flex-Tec Hand Guards



### PROCROSS HAND GUARDS

- Stylish, injection-molded guards add style and protection
- Models with mountain handlebars require trimming
- · Sold in pairs
- Includes nylon mounting arms

**8639-352 BLACK |** '07-'24 Trail Handlebar, '12-'24 MTN Handlebar Models

**8639-353 MEDIUM GREEN |** (Same application as 8639-352)



### PROCROSS LIGHTED HAND GUARDS

- · Stylish, injection-molded guards with LED accent lighting
- Lighted guards include LED caps and wiring
- · Models with mountain handlebars require trimming
- Sold in pairs
- Includes nylon mounting arms

8639-354 BLACK | '07-'24 Trail Handlebar, '12-'24 MTN Handlebar Models

**8639-355 MEDIUM GREEN |** (Same application as 8639-354)

**7639-449 WHITE** | (Same application as 8639-354)



### HAND GUARD LIGHT KIT

- Adds LED accent lighting to standard ProCross Hand Guards
- Includes LED caps and wiring
- · Sold in pairs

8639-356 | Procross Hand Guards



### TEAM ARCTIC HAND GUARDS


- · Lightweight, injection-molded plastic guards add warmth and protection
- Models with mountain handlebars require trimming
- · Sold in pairs
- Includes nylon mounting arms

**8639-345 BLACK |** '07-'24 Trail Handlebar, '12-'24 MTN Handlebar Models

**8639-346 MEDIUM GREEN |** (Same application as 8639-345)

**8639-347 ORANGE** | (Same application as 8639-345)

**8639-348 WHITE | (Same application as 8639-345)** 



### HAND GUARD EXTENSIONS

- · Quick-attach guards add warmth and protection
- · Sold in pairs

8639-176 | Fits Team Arctic Hand Guards



### XC MUFFS

- Water and wind-resistant nylon outer with a guilted lining
- Rolls up on handlebar when not in use
- Easy-attach hook-and-loop straps with elastic grip straps

7639-995 | Universal BEST SELLER



### **TOURING MUFFS**

- Water and wind-resistant nylon outer with a semi-rigid design
- · Folds flat for storage
- Easy-attach hook-and-loop straps with elastic grip straps
- Clear insert for visibility of controls

8639-175 | Universal BEST SELLER



### ADJUSTABLE BAR RISER

- Adjust handlebar position for any rider or conditions in seconds without tools
- Pull handle design is easy to use and provides 2.5" of telescoping height adjustment in 5/8" increments
- · Custom billet and extruded aluminum construction for longlasting durability
- · Black powder-coat finish with machined accents

8639-476 4.5-7.0" | '12-'24 Models With Fixed Steering Post



### **BAR RISERS**

- · Strong extruded aluminum
- · Black powder-coat finish

NOTE: Due to control cable and brake line restrictions, 7.5-in. and and 8.5" risers are recommended for M models only.

**8639-337 2.0"** | '12-'24 Models With Fixed Steering Post

**8639-338 3.5" |** (Same application as 8639-337)

**8639-339 4.5" |** (Same application as 8639-337)

**8639-340 5.5"** | (Same application as 8639-337)

8639-341 6.5" | (Same application as 8639-337)

**8639-342 7.5" |** (Same application as 8639-337)

**8639-343 8.5" |** (Same application as 8639-337)



### LAYDOWN STEERING POST

- Converts M models with vertical steering to a fixed, laydown system
- Includes steering post and upper support
- · Accepts standard bar riser; optional heights available separately

8639-136 | '14-'24 M (Except '24 600); '14-'19 XF High Country



### FIXED VERTICAL STEERING POST

- · Converts models with telescopic steering to a fixed post
- Includes upper steering post with a 4.5" riser block

**7639-985** | '20 Riot X 8000; '14-'19 XF High Country 6/8000; '12-'15 M; '12-'13 XF High Country 800



### MOUNTAIN HANDLEBAR

• Includes over-molded grab strap, grips and heating elements

**7639-983 LIGHTWEIGHT (2 LBS) |** '19-'24 M 6/8000 (ALL) **7639-984 HEAVY-DUTY (2.9 LBS) |** (Same application as 7639-983) **7639-489 LIGHTWEIGHT (2 LBS) |** '12-'18 M; '14-'18 XF High Country; '12-'15 XF **7639-490 HEAVY-DUTY (2.9 LBS) |** (Same application as 7639-489)



### RUFFIAN GRIPS

- · Soft compound grips offer better shock absorption
- Includes two 8-in. grips, cut to length

**5639-655** | Universal



### PROCROSS GRIPS

- Slim, comfortable design
- Includes two 6.2" grips

7639-398 | Universal



### **GRIP-IT GLUE**

- Specially formulated for applying hand grips to recreational vehicles
- Bonds up to 12 sets of grips

**0441-510 1 0Z |** Universal



### HANDLEBAR SWITCH GUARDS

- · Helps prevent accidental bumping of control switches
- Includes switch guard and adhesive

**8639-097** | Universal '19-'24

**5639-580** | Universal '07-'18





### SKID PLATES

- Provides impact protection from A-arms to heat exchange
- Heavy-duty polyethylene protects vital components
- . NOTE: Some models require trimming around exhaust outlet.

**7639-676 BLACK |** '18-'24 ZR, Norseman 6/8000; '20-'24 Riot 6/8000; '20 Riot X 8000; '18-'19 XF, Pantera 6/8000; '19 ZR, Norseman, Pantera 3000

**8639-065 MEDIUM GREEN |** (Same application as 7639-676)

**8639-231 HYPER GREEN |** (Same application as 7639-676)

**7639-678 ORANGE | (Same application as 7639-676)** 

7639-421 BLACK | '17-'24 9000 (Except M, King Cat)

8639-427 BLACK | '18-'24 M 8000; '18-'20 M 6000; '21-'24 Riot X

**8639-429 MEDIUM GREEN |** (Same application as 8639-427)

**8639-428 HYPER GREEN |** (Same application as 8639-427)

**7639-682 ORANGE |** (Same application as 8639-427)

8639-389 BLACK | '21-'24 BLAST (AU)

7639-684 BLACK | '17-'19 M, King Cat 9000

**7639-425 BLACK |** '17 Mountain Cat 8000

**7639-720 BLACK |** '14-'17 ZR, M, XF 4/5/6/8000; '14-'16 ZR, M, XF 9000; '13 F, M, XF 800/1100

7639-089 BLACK | '14-'18 ZR, XF, M, Pantera 7000

7639-090 TEAM ARCTIC GREEN | (Same application as 7639-089)



### **TUNNEL FLARES**

- Deflects snow spray away from the rider
- Sold in pairs

7639-969 | '14-'24 ZR; '20-'24 Riot, Riot X; '12-'24 M; '12-'19 XF; '13 F (Except '24 600)



### TANK PADS

- Provides comfort and grip
- · Sold in pairs

**7639-417 GEN 2 TRAIL |** '18-'24 6/8000; '17-'24 9000; '19-'24 7000; '19 3000 (Except M, Blast [All), '21-'24 Riot X, '24 600)

**7639-774 GEN 2 MTN |** '18-'24 M 8000; '18-'20 M 6000; Blast (All); '21-'24 Riot X **7639-413 GEN 1 |** '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-'13 800/1100



### SNOWFLAF

• Make your machine stand out with a custom color snow flap

**6639-398 TEAM ARCTIC GREEN |** '12-'24 M; '20-'24 Riot, Riot X; '14-'24 ZR; '13-'19 XF; '13 F (Except '24 600)

**5639-843 ORANGE |** '12-'24 M; '20-'24 Riot, Riot X; '14-'24 ZR; '13-'19 XF; '13 F (Except '24 600)



### TWIN RAIL BRACE KIT

- Upgrade your twin-rail M suspension with full-length Hardcore braces for outstanding durability
- Total weight 7.5 lbs
- · Includes braces, hardware, and instructions

**8639-170 BLACK |** '17-'19 M 153".

**8639-171 ALUMINUM |** (Same application as 8639-170)

**7639-147 ALUMINUM |**  '16 M 153"



### ALPHA ONE REAR ARM BOLT KIT

- Suspension upgrade for improved durability in harsh conditions
- Replaces two M6 cap screws with a through-bolt and lock nut

**0637-535** | '19-'20 M ALPHA ONE 154-165"



### TUNNEL REINFORCEMENT KIT

- Recommended when carrying fuel or heavy loads.
- Includes internal tunnel braces and hardware.
- Provides alignment holes for mounting Arctic Cat Tunnel Racks and Mountain Addiction Rails.

8639-210 | '14-'24 M 153-154"; '20-'24 Riot; '20 Riot X; '17-'19 XF High Country 153" (Except '24 600)

8639-211 | '14-'24 M, King Cat 162-165"



### TETHER SWITCH

- Stops engine in the event you fall off your sled
- · Attaches to your jacket D-ring

**8639-074** | '18 ZR, M, XF, Norseman 6/8000; '17 ZR 6000 RS BEST SELLER

8639-075 | '18 ZR, M, XF 9000

**5639-859** | '14-'17 6/8000; '12-'13 800 BEST SELLER

**5639-860** | '14-'17 5/9000; '14-'18 7000; '16-'18 3000; '12-'13 1100/1100T



# EXTREME PROTECTION FOR THE TOUGHEST CONTINUES OF THE CONT

This heavy-duty rail brace enhances the strength of the ALPHA ONE® Single-Beam Rear Suspension for the most extreme riders. At half the weight and twice the strength of

billet, our braces withstand the gnarliest conditions the backcountry can dish out.



## **ALPHA®**

### **ALPHA ONE RAIL BRACE - 8639-291**

'19-'24 M ALPHA ONE 146-165"; '21-'24 Riot X, BLAST M

- » Weighs 1.2-pounds with rivets
- » Reinforces entire mid-section of suspension rail to resist bending
- » Includes RH and LH braces, steel HD rivets, and installation instructions





### COVER

- Custom-fit cover made from durable canvas
- · Accepts low or high windshield
- Trailerable

**8639-011** | '18-'24 ZR 200 BEST SELLER

8639-012 | '18-'24 ZR 200



### HIGH WINDSHIELD

- · Adds warmth and protection
- 10" high

**7639-838** | '18-'24 ZR 120, 200



### HANDLEBAR BAG

• Convenient, easy-attach storage

**7639-715** | '18-'24 ZR 200



### TUNNEL PACK

- Compact gear storage
- · Quick-attach fasteners
- 16" L x 10" W x 4" H

**7639-994 |** '18-'24 ZR 200



### TEAM ARCTIC HAND GUARDS

- Provides added hand protection
- Includes injection-molded guards and flexible nylon mounting brackets
- Sold in pairs

8639-213 BLACK | '18-'24 ZR 200 BEST SELLER

**8639-067 MEDIUM GREEN |** (Same application as 8639-213)

**8639-068 WHITE |** (Same application as 8639-213)



### FLEX-TEC HAND GUARDS

- Adds style and warmth
- Flexible backbone design
- Sold in pairs
- Includes machined aluminum mounts

8639-513 GEN 3 MEDIUM GREEN | '18-'24 ZR 200 NEW

**7639-911 GEN 2 MEDIUM GREEN |** '(Same application as 8639-513)

**8639-245 GEN 2 FIRE RED |** (Same application as 8639-513)

**7639-912 GEN 2 PURPLE |** (Same application as 7639-911)



### SNOCROSS HANDLEBAR KIT

- Wider than stock handlebar with an adjustable height riser
- Five-position riser adjusts up to 4-in. higher than the standard bar
- Includes heavy-duty steering post, 27-in. wide handlebar, hand warmer elements and grips
- 8639-266 converts steering to '20 specification and includes longer tie-rods

8639-267 | '20-'24 ZR 200

8639-266 | '18-'19 ZR 200



### HAND WARMERS

- Keep small riders comfortable by adding hand warmers
- Includes elements, wiring harness, and control switch

**2639-019** | '01-'16 120 Models



### RUNNING BOARD GRIPS

- Traction grippers provide added boot grip
- Includes aluminum foot grips and nylon edge-roll grips

**7639-728** | '18-'24 ZR 200



### TETHER SWITCH

- Stops engine in the event that you fall off your sled
- · Attaches to your jacket D-ring

**7639-732** | 18 ZR 200



### SPEEDOMETER KIT

- Track your speed, mileage and RPM
- Includes speedometer/tachometer, speed sensor and mounts

**7639-927 |** '18-'24 ZR 200



### **HEAVY-DUTY SUSPENSION KIT**

- Heavier suspension springs for larger riders
- 7639-887 includes ski shock and rear torsion springs
- 8639-208 includes rear torsion springs only

8639-208 | '18-'20 ZR 200 BEST SELLER

**7639-887** | '18-'20 ZR 200



### SPEEDWERX CLUTCH KITS

- Designed and calibrated for increased performance
- · Includes springs, rollers and a custom helix

8639-121 | '18-'24 ZR 200 (Rider weight under 150 lbs)

8639-125 | '18-'24 ZR 200 (Rider weight over 150 lbs)



### **ENGINE PERFORMANCE KIT**

- Increase the power and responsiveness of your 120 engine
- Includes performance camshaft, valve springs, carburetor jets and gaskets
- Complies with ISR stock class racing rules

6639-883 | '14-'24 ZR 120; '10-'13 Sno Pro 120



### SKID WHEEL KIT

- Adds wheels to the rear skid for use in low snow conditions
- Includes wheels and mounts

NOTE: Not recommended for summer use

7639-963 | '18-'24 ZR 200

7639-967 | '18-'24 ZR 120



### **ICE TRACK**

- This track features 0.5" height lugs and is premarked for studs for riding or racing on ice
- Compatible with 7639-900 Traction Kit, 7639-971 Tunnel Protector Kit

3602-220 | '18-'24 ZR 200



### TRACTION KIT

- Designed specifically for use with 3602-220 Ice Track
- Requires 7639-971 Tunnel Protector Kit
- · Includes studs, support plates, and nuts

7639-900 72/PK | '18-'24 ZR 200



### TUNNEL PROTECTOR KIT

- Required when installing 7639-900 Traction Kit
- Includes tunnel protectors, mounting hardware, and instructions

7639-971 | '18-'24 ZR 200



### CARBIDE WEARBARS

- · Hardweld carbide wearbars provide excellent durability and steering control on hardpack snow and ice
- · Sold in pairs

7639-889 4" CARBIDE | '18-'24 ZR 120, 200 BEST SELLER

7639-890 6" CARBIDE | '18-'24 ZR 120, 200

# CROSSOVE



R

Carves the backcountry and zips trails with unbridled aggression.







### SHOCKS



### FOX® ZERO QS3

- Calibrated for aggressive trail riding and ditch banging
- Quickly change between 3 specifically calibrated settings (soft, medium and firm) with the flip of a switch to adapt to varying trail conditions
- Fully rebuildable and revalveable

**8639-308 FRONT (PAIR) |** '14-'24 ZR; '20-'24 Riot; '15-'24 Pantera; '12-'19 XF; '12-'13 F 42" (EXCEPT '24 600)

8639-319 REAR | '14-'23 ZR 129"

**8639-320 REAR |** '14-'24 ZR; '17-'24 Thundercat; '14-'19 XF 137"

8639-323 REAR | '20-'24 RIOT; '20 Riot X 146"



- Soft calibration for comfortable trail riding
- An affordable upgrade for models with hydraulic twin tube shocks
- · Fully rebuildable and revalveable

**8639-306 FRONT |** '14-'24 ZR; '20-'24 Riot; '18-'19 Pantera; '12-'19 XF; '12-'13 F 42" 6/8000 (Except '24 600)

**8639-307 FRONT |** '14-'24 ZR; '23-'24 Riot; '15-'24 Pantera; '12-'19 XF; '12-'13 F 42'' 3/7/9000

8639-317 FRONT | '14-'23 ZR 129"

8639-318 FRONT | '14-'24 ZR; '17-'24 Thundercat; '14-'19 XF 137"

### **ARCTIC CAT IFP PACKAGES**

- Upgraded suspension package offers improved ride and consistent performance over bumpy terrain
- Internal Floating Piston (IFP) gas shocks feature adjustable preload and are fully rebuildable and revalveable
- Includes (4) shocks and Instructions

**8639-485 |** '21-'24 BLAST ZR

8639-487 | '21-'23 BLAST M (Except '23 BLAST M LTD)

8639-486 | '22-'24 BLAST XR; '21-'24 BLAST LT



Calibrated for aggressive trail riding and

- ditch banging
  Quickly change between 3 specifically calibrated settings, soft, medium and firm, with the flip of a switch to adapt to varying trail conditions
- Adjustable rebound setting allows your shock to recover from bigger hits quickly enough to absorb consecutive hits and provides increased traction
- Fully rebuildable and revalveable

**8639-309 FRONT (PAIR) |** '14-'24 ZR; '20-'24 Riot; '15-'19 Pantera; '12-'19 XF; '12-'13 F 42'' [Except '24 600]



### FOX FLOAT® 3 QSL

- Calibrated for mountain performance riding
- Quickly change between 2 specifically calibrated settings and a third position climb lockout function
- · Infinitely adjustable air spring
- Fully rebuildable and revalveable

**8639-325 REAR |** '16-'19 M 153, 162'

### FOX FLOAT QS3

- · Calibrated for mountain performance riding
- Quickly change between 3 specifically calibrated settings (soft, medium and firm) with the flip of a switch to adapt to varying conditions
- · Infinitely adjustable air spring
- Fully rebuildable and revalveable

8639-312 FRONT (PAIR) | '16-'24 ProClimb M 36"



SHOCK OPTIONS					
SKI	ARCTIC CAT IFP 1.5	FOX 1.5 ZERO QS3	FOX 1.5 ZERO QS3R	FOX FLOAT QS3	
'14-'24 ZR; '20-'24 Riot; '18-'19 Pantera; '12-'19 XF; '12-'13 F 42" 6/8000 (EXCEPT '24 600)	8639-306	8639-308	8639-309	-	
'14-'24 ZR; '23-'24 Riot; '15-'24 Pantera; '12-'19 XF; '12-'13 F 42'' 3/7/9000	8639-307	8639-308	8639-309	_	
'16-'24 PROCLIMB M 36"	-	_	_	8639-312	

REAR ARM	ARCTIC CAT IFP 2.0	FOX 2.0 ZERO QS3	FOX FLOAT 3 QSL
'14-'23 ZR 129"	8639-317	8639-319	_
'14-'23 ZR; '17-'23 Thundercat; '14-'19 XF 137"	8639-318	8639-320	-
'20-'23 Riot; '20 Riot X 146"	_	8639-323	_
'16-'19 M 153, 162"	-	-	8639-325

### QS3 (3 SETTING QUICK POSITION SWITCH)

Choose from three specifically calibrated ride control settings to tune in your own personal ride and handling setting. The OS3 supplies a wide range of adjustments while simply allowing the user to make a change quickly without tools.

### REBOUND DAMPING

Rebound damping controls the rate at which the shock returns after it has been compressed. The proper rebound setting is a personal preference and changes with rider weight, riding style and conditions.



### FOX FLOAT GUARD KIT

- Protect your FOX Float air shocks from damage and extend the life of critical seals and components
- Simple installation, includes LH and RH guards and hardware
- Compatible with Float 1/2/3, Evol, and Evol R

7639-640 BLACK | FOX Float 1/2/3/EVOL/EVOL R Shocks

**7639-643 WHITE |** (Same application as 7639-640)


7639-641 TEAM ARCTIC GREEN | (Same application as 7639-640)



### TIGER SLIDE WEAR STRIPS

- High-performance slide rail wear strips provide superior wear resistance and improved track durability in hardpack conditions
- Advanced, high-lubricity, ultra-low friction inserts are angled at 60° for continuous contact with track clips
- · Molded white and black swirl pattern for a custom look
- Narrow profile for universal fit, easily cut to length for any application
- · Sold individually

8639-422 WHITE/BLACK | Universal 121-165" NEW



### **ICE SCRATCHERS**

- Helps prevent wear strip overheating on ice and hardpack
- · Use caution when operating sled in reverse
- Some models require the removal of forward idler wheels
- Sold in pairs

5639-897 | UNIVERSAL TWIN RAIL BEST SELLER

1704-734 LH / 1704-735 RH | FITS ICE SCRATCHERS 5639-897

5639-941 | FITS ICE SCRATCHERS 5639-897



### SPEEDWERX HYPERSHIFT CLUTCH KITS

- Developed and trusted by Team Arctic racers and designed for the demands of the high-performance rider
- Provides smooth, hard-pulling acceleration with excellent back shifting and throttle response
- Some models may see improved top speed
- Kits vary by application, but most include adjustable machined weights, H5 alloy primary and secondary springs, and a custom-cut helix
- Calibrated for 0-5000ft elevation and up to 1.35" track lug height unless otherwise indicated

8639-541 ADAPT | '22-'24 ZR 8000 NEW

8639-359 TEAM | '20-'21 ZR 8000

8639-107 TEAM | '18-'19 ZR 8000

7639-856 TEAM | '17 ZR 8000

4639-615 ARCTIC | '14-'15 ZR, XF 8000; '12-'13 F, XF 800 NEW

8639-542 ADAPT | '24 ZR 600 NEW

8639-540 ADAPT | '22-'23 ZR 6000 NEW

8639-358 TEAM | '18-'21 ZR 6000

**7639-855 TEAM |** '17 ZR 6000

**7639-863 TEAM |** '18-'19 M 8000 (6-8,000 FT)

**7639-877 TEAM |** '16-'17 M 8000 (3-6,000 FT)

**7639-859 TEAM |** '16-'17 M 8000 (8-10,000 FT)



### BILLET BRAKE LEVER

- Comfortable, custom design with an anodized finish
- Accepts production park brake lock

8639-051 BLACK | Universal '19-'24

**8639-052 GRAY |** (Same application as 8639-051)

**8639-053 PURPLE | (Same application as 8639-051)** 

**8639-229 BRONZE |** (Same application as 8639-051)



### SNO PRO® BRAKE LEVER

- Aluminum lever with a curved tip design
- Accepts production park brake lock

8639-099 BLACK | Universal '19-'24 2602-770 BLACK | Universal '12-'18



### HEAVY-DUTY BRAKE DISC

- Increase stopping performance with cross-drilled, waved Hayes brake rotor
- Fits models with 34T splined driveshaft
- Standard on RR and R-XC models

**2602-720 |** '14-'24 ZR, Thundercat; '20-'24 Riot, Riot X; '21-'24 BLAST; '12-'24 M; '12-'17 XF; '12-'13 F



### EXTREME-DUTY BRAKE DISC

- Engineered for the extreme demands of snocross racing, this Hayes brake disc provides unmatched stopping power
- Cross-drilled, floating rotor design and stainless steel construction for superior heat dissipation and consistent performance
- Fits models with 34T splined driveshaft
- Requires 3602-017 Racing Brake Pads

**3602-020** | '14-'24 ZR, Thundercat; '20-'24 Riot, Riot X; '21-'24 BLAST; '12-'24 M; '12-'17 XF; '12-'13 F



### RACING BRAKE PAD SET

- Improve brake system performance and extend wear life with metallic, heat-resistant brake pads
- Includes 2 pads and 1 retaining pin

**3602-017** | '14-'24 ZR, Thundercat; '20-'24 Riot, Riot X; '21-'24 BLAST; '12-'24 M; '12-'17 XF, '12-'13 F



### HARDCORE RUNNING BOARDS

- Aluminum tube running boards offer aggressive grip traction, increased stiffness, and 4-lbs weight reduction
- Replaces factory running boards with no cutting or permanent modification required
- Available in two versions optimized for on or off-trail models
- Durable, factory-matched powder-coat finish for a custom look
- Accepts factory or accessory rear bumper
- Includes RH and LH boards, hardware, and instructions

8639-466 SKYE BLUE | '24 M 600 NEW

8639-374 MEDIUM GREEN | '24 ZR, Riot 600 NEW

8639-474 FIRE RED | '24 ZR, Riot 600 NEW



### ASCENDER RUNNING BOARDS

- Rugged, extruded aluminum boards add strength and reduce snow buildup
- Aggressive edge grip traction
- Installation requires removal of stock running boards
- Includes RH andLH boards
- 6.5 lbs

7639-437 BLACK | '18-'24 M; (Except '24 600) '21-'24 Riot X; '17-'19 Mountain Cat, King Cat

8639-078 MEDIUM GREEN (Same application as 7639-437)

**8639-271 HYPER GREEN |** (Same application as 7639-437)

8639-079 PURPLE | (Same application as 7639-437)

**7639-435 BLACK** | '20-'24 Riot; (Except '24 600) '20 Riot X; '12-'19 XF High Country; '12-'17 M (Except Mountain Cat)

7639-436 ALUMINUM | (Same application as 7639-435)



### PRO MTN RUNNING BOARDS

- Aluminum running boards feature an open-tube design that reduces snow buildup
- Includes aggressive, injection-molded rail grippers
- 6.25" front stirrup width
- Front support tube allows a more forward foot position when sidehilling
- Installation requires removal of stock running boards
- Includes right-hand and left-hand boards and rail grippers
- Accepts factory or accessory rear bumper
- 8.5 lbs

**8639-070 BLACK |** '12-'24 M; '20-'24 Riot; (Except '24 600) '20 Riot X; '12-'19 XF High Country; '17-'19 King Cat

**8639-071 MEDIUM GREEN |** (Same application as 8639-070)

**8639-274 HYPER GREEN |** (Same application as 8639-070)

7639-441 TEAM ARCTIC GREEN | (Same application as 8639-070)

**7639-442 ORANGE | (**Same application as 8639-070)

**7639-443 WHITE** | (Same application as 8639-070)

8639-275 DYNAMIC CHARCOAL | (Same application as 8639-070)

**8639-073 PURPLE |** (Same application as 8639-070)

### REPLACEMENT PARTS

7639-589 OUTER CLEAT (PAIR) | Fits Pro MTN Running Boards

7639-956 INNER CLEAT (PAIR) | Fits Pro MTN Running Boards

1641-388 HARDWARE KIT | Fits Pro MTN Running Boards



### RUNNING BOARD TRACTION

- Aluminum running board grippers provide added boot traction
- · Includes eight grips with rivets

8639-391 | Universal



### TUNNEL GRIPS

- Raised, rubberized grip features provide additional boot traction on tunnel sides for aggressive riding or racing
- Includes 15.5" x 4.25" flexible, adhesive-backed panels (Pair)
- · Trimmable to fit any machine

5639-814 CLEAR | Universal



### **ASCENDER PRO SEAT**

- Lightweight mountain seat provides improved comfort and function
- 1-in. narrower and 1-in. taller than the standard seat
- Added support at the rear of the seat for taller riders
- Includes black seat assembly and powder-coated aluminum seat frame
- Fits 6/8000 non-electric start models with a short tank and seat

**8639-255 MEDIUM GREEN |** '18-'24 M 8000; '18-'20 M 6000 (Non-ES Models)

8639-168 ALUMINUM | (Same application as 8639-255)



### LED HEADLIGHT

- Delivers greater performance than a halogen system
- When the high beam is activated, the low beam also stays on to deliver a light pattern with great range and width
- · Features stylish accent lighting
- Includes headlight assembly and wiring harness
- Fits Gen 2 ProCross models with halogen headlight

**7639-989** | '19-'24 Norseman; '20-'23 Riot; '19-'20 ZR 6/8000; '19-'20 M; '19 XF High Country **0709-096** | '18 ZR, M, XF, Norseman, Pantera 6/8000



### PANEL VENT KIT

- Side panel vents allow cool air into the clutches and exhaust
- Laser-cut aluminum grills with stainless steel mesh screens to keep the snow out
- Sold as a pair

**7639-972 GEN 2 PROCROSS TRAIL |** '18-'24 6/8000 (Except M, '21-'24 Riot X); '17-'24 9000; '19-'24 7000; '19 3000

**7639-974 GEN 2 PROCLIMB MTN |** '18-'24 M 8000; '21-'24 Riot X; '21-'24 BLAST; '18-'20 M 6000




### PRO MTN CAP

• Lightweight, stylish billet aluminum

7639-844 BLACK | Universal '12-'24

**8639-049 PURPLE |** (Same application as 7639-844) **8639-228 BRONZE |** (Same application as 7639-844)



### PROCROSS CAP

• Billet aluminum for a custom look

7639-405 BLACK | Universal '12-'24



### BILLET RECOIL HANDLE

• Billet aluminum for a custom look

**7639-408 ALUMINUM |** Universal **7639-924 GRAY |** Universal



### NUMBER PLATE KIT

- Competition-legal racing number plates
- Made of molded plastic with excellent cold weather durability
- Includes RH plate, LH plate, and rivets

8639-127 | Universal



### RACING TAPE

- Trusted by Team Arctic racers, this sticky tape is extra strong for the toughest applications
- Each roll is 2" x 60 yds.

4639-579 BLACK | Universal 5639-103 ORANGE | Universal



### FOUR WHEEL KIT

- Replaces tri-hub rear axle wheels and adds outside wheels
- Helps keep track in proper alignment and spread the traction load evenly
- Includes wheels, machined aluminum spacers and hardware

**7639-865 7.12" WHEELS |** '14-'18 ZR 129", '13 F (Except RR)

**7639-866 8-" WHEELS |** '16-'18 ZR, Thundercat 137"; '14-'18 XF; '16-'18 M 141"; '12-'18 M 153-162"



### REAR WHEEL KIT

- Outside idler wheels help keep track in proper alignment and distribute load evenly
- Recommended when adding studs to the models listed
- · Includes wheels, spacer blocks and hardware
- Sold in pairs

6639-621 BLACK | '16-'18 ZR, Thundercat, XF Cross Country 137"; '16-'19 M, XF High Country 141"; '12-'18 M 153-162"

**7639-883 MEDIUM GREEN |** (Same application as 6639-621)

6639-622 TEAM ARCTIC GREEN | (Same application as 6639-621)

6639-617 BLACK | '14-'18 ZR; '12-'13 F 128-129"

**7639-882 MEDIUM GREEN |** (Same application as 6639-617)

6639-618 TEAM ARCTIC GREEN | (Same application as 6639-617)

**6639-619 ORANGE | (Same application as 6639-617)** 



### **BILLET AXLE WASHERS**

- Billet aluminum washers give your 2-wheel rear axle a custom look
- · Sold in pairs

7639-409 BLACK | '14-'18 ZR; '12-'18 XF (All); '09-'18 M; '12-'13 F (Except RR)

**7639-410 ALUMINUM |** (Same application as 7639-409)



### RAIL CAP WHEEL KIT

- Helps prevent track from contacting the slide-rail end caps
- Includes two 2.5" x 0.787" idler wheels, rail caps and a heavy-duty axle shaft

**7639-987** | '09-'19 M 141, 153, 162"; '20-'24 Riot; '20 Riot X; '12-'19 XF 141-153"



### WHEEL KITS

- Wheels provide increased performance in low snow conditions
- Includes two 5.63". wheels with mounts and hardware

**6639-808 |** '15-'18 ZR 129"; '16-'18 ZR 137"; '14-'19 XF 137"





The Float avalanche airbag system is designed to keep you at or near the surface during an avalanche. It is one of the most proactive snow safety tools you can carry into avalanche terrain. BCA Float avalanche airbags are both affordable and easily reusable.

- Features a small 2,700-psi (186 bar) compressed-air cylinder, singlechamber 150-liter airbag and super-efficient venturi system
- Trigger is located on right shoulder strap, allowing you to keep your right hand on the throttle
- Includes pressurized air cylinder
- > Hazardous-shipping charges may apply



### FLOAT MTNPRO 2.0 VEST

- · Lightweight, protective vest with airbag
- Full front, side and back protection
- Two sizes to fit most riders
- Float 2.0 System
- Shovel not included
- 8.6 lbs, 20-liter capacity

8639-268 | M/L

8639-269 | XL/XXL



### FLOAT 15 TURBO™

- Internal tool pocket for probe
- External shovel carry Shovel not included
- Float 2.0 System
- 6.1 lbs, 15-liter capacity

8639-111 | ONE SIZE



### FLOAT 25 TURBO™

- Internal tool pocket for probe
- External shovel carry
- Shovel not included
- Float 2.0 System
- 6.9 lbs, 25-liter capacity

### 8639-112 | ONE SIZE



### FLOAT 2.0 AIR CYLINDER

• Replacement pressurized air canister

1641-374 | ONE SIZE



### TRACKER 3

- BCA's most efficient, progressive design and most precise pinpointing
- Instantaneous, real-time display
- Small and light with three antennas for no-nonsense multiple burial searching
- Includes harness

### 6639-406 | ONE SIZE



### TRACKER S

- Simplicity is speed our stripped-down, more affordable
- All the performance of the T3, without motion-sensing or upgradeable software

8639-113 | ONE SIZE

BCA Quick-Lock probes save valuable seconds when time matters. They offer the easiest and fastest assembly on the market, all while freeing up valuable storage space in your pack.



### STEALTH 270

- High-strength aluminum probe with laser etched depth markings for added durability
- Collapsed 17.7", extended 8' 10"
- 10.4 OZ.

6639-444 ONE SIZE BEST SELLER

Strong group communication is the key to any successful day riding the mountains. Find separated riders, communicate plans and share observations in real time with the BC Link" communication system. The Smart Mic user interface is located at your fingertips, meaning you never need to dig your 2-way radio out of your pack to change settings. Glovefriendly controls include: on/off and volume control, channel control, push-to-talk button, loudspeaker, earphone jack and battery indicator. Rechargeable lithium ion battery pack provides up to 4 days of battery life in cold weather. BC Link 2-way radios operate on 22 FRS GMRS channels + 121 sub-channels to ensure minimal interference.



#### BC LINK 2.0 RADIO

• 2 watts for increased usable range

8639-114 | ONE SIZE BEST SELLER



BC LINK 1.0 RADIO

• 1 watt

7639-466 | ONE SIZE



# BC LINK REPLACEMENT BATTERY

• Fits BC Link 1.0 Radio

1641-117 | ONE SIZE

#### DOZER 1T SHOVEL

- Extendable-handle shovel with an amazing strength-to-weight ratio
- Low-profile, stomp edge blade on an ovo-concave shaft with an ergonomic grip
- Extends up to 30" long, 9" X 10.5" blade, 1.2 lbs

8639-455 | ONE SIZE NEW



# A-2 EXT SHOVEL

- An integrated shovel system with a larger blade and extendable handle
- Includes an 11.4-in. snow/wood saw stowed inside the grip
- Extends up to 30.5" long, 10" x 11" blade, 1.9 lbs

#### 5639-786 | ONE SIZE



#### D-2 EXT SHOVEL

- Converts from a traditional shovel to a hoe
- Move more snow without lifting it
- Includes a 6.5" snow/wood saw stowed inside the shaft
- Extends to 32" long, 10" x 11" blade, 2.1 lbs

#### 7639-765 | ONE SIZE



# $\mathsf{COBRA^{\mathsf{TM}}}$

- Sled-to-sled pulling tool
- Made of stretch cords bundled in a corrugated vinyl tube with a hook on both ends
- Creates 300 to 400 lbs of static pulling force


#### 5639-640 | ONE SIZE



# **RATTLER**

- Maximizes the pulling force of your body
- Made of strong stretch cords bundled in a corrugated vinyl tube
- Safety strap hook attaches to the ski of the stuck sled with a grab handle on the other end

#### 5639-639 | ONE SIZE



# TRACKS



#### COBRA

- Cupped lugs for superior handling, acceleration and braking on soft, loose trails
- Excellent off-trail performance without sacrificing top speed



#### HACKSAW™

- Crescent lug design with recessed tips and cutting edges provides grip on hard-packed trails
- Narrow lug base provides less rolling resistance for maximum top speed



## **POWER CLAW™**

- This lightweight single-ply track sets the standard for deep snow performance
- Stagger-set, curved-forward paddle towers won't fold over or take a set
- Available in 2.25" and 2.6" lug heights with 80 or 85 durometer



#### 3" POWER CLAW

- Full 3" lug height brings maximum control to even the deepest snow
- Lightweight single-ply track features stagger-set, curved-forward paddle towers that won't fold over or take a set
- 80 durometer hardness rating for rugged performance
- Requires 7-tooth driveshaft



#### RIPSAW™

- Aggressive angled lug profiles for outstanding traction on groomed trails
- Rigid lugs provide excellent durability



#### RIPSAW II

- Lug design combines the best features of Ripsaw and Cobra tracks for excellent all-around performance
- Less track noise for quieter operation on hard-packed trails



#### **BACKCOUNTRY X**

- Snocross-inspired, arched lugs are staggered for outstanding traction in soft snow
- Rigid lug support columns for on- and off-trail performance




# ALPHA ONE TRACK + DRIVER UPDATE KIT

- Upgrade the durability of your Alpha Oneequipped machine with reinforced track construction and revised drive sprockets
- Includes updated 2-Window Track and Track Drive Assembly

0728-277 15 X 146 X 2.6" (2.86 P) | '21 Riot X 146" 0728-278 15 X 154 X 2.6" (2.86 P) | '21 M 154" 0728-280 15 X 154 X 3.0" (3.5 P) | '19-'22 M 154" 0728-279 15 X 165 X 3.0" (3.5 P) | '19-'22 M 165"

PART NUMBER	DESCRIPTION	DIMENSION	CLIPS
PERFORMANCE 2		Виченогон	OLII O
3602-294	HACKSAW (SINGLE-PLY) - 80/70 DURO	14 X 121 X 1.00"	CLIPPED EVERY 3RD
2602-046	RIPSAW - 80/70 DURO	15 X 128 X 1.25"	CLIPPED EVERY 3RD
2602-835	RIPSAW - 80/70 DURO	15 X 128 X 1.50"	CLIPPED EVERY 3RD
PERFORMANCE 2	.86 P		
2602-575	RIPSAW II - 80/70 DURO	15 X 129 X 1.00"	CLIPPED EVERY OTHER
2602-576	RIPSAW - 80/70 DURO	15 X 129 X 1.25"	CLIPPED EVERY OTHER
2602-491	COBRA - 80/70 DURO	15 X 129 X 1.35"	CLIPPED EVERY OTHER
2602-865	SNO PRO - 80/70 DURO	15 X 129 X 1.70"	CLIPPED EVERY OTHER
3602-202	RIPSAW - 80/70 DURO	15 X 137 X 1.00"	FULLY CLIPPED
2602-627	RIPSAW II - 80/70 DURO	15 X 137 X 1.25"	CLIPPED EVERY OTHER
3602-303	COBRA - 80/70 DURO	15 X 137 X 1.35"	FULLY CLIPPED
2602-909	COBRA - 80/70 DURO	15 X 137 X 1.60"	CLIPPED EVERY OTHER
2602-669	BACKCOUNTRY X - 80/70 DURO	15 X 137 X 1.75"	CLIPPED EVERY OTHER
2602-933	COBRA - 80/70 DURO	15 X 146 X 1.35"	FULLY CLIPPED
3602-237	COBRA - 80/70 DURO	15 X 146 X 1.60"	FULLY CLIPPED
3602-397	HURRICANE NEW	15 X 146 X 1.75"	CLIPPED EVERY OTHER
3602-240	CHALLENGER - 80 DURO	15 X 146 X 2.00"	FULLY CLIPPED
TOURING 2.52 P			
2602-528	HACKSAW - 80/70 DURO	15 X 136 X 1.00"	CLIPPED EVERY 3RD
TOURING 2.86 P 2602-521	RIPSAW II - 80/70 DURO	15 X 146 X 1.00"	CLIPPED EVERY 3RD
2602-512	RIPSAW - 80/70 DURO	15 X 146 X 1.25"	CLIPPED EVERY 3RD
3602-067	COBRA (SINGLE-PLY) - 80/70 DURO	15 X 154 X 1.60"	CLIPPED EVERY OTHER
MOUNTAIN 2.86 F	· · · · · ·	13 X 134 X 1.00	DENT ED EVERT OTHER
3602-372	CHALLENGER/ALPHA - 80 DURO	15 X 146 X 2.00"	CLIPPED EVERY OTHER (2-WINDOW)
3602-371	CROSS COUNTRY/ALPHA (SINGLE-PLY) - 80 DURO	15 X 146 X 2.60"	CLIPPED EVERY OTHER (2-WINDOW)
3602-370	CROSS COUNTRY/ALPHA (SINGLE-PLY) - 80 DURO	15 X 154 X 2.60"	CLIPPED EVERY OTHER (2-WINDOW)
MOUNTAIN 3.0 P	2000 (0000 5 000) 20 0000	45 74 44 74 85	1.
2602-169	COBRA (SINGLE-PLY) - 80 DURO	15 X 141 X 1.35"	CLIPPED EVERY OTHER
2602-170	COBRA (SINGLE-PLY) - 80 DURO	15 X 141 X 1.60"	CLIPPED EVERY OTHER
3602-143	POWER CLAW (SINGLE-PLY) - 80 DURO	15 X 141 X 2.25"	CLIPPED EVERY OTHER
3602-141	POWER CLAW (SINGLE-PLY) - 80 DURO	15 X 141 X 2.60"	CLIPPED EVERY OTHER
3602-145	BACKCOUNTRY X (SINGLE-PLY) - 80/70 DURO	15 X 153 X 1.75"	CLIPPED EVERY OTHER
3602-142	POWER CLAW (SINGLE-PLY) - 80 DURO	15 X 153 X 2.25"	CLIPPED EVERY OTHER
2602-399	POWER CLAW (SINGLE-PLY) - 85 DURO	15 X 153 X 2.25"	CLIPPED EVERY OTHER
3602-140	POWER CLAW (SINGLE-PLY) - 80 DURO	15 X 153 X 2.60"	CLIPPED EVERY OTHER
2602-482	POWER CLAW (SINGLE-PLY) - 85 DURO	15 X 153 X 2.60"	CLIPPED EVERY OTHER
3602-138	POWER CLAW (SINGLE-PLY) - 80 DURO	15 X 153 X 3.00"	CLIPPED EVERY OTHER
2602-483	POWER CLAW (SINGLE-PLY) - 80 DURO	15 X 162 X 2.60"	CLIPPED EVERY OTHER
2602-484	POWER CLAW (SINGLE-PLY) - 85 DURO	15 X 162 X 2.60"	CLIPPED EVERY OTHER
3602-137	POWER CLAW (SINGLE-PLY) - 80 DURO	15 X 162 X 3.00"	CLIPPED EVERY OTHER
MOUNTAIN 3.5 P	DOMED OF VARIANCE DIA (CINOLE DIA) - 00 DIDO	15 V 15 / V 0 00H	augus suspicatura (a www.aug.
3602-368	POWER CLAW/ALPHA (SINGLE-PLY) - 80 DURO	15 X 154 X 3.00"	CLIPPED EVERY OTHER (2-WINDOW)
3602-369 UTILITY 2.52 P	POWER CLAW/ALPHA (SINGLE-PLY) - 80 DURO	15 X 165 X 3.00"	CLIPPED EVERY OTHER (2-WINDOW)
2602-314	RIPSAW (SINGLE-PLY) - 80/70 DURO	15 X 151 X 1.25"	CLIPPED EVERY OTHER
UTILITY 2.86 P			
2602-639	(SINGLE-PLY) - 60 DURO	20 X 154 X 1.375"	CLIPPED EVERY OTHER
3602-058	BEARCLAW (SINGLE-PLY) - 80/70 DURO	20 X 154 X 1.375"	CLIPPED EVERY OTHER
3602-059	BEARCLAW (SINGLE-PLY) - 80/70 DURO	20 X 154 X 1.60"	CLIPPED EVERY OTHER

# MOUNTAIN



Deep powder, steep climbs and white-knuckle carving. The air up here isn't for casual riders.







#### PROCROSS-6 SKIS

- 6" width for precise on-trail handling
- Includes pair of skis, handles, mounting hardware, and 4" carbide wearbars

6639-206 BLACK | 'Universal '12-'24



#### PROCLIMB-7 G2 SKIS

- 7" width and deep keel for off-trail carving control
- Includes pair of skis, handles, mounting hardware, and 4" carbide wearbars

8639-064 BLACK | 'Universal '12-'24



#### PROUTE-10/8 SKIS

- 8" width and 10" tip for ultimate flotation
- Includes pair of skis, handles, mounting hardware, and 4" carbide wearbars

7639-032 BLACK | 'Universal '12-'24



## SLP POWDER PRO SKIS

- Exceptional float and control in deep, loose snow
- Includes pair of skis, handles, saddles, and mounting hardware
- Wearbars sold separately

7639-095 BLACK | 'Universal '12-'24



#### SLP MOHAWK SKIS

- · Provides predictable handling and great flotation
- Includes pair of skis, handles, saddles, and mounting hardware
- Wearbars sold separately

7639-095 BLACK | 'Universal '12-'24

**7639-201 WHITE |** (Same application as 7639-095)



#### SKI HANDLES

#### CATALYST

- Personalize your Arctic Cat skis with colored handles
- · Sold in pairs

**8639-535 BLACK |** '05-'24 Saddleless Skis

8639-536 MEDIUM GREEN | (Same application as 8639-535)

8639-537 FIRE RED | (Same application as 8639-535)

8639-538 SKYE BLUE | (Same application as 8639-535) NEW



#### SKI HANDLES

- Personalize your Arctic Cat skis with colored handles
- Sold in pairs

**7639-820 MEDIUM GREEN |** '05-'24 Saddleless Skis

**8639-243 HYPER GREEN |** (Same application as 7639-820)

6639-388 TEAM ARCTIC GREEN | (Same application as 7639-820)

**5639-744 ORANGE |** (Same application as 7639-820)

6639-095 WHITE | (Same application as 7639-820)

**8639-047 PURPLE | (**Same application as 7639-820)

**3639-781 GREEN |** '95-'08 Aluminum Saddle Skis

**3639-865 ORANGE |** (Same application as 3639-781)



#### **36" FRONT SUSPENSION KIT**

- Make off-trail handling effortless with the ultra-nimble 36"
- Arctic Mountain Suspension™ (AMS) ski stance
- Includes black upper and lower A-arms, tie-rods, hardware, and instructions
- 8639-471 also includes twin tube coil-over shocks

8639-471 | '21-'24 BLAST M, '21 BLAST M LTD

8639-477 (NO SHOCKS) | '16-'24 ProClimb, Ascender Models With 36" Ski Stance (Replacement)



#### REAR SUSPENSION SPRINGS

- Heavy-duty torsion springs provide a firmer ride and help prevent the rear suspension from bottoming out under high load
- Light-duty torsion springs provide a smoother, softer ride quality for less-aggressive riders
- Requires LH and RH spring

8639-544 HEAVY-DUTY (PAIR) | '24 ZR 600 129 NEW

**8639-545 HEAVY-DUTY (PAIR) |** '24 ZR 600 137 NEW

8639-546 HEAVY-DUTY (PAIR) | '24 Riot 600 NEW

8639-417 HEAVY-DUTY (PAIR) | '21-'24 BLAST ZR

1704-504/505 HEAVY-DUTY | '22-'24 BLAST XR; '21-'24 BLAST LT

1704-710/711 HEAVY-DUTY | '16-'24 ZR, Thundercat, XF 137"; '20-'24 Riot; '15-'20 LYNX 2000

2704-560/561 HEAVY DUTY | '17-'19 ZR, XF 6/8/9000 RR/SNO PRO

1704-842/843 HEAVY-DUTY | '15-'20 Bearcat 2000 XT

3704-726/727 LIGHT-DUTY | '16-'24 ZR, Thundercat, XF 137"; '20-'24 Riot; '15-'20 Lynx 2000

**1704-576/577 LIGHT-DUTY** | '15-'20 Lynx 2000

1704-562/563 LIGHT-DUTY | '15-'20 Bearcat 2000 XT


# OPTIMIZE CONTROL

#### MAXIMIZE STEERING CONTROL

The length of the turning carbide (carbide inserted directly under the steering spindle) is the determining factor on steering control. The longer the turning carbide, the more positive turning becomes. Too few studs with long turning carbides can result in the situation shown in Illustration 1 below.

#### MAXIMIZE TRACTION CONTROL

The quantity and types of studs inserted through the track can have several effects. If installed improperly, track and/or stud damage can result. If the pushing force from an excessive number of studs exceeds the ability of the steering to control the force, the effect could be like that in Illustration 2. In this case, the studs tend to "push" the skis in a straight line.



- Back end loose. Too much carbide, not enough steering control.
- Front end pushes. Weak steering from worn wearbars, turning carbides too short or overstudding on track.
- Steering control and stud quantity are in balance for proper setup.

# WHAT'S YOUR RIDING STYLE? ARE YOU... Determining the proper traction and

control is simple. What's your riding style: Are you a conservative trail rider or a performance trail rider? Look at the chart below. Find the line with the horsepower of your sled. Look under your riding category. Here you will find the number of studs and the length of the carbide wearbar you should use. This is a baseline guide for stud and wearbar selection. See your dealer for specific model applications.

#### STUD QUANTITY / INCHES OF TURNING CARBIDE

SLED	TRAIL	PERFORMANCE
50-75 HP	48/4"	48/6"
75-125 HP	102/6"	153/8"
125-150 HP	153/8"	153/10"
150-200 HP	153/8"	153/10"

#### FOR STUD PLACEMENT, USE AN ARCTIC CAT-APPROVED STUD TEMPLATE SHOWN ON PAGE 85.

Arctic Cat traction products are available in package quantities that will give you the best combinations for 129" and 137" tracks.

#### RECOMMENDED STUD LENGTH (IN.)

TRACK LUG	WOODY'S®
HEIGHT	STUD LENGTH
1.000	1.075
1.250	1.325
1.352	1.325
1.500	1.575
1.600	1.575

Cobra 1.35/1.60" tracks have a standard lug height of 1.25/1.50". The overall lug height includs the extended "towers" at 1.35" because the towers will flex. These Cobra tracks do not use studs longer than their nominal lug height.



#### **CAUTION**

- To protect the tunnel from possible damage from the studs, it is recommended that Tunnel Protector Kit be installed on those models not so equipped
- A Short Snowflap is required when installing studs on '07-'09 F Series; '09 Z1, Z1 Turbo; '09-'11 Crossfire™ and CFR
- See your dealer for additional information

#### STUD PLACEMENT

- DO NOT use studs that are longer than recommended
- DO NOT place studs in line with the heat exchanger or tunnel protector strip, and factor in the amount of suspension travel to avoid tunnel damage
- Studs MUST NOT extend more than 3/8" beyond the rubber track lugs
- Verify adequate clearance between the track, tunnel and heat exchanger to avoid serious damage
- Confirm that your machine has adequate tunnel protection before installing studs
- Use an Arctic Cat-approved Stud Template shown on page 85
- The length of carbide and number of studs must coordinate to result in balanced handling and proper control



#### SINGLE RUNNER

- · Ideal on ice and hardpack, but works well anywhere
- May provide a noted speed increase compared to a dual wearbar
- Hardweld wearbars have a 7/16" host bar
- Carbide wearbars have a 1/2" host bar
- Sold in pairs

3639-309 HARDWELD WEARBAR (PAIR) | '05-'24 Saddleless Skis

**3639-310 4" CARBIDE (PAIR) |** (Same application as 3639-309)

**3639-311 6" CARBIDE (PAIR) (**(Same application as 3639-309)

**3639-312 8" CARBIDE (PAIR) |** (Same application as 3639-309)



#### **ACE™ WEARBARS**

- Utilizes a preformed, square steel bar with a tall, aggressive profile
- Provides excellent control
- · Sold in pairs

6639-850 6"CARBIDE | '05-'24 Saddleless Skis

6639-799 8" CARBIDE | (Same application as 6639-850)



#### SHAPER™ WEARBARS

- Offers more precise turning than conventional wearbars
- 20% lighter than round wearbars
- Sold in pairs

4639-949 4.5" CARBIDE (PAIR) | '05-'24 Saddleless Skis

4639-950 6" CARBIDE (PAIR) | (Same application as 4639-949)

4639-951 9" CARBIDE (PAIR) | (Same application as 4639-949)



#### MAVERICK™ WEARBARS

- Aggressive host bar featuring tall, concave side profile
- · Precise bite and cornering control
- Sold in pairs

8639-547 4" CARBIDE (PAIR) | '05-'24 Saddleless Skis

8639-548 6" CARBIDE (PAIR) | (Same application as 8639-547)

8639-549 8" CARBIDE (PAIR) | (Same application as 8639-547)



# SLP WEARBARS (PAIR)

- Provides confident steering control on the mountain and on the trail
- Sold in pairs

3639-420 4" CARBIDE | FITS SLP SKIS

3639-421 6" CARBIDE | FITS SLP SKIS



#### STAGGERED WEARBARS

- Features a single carbide runner and an offset hardweld runner
- Lighter steering than a dual carbide runner
- · Reduces darting and plugging
- Available with a standard (0.312) or aggressive (0.500) bar
- Fits '05-'23 Arctic Cat Saddleless Skis
- Sold individually

2703-598/599 4" CARBIDE 3-BOLT .312 | '05-'24 Saddleless Skis

2603-988/ 989 4" CARBIDE 3-BOLT .500 | (Same application as 2703-598/599)

2603-930/931 4" CARBIDE 4-BOLT .500 | (Same application as 2703-598/599)



#### DOOLY™ TWIN CARBIDE WEARBARS

- Great, all-trail performance
- · Reduces darting
- Features two carbide runners
- Sold individually

**3639-343 4" |** '05-'24 Saddleless Skis

**3639-344 6"** | (Same application as 3639-343)

**3639-345 " |** (Same application as 3639-343)



#### DEUCE™ TWIN CARBIDE WEARBARS

- · Reduces darting and eliminates dual-runner-type drag
- Durable one-piece design
- · Features two carbide runners
- · Sold individually

**5639-251 4.5" |** '05-'24 Saddleless Skis

**5639-252 6" |** (Same application as 5639-251)

**5639-253 9" |** (Same application as 5639-251)

#### SINGLE-PLY TRACKS

'21-24 BLAST ZR; '20 Riot X; '18-'19 Norseman 3/6000; '16-'19 Bearcat, Pantera 7000 XT; '15-'20 Bearcat 2000; '15 Bearcat 5000; '14-'15 XF Cross Country, Crosstour; '12-'13 XF; '10-'14 Bearcat 570, Z1 XT

#### 2-PLY TRACKS

'20-'24 Riot; '14-'24 ZR, THUNDERCAT; '16-'19 XF; '12-'13 F; '15-'24 Pantera 3/6/7000, '16-'17 Bearcat 3000, '15-'20 Lynx 2000, '11-'14 SNO PRO; '09-'14 T570, TZ1



# GOLD DIGGER TRACTION MASTER (2-PLY)

- 60° carbide, 5/16" thread, 1" head
- The industry-leading and best-selling trail stud
- Outstanding penetration and durability on ice and hardpack from a 60° carbide tip
- Support plates sold separately





# DIGGER® (2-PLY) SUPPORT PLATES

- · Lightweight aluminum offers serious support
- · Added strength from crowned profile
- 1.250" square; 1.375" round



## DOUBLE DIGGER (2-PLY) SUPPORT **PLATES**

• Unmatched support from durable aluminum

2639-135 | 48/PK

# GOLD DIGGER® TRACTION MASTER® (2-PLY) TRACTION KITS

Includes studs, support plates, big nuts, template, stud drill and track marker

8639-235 96/PK (ROUND & DOUBLE PLATES) | '19-'20 Thundercat; '20 ZR Sno Pro 137 X 1.00" 2.86 P (1075-Series Studs)

**8639-100 144/PK (ROUND & DOUBLE PLATES)** | (Same application as 8639-235)

**8639-224 102/PK 102/PK (ROUND PLATES) |** '20-'24 Riot 146 X 1.35" 2.86 P 1325-Series Studs)

8639-234 102/PK 102/PK (ROUND PLATES) | '20-'24 Riot; '21-'24 BLAST LT, XR 146 X 1.60" 2.86 P (1325-Series Studs)



## SIGNATURE SERIES STAINLESS STEEL (2-PLY)

- 60° carbide, 5/16" thread, 15/16" head
- Woody's proven push-through stainless steel stud at a competitive price
- Support Plates sold separately

#### SIGNATURE SERIES™ (2-PLY) TRACTION KITS

• Includes studs, support plates, big nuts, template, stud drill and track marker

6639-454 96/PK (SQUARE PLATES) | '16-'24 ZR; '17-'18, '21-'24 Thundercat; '14-'15 XF LXR, Sno Pro; 137 X 1.25" 2.86 P (1325-Series)

6639-455 144/PK (SQUARE PLATES) | (Same application as 6639-454)

6639-856 96/PK (ROUND PLATES) | (Same application as 6639-454)

6639-857 144/PK (ROUND PLATES) | (Same application as 6639-454)

7639-564 102/PK (ROUND PLATES) | '16-'24 Pantera 7000; '18-'19 Pantera 6000; '16-'18 XF CrossTour 7000 146 X 1.25" 2.86 P (1325-Series)

8639-293 135/PK (SQUARE & DOUBLE PLATES) | '14-'24 ZR; '13 F 129 X 1.25" 2.86 P

#### GRAND MASTER® (SINGLE-PLY) TRACTION KITS

- Studs feature a larger head design required for use on models with a single-ply track
- Includes studs, support plates, big nuts, template, stud drill and track marker
- 60° carbide, 5/16" thread, 1.20" head, 1.50" support plates

8639-421 96/PK | '21-'24 BLAST ZR; 121 X 1.00" 2.52 P (1075 Series)

7639-741 108/PK | '18-'19 Bearcat 7000 XT 20 X 154 X 1.60" 2.86 P ((1575 Series)

5639-626 108/PK | '11-'17 Bearcat XT 20 X 154 X 1.375" 2.86 P (1450 Series)




#### TUNNEL PROTECTOR KIT

 Required when installing studs on models listed below NOTE: Compatible 4000 and 7000 series models do not require tunnel protector kit

**8639-453** | '24 ZR, Riot 600 129-146" NEW

7639-138 | '18-'24 ZR, Riot 8000; '18-'23 ZR, Riot 6000; '17-'24 ZR, Riot 9000, Thundercat; '18-'19 Pantera, XF Cross Country, CrossTrek 6/8000; '17-'19 XF 9000; 129-146".

**6639-075** | '14-'17 ZR 6/8000; '15-'17 ZR 4000; '14-'16 ZR 5/9000; '13 F 129" **6639-118** | '16-'17 ZR 6/8000; '17 ZR 5000; '16 ZR 9000; '13-'15 XF 6/8/9000 137-141"



#### STUD TEMPLATE

• Available in patterns perfectly matched to your riding style

**8639-227** | '14-'24 ZR, '13 F 129"; '16-'24 ZR, Thundercat, '16-'18 XF CrossTrek, '14-'15 XF 137"; '20-'23 Riot, '15-'19 Pantera, XF CrossTour 146" 2.86 P (2-PLY)



# TRACK MARKER

• Ensures track pattern aligns perfectly with stud template

1639-520




#### STUD DRILL

• Cuts cleanly for precise stud locations

1639-629 | 5/16"





#### **WEAR STRIPS**

- Sold individually
- Add a dash of color to your slide rails

4604-402 MEDIUM GREEN | 121-129" Models

4604-404 MEDIUM GREEN | 137" Models

4604-406 MEDIUM GREEN | 141-153" Twin Rail Models

4604-408 MEDIUM GREEN | 162" Twin Rail Models

4604-405 ORANGE | 121-137" Models

4604-407 ORANGE | 141-153" Twin Rail Models

4604-409 ORANGE | 162" Twin Rail Models



#### 4.3A BATTERY CHARGER

- Special cold-weather performance and adapted AC and DC cables to handle severe cold down to -22°F (-30°C)
- Features four modes: LOW CURRENT MODE for smaller 12V batteries used in snowmobiles, ATV/UTV HIGH CURRENT MODE for automotive or marine applications, WINTER MODE for charging and maintenance in cold weather, RECONDITIONING MODE for deeply discharged batteries
- · Fully automatic for charging and maintenance
- Features a patented method for reconditioning sulfated batteries
- Spark-free, making connection safer and easier
- Includes alligator clips and ring terminal leads

7639-504 | ONE SIZE



#### **0.8A BATTERY CHARGER**

- The ideal maintenance charger for 12V batteries
- Fully automatic for charging and maintenance
- Takes its own readings and begins to charge
- Once finished charging, it will switch to a maintenance phase
- Features a patented method for reconditioning sulfated batteries
- Spark-free, making connection safer and easier
- Extends battery life
- Includes alligator clips and ring terminal leads
- 12V. 0.8A

#### 7639-503 | ONE SIZE



#### 1.5A BATTERY MAINTAINER

- Fully-automatic maintainer for powersports batteries
- · Automatic voltage detection
- Reverse hook-up protection
- Includes alligator clips and ring terminal leads
- 12V, 1.5A

#### 8639-357 | ONE SIZE



# BATTERY JUMP PACK

- Quickly start your snowmobile or ATV/UTV
- · Lightweight, long-lasting 8,000 mAh lithium ion power source
- Features LCD display, two USB power/charging ports, a 2.1A for tablets, a 1A for mobile phones, and a powerful 3-mode LED light
- Cranking current: 400A peak, 200A cranking
- · Includes smart cables and a USB charging cord

#### 2436-980 | ONE SIZE



#### JUMP PACK POUCH

- Protective zip pouch for 2436-980 Battery Jump Pack
- Prevents loose components from becoming lost or damaged

8639-035 | Fits Battery Jump Pack



#### **BELT TOOL**

 This tool is used to expand the driven clutch to aid in changing the drive belt and adjusting deflection (Certain models)

0644-659 | '16-'24 5/6/7/8/9000 MODELS BEST SELLER

**0644-662** | '21-'24 4000; '15-'23 R SX; '15-'21 R XC; '04-'14 SNO PRO MODELS BEST SELLER



#### DRIVE CLUTCH PULLER

- Use to remove the drive clutch for service or calibration adjustment
- · Built from hardened steel for superior durability
- Metric puller features a blue coating for easy identification

0744-080 METRIC | '14-'24 2/3/4/5/6/7/8/9000; '10-'13 500, 570, 600, 800, 1100, 1100T; '07-'11 1000 MODELS BEST SELLER

**0644-207 STANDARD |** UNIVERSAL '97-'09 (EXCEPT '07-'09 1000 MODELS)



#### FOX FLOAT DIGITAL PUMP

- Easily adjust FOX Float air pressure in the shop or on the trail
- Convenient digital display reads 0-300 psi
- Replaceable battery

7639-121 | ALL FOX FLOAT SHOCKS



#### FOX FLOAT DUAL GAUGE PUMP

- Easily adjust FOX Float air pressure in the shop or on the trail
- Primary gauge reads 0-300 PSI, secondary gauge reads 0-150 PSI
- · No battery required

0641-257 | ALL FOX FLOAT SHOCKS



#### TRACK TENSION TOOL

• Maintain your track tension for optimum performance

7639-153 | UNIVERSAL



## **EXHAUST SPRING TOOL**

- Easily remove the springs securing the expansion chamber and resonator
- Provides wide-open access to service the engine and other underhood components

0644-554 STANDARD 6" | Universal

6639-904 HEAVY-DUTY 16" | Universal



#### **EXHAUST VALVE CABLE GAUGE**

- This tool is used to check Arctic Power Valve (APV) cable adjustment
- Ensure optimal exhaust valve operation for smooth, responsive engine performance

8639-126 | '10-'24 800/8000; '14-'24 6000 MODELS



#### **ENGINE REBUILD KITS**

- Give your Cat another life with everything needed to refresh your engine
- Piston + ring assemblies
- Wrist pins + bearings + shims
- Top end gasket set
- Spark plugs

**8639-238** | '10-'17 800/8000 MODELS

**8639-239** | '14-'19 6000 MODELS

8639-240 | '18-'19 8000 MODELS



#### DRIVELINE REBUILD KIT

- Keep your ProCross, ProClimb, or Ascender sled rolling smoothly and efficiently with a complete drive bearing kit
- LH + RH jackshaft bearings
- · LH + RH driveshaft bearings
- Hardware and instructions

**8639-489** | '15-'24 8000; '15-'23 6000; '15-'16 4/5/9000 MODELS

**8639-491** | '17-'24 7/9000 MODELS (EXCEPT XT)

**8639-490** | '21-'24 4000; '15-'16 7000; '16-'19 3000 MODELS

**8639-488** | '14 5/6/8/9000; '12-'13 800/1100 MODELS

# **BELTS**

- « Custom fit to match each Arctic Cat sled and specific use
- « Better contact with clutch surface and faster acceleration from double cogs
- « Increase belt life by running cooler than aftermarket belts
- « Premium reinforced with Aramax® aramid fibers for strength and durability
- « Increased power transmission with less slip
- « Kevlar® drive belts available for high performance models, which dramatically extend belt life and sustain belt length better than traditional cords

**NOTE:** Proper break-in period required.

#### PREMIUM ARCTIC CAT "EXTENDED-LIFE" ORIGINAL EQUIPMENT REPLACEMENT BELTS

Don't settle for anything less than a drive belt built specifically for your sled. Proven through extensive lab and field testing, original equipment Arctic Cat replacement belts are precision-engineered for each Arctic Cat snowmobile.

#### **CUSTOM-ENGINEERED FIT**

While non-OEM aftermarket belts offer "one construction fits all," Arctic Cat Research & Development custom engineers each genuine Arctic Cat belt to match the specific performance characteristics of your sled. This produces the best combination of strength, durability and responsiveness for lower-horsepower, fan-cooled sleds all the way up to high-horsepower muscle sleds. Each one is built using only state-of-the-art materials, incorporating precision manufacturing techniques to meet exacting tolerances.

#### **TOP & BOTTOM COGS**

Arctic Cat original equipment belts are double cogged, so more of the belt contacts the clutch surfaces. This results in faster acceleration, maximum efficiency and superb overall performance. Double-cog design provides structure while adding surface area for greater cooling and longer life. In fact, our belt runs cooler than flat-top aftermarket belts.

#### ARAMAX HIGH-MODULUS ARAMID-FIBER TENSILE MEMBER

The Aramax inner cord provides incredible strength and durability for high-horsepower, high-performance sleds. In addition, each belt is chemically treated for maximum power transmission and length stability.

#### **HIGH-PERFORMANCE** PREMIUM COMPOUNDS

Arctic Cat's OEM belts incorporate advanced premium compound materials that ensure optimum belt performance under all riding conditions. The advanced aramid-fiber-loaded rubber compound resists wear and delivers consistent power while minimizing slippage over a broad range of operating temperatures. The thicker, highly flexible design increases grip to clutch surfaces for increased power transmission.

#### ARCTIC CAT KEVLAR DRIVE BELTS

These ultimate-performance Arctic Cat Kevlar drive belts are custom engineered for high performance models. Extended-life belts feature top- and bottom-molded cog construction and high-performance compounds. Inside, the Kevlar cord provides increased belt life. Please note that proper belt "break-in" is



2003	
BEARCAT W/T	0627-033
F5	0627-020
F7	0627-020/035
4-STROKE TOURING/TRAIL	0627-013
MOUNTAIN CAT	0627-020
PANTERA 550	0627-021
PANTERA (EFI)	0627-020
PANTHER	0627-021
7	0627-021
ZL	0627-020
ZR	0627-020/035
2004	
BEARCAT 570	0627-013
BEARCAT W/T	0627-033
F5	0627-020
F6/7	0627-031
KING CAT	0627-020
MOUNTAIN CAT	0627-020
PANTERA 550	0627-021
PANTERA (EFI)	0627-020
PANTHER	0627-021
SABERCAT 500	0627-020
SABERCAT 600/700	0627-031
T660 TOURING	0627-021
T660 TURBO	0627-028
7	0627-021
ZR	0627-033
2005	
BEARCAT 570	0627-013
BEARCAT W/T	0627-033
F5/6/7	0627-034
KING CAT	0627-020
M5/6/7	0627-036
PANTERA 550	0627-021
PANTERA 600	0627-020
PANTHER	0627-021
SABERCAT 500	0627-020
SABERCAT 600/700	0627-035
T660 TOURING	0627-021
T660 TURBO	0627-028
1	0627-021
ZR 900	0627-032

2006	
BEARCAT 570	0627-013
BEARCAT W/T	0627-033
BEARCAT W/T TURBO	0627-049
CROSSFIRE	0627-036
F5	0627-044
F6	0627-020
F6/7 (W/O REVERSE)	0627-044
F7	0627-035
KING CAT	0627-020
M5/6/7	0627-036
PANTHER 370/570	0627-021
PANTHER 660	0627-013
SABERCAT 500/600	0627-020
SABERCAT 700	0627-035
T660 TOURING	0627-013
T660 TURBO	0627-048
Z	0627-021
ZR 900	0627-045
2007	
BEARCAT 570	0627-013
BEARCAT W/T	0627-033
BEARCAT W/T TURBO	0627-049
CROSSFIRE 5/6/8/1000	0627-046
F5/6/8/570	0627-046
F1000	0627-060
JAGUAR Z1	0627-047
M6/8/1000	0627-046
PANTHER 370/570	0627-021
PANTHER 660	0627-013
T660 TOURING	0627-013
T660 TURBO	0627-048
1	0627-021
2008	
BEARCAT 570	0627-013
BEARCAT W/T	0627-033
BEARCAT W/T TURBO	0627-049
CROSSFIRE 5/6/8	0627-046
CROSSFIRE 1000	0627-060
F5/6/8/570	0627-046
F1000	0627-060
JAGUAR Z1	0627-047
M6/8	0627-046
M1000	0627-060
PANTHER 370	0627-021
PANTHER 660	0627-013
600 SNO PRO	0627-073
T500/T570	0627-046
TZ1	0627-047

BEARCAT 570 XT 0627-046  BEARCAT 570 XT 0627-046  BEARCAT Z1 XT 0627-047  CROSSFIRE 500 0627-067  CROSSFIRE, R 6/8 0627-046  CROSSFIRE, R 1000 0627-060  F5/570 0627-046  F1000 SNO PRO 0627-046  M6/8 0627-046  M0/8 0627-046  M00 SNO PRO XC 0627-073  T500/570 0627-067  TZ1 0627-047  TZ1 TURBO 0627-046  BEARCAT 570 XT 0627-047  CROSSFIRE, CFR 8/1000 0627-046  CROSSFIRE, CFR 8/1000 0627-046  M6/8 0627-046  DEARCAT 570 0627-047  TS500/570 0627-047  TZ1 TURBO 0627-047  TZ1 TURBO 0627-046  BEARCAT 570 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-040  F5/570 0627-046  M6/8 0627-046  M6/8 0627-046  TZ1 0627-047  TZ1 1 0627-047  TZ1 TURBO 0627-046  CROSSFIRE OF R 8/1000 0627-060  TZ1 0627-046  DEARCAT 570 XT 0627-047  TZ1 TURBO 0627-046  CROSSFIRE OF R 8/1000 0627-040  TZ1 TURBO 0627-046  CROSSFIRE OF R 8/1000 0627-046  TZ1 0627-046  TZ1 0627-046  BEARCAT TI XT 0627-047  TZ1 TURBO 0627-046  M6/8 0627-046  M6/8 0627-046  M6/8 0627-046  M6/8 0627-046  M6/8 0627-046  TZ1 TURBO 0627-073  Z1 0627-069  Z1 TURBO 0627-073  Z1 0627-069  TZ1 TURBO 0627-073  Z1 TURBO 0627-046  BEARCAT 570 XT 0627-046  CROSSFIRE OF 0627-046	2009	
BEARCAT Z1 XT  CROSSFIRE 500  CROSSFIRE, R 6/8  CROSSFIRE, R 1000  627-046  F5/570  6027-046  F6/8  F1000 SNO PRO  M6/8  M1000  6027-040  M6/8  M1000  6027-040  M627-040  M627-040  M60 SNO PRO XC  M627-047  T500/570  M627-047  T21  M627-047  T21 URBO  M627-046  BEARCAT Z1 XT  M627-047  BEARCAT Z1 XT  M627-046  CROSSFIRE, CFR 8/1000  M6/8  M	EARCAT 570	0627-067
CROSSFIRE, R 6/8         0627-060           CROSSFIRE, R 1000         0627-060           F5/570         0627-067           F6/8         0627-046           F1000 SNO PRO         0627-060           M6/8         0627-046           M1000         0627-060           600 SNO PRO SX         0627-073           600 SNO PRO XC         0627-067           TZ1         0627-047           TZ1 TURBO         0627-066           Z1         0627-047           Z1 TURBO         0627-066           Z1 TURBO         0627-066           BEARCAT 570 XT         0627-047           BEARCAT 570 XT         0627-046           BEARCAT 570 XT         0627-046           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-046           F5/570         0627-046           M6/8         0627-046           M6/8         0627-046           M6/8         0627-046           M0 PRO 500         0627-047           SNO PRO 600 SX         0627-047           SNO PRO 600 XC         0627-069           T21 TURBO         0627-069           T21 TURBO         0627-069	EARCAT 570 XT	0627-046
CROSSFIRE, R 6/8  CROSSFIRE, R 1000  F5/570  F6/8  6027-046  F1000 SNO PRO  M6/8  M1000  6027-060  M6/8  M1000  M627-060  M6/8  M1000  M627-067  T500/570  M627-047  T21 TURBO  M627-047  T21 TURBO  M627-046  BEARCAT 570 XT  M627-047  CROSSFIRE, CFR 8/1000  M627-060  SNO PRO 500  SNO PRO 500  SNO PRO 600 SX  M627-075  SNO PRO 600 SX  M627-076  T21  M627-047  T21 URBO  M627-046  M6/8  M6/8  M627-046  M6/8  M627-047  T21  M627-047  T21  M627-049  T21 TURBO  M627-069  T21 TURBO  M627-073  Z1  M627-069  T21 TURBO  M627-073  Z1  CROSSFIRE 6  M627-046  M627-047  CROSSFIRE 6  M627-047  CROSSFIRE 6  M627-046  CROSSFIRE, CFR 8/1000  M627-046	SEARCAT Z1 XT	0627-047
CROSSFIRE, R 1000         0627-060           F5/570         0627-046           F6/8         0627-046           F1000 SNO PRO         0627-060           M6/8         0627-046           M1000         0627-060           600 SNO PRO SX         0627-070           600 SNO PRO XC         0627-073           T500/570         0627-047           T21         0627-047           T21 TURBO         0627-046           Z1 TURBO         0627-047           Z1 TURBO         0627-066           BEARCAT 570         0627-047           BEARCAT 570 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE 6         0627-046           F5/570         0627-046           M6/8         0627-046           M1000         0627-046           M1000         0627-046           SNO PRO 600 SX         0627-047           SNO PRO 600 SX         0627-075           SNO PRO 600 SX         0627-076           T21         0627-069           T21 TURBO         0627-069           T21 TURBO         0627-073           Z1         0627-069           T21 TURBO <td>ROSSFIRE 500</td> <td>0627-067</td>	ROSSFIRE 500	0627-067
F5/570         0627-067           F6/8         0627-046           F1000 SNO PRO         0627-046           M6/8         0627-046           M1000         0627-070           600 SNO PRO SX         0627-073           T500/570         0627-067           TZ1         0627-047           TZ1 TURBO         0627-046           Z1         0627-047           Z1 TURBO         0627-066           Z1         0627-047           Z1 TURBO         0627-067           BEARCAT 570 XT         0627-046           BEARCAT 570 XT         0627-046           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-040           F5/570         0627-046           M6/8         0627-046           M1000         0627-046           M0 PRO 500         0627-047           SNO PRO 600 SX         0627-047           SNO PRO 600 XC         0627-069           T21 TURBO         0627-069           Z1 TURBO         0627-069           Z1 TURBO         0627-073           Z1 CROSSFIRE 6         0627-067           EBARCAT 570 XT         0627-067           BEARCA	ROSSFIRE, R 6/8	0627-046
F6/8 0627-046 F1000 SNO PRO 0627-060 M6/8 0627-046 M1000 0627-060 600 SNO PRO SX 0627-070 600 SNO PRO XC 0627-073 T500/570 0627-067 TZ1 0627-047 TZ1 TURBO 0627-046 Z010 BEARCAT 570 XT 0627-047 CROSSFIRE, CFR 8/1000 0627-060 F5/570 0627-067 F6/8 0627-046 M6/8 0627-046 M6/8 0627-046 M6/8 0627-046 M6/8 0627-046 M6/8 0627-046 SNO PRO 500 0627-060 SNO PRO 600 SX 0627-075 SNO PRO 600 XC 0627-075 TZ1 0627-076 TZ1 0627-079 TZ1 0627-069 TZ1 1URBO 0627-069 TZ1 1URBO 0627-069 TZ1 1URBO 0627-069 TZ1 1URBO 0627-073 Z1 0627-069 TZ1 1URBO 0627-073 Z1 0627-069 TZ1 TURBO 0627-074 CROSSFIRE 6 0627-076 TZ1 0627-069 TZ1 TURBO 0627-077 TZ1 0627-069 TZ1 0627-069 TZ1 TURBO 0627-073 Z1 0627-069 TZ1 TURBO 0627-067	ROSSFIRE, R 1000	0627-060
F1000 SNO PRO         0627-060           M6/8         0627-046           M1000         0627-060           600 SNO PRO SX         0627-073           T500/570         0627-067           TZ1         0627-047           TZ1 TURBO         0627-066           Z1         0627-066           Z1 TURBO         0627-066           BEARCAT 570         0627-067           BEARCAT 570 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-046           F5/570         0627-046           M6/8         0627-046           M1000         0627-046           M1000         0627-046           SNO PRO 500         0627-047           SNO PRO 600 SX         0627-047           SNO PRO 600 XC         0627-075           T570         0627-067           T21         0627-069           T21 TURBO         0627-073           Z1         0627-069           T21 TURBO         0627-073           Z1         0627-069           T21 TURBO         0627-073           Z1 TORSFIRE 6         0627-046           BEARCAT 570 XT	5/570	0627-067
M6/8         0627-046           M1000         0627-060           600 SNO PRO SX         0627-073           500/570         0627-067           TZ1         0627-047           TZ1 TURBO         0627-046           Z1         0627-046           Z1 TURBO         0627-066           Z1 TURBO         0627-066           BEARCAT 570         0627-067           BEARCAT 570 XT         0627-046           BEARCAT Z1 XT         0627-046           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060           F5/570         0627-046           M6/8         0627-046           M1000         0627-046           M1000         0627-046           SNO PRO 500         0627-047           SNO PRO 600 SX         0627-047           SNO PRO 600 XC         0627-067           T21         0627-069           T21 TURBO         0627-069           Z1 TURBO         0627-073           Z1         0627-069           Z1 TURBO         0627-073           Z1         0627-069           Z1 TURBO         0627-046           BEARCAT 570 XT <t< td=""><td>6/8</td><td>0627-046</td></t<>	6/8	0627-046
M1000 0627-060 600 SNO PRO SX 0627-070 600 SNO PRO XC 0627-073 T500/570 0627-067 TZ1 0627-047 TZ1 TURBO 0627-066 Z1 0627-066 Z1 0627-066  Z1 0627-067 BEARCAT 570 XT 0627-047  CROSSFIRE 6 0627-046 CROSSFIRE, CFR 8/1000 0627-060 F5/570 0627-067 F6/8 0627-046 M1000 0627-046 SNO PRO 600 XC 0627-075 SNO PRO 600 XC 0627-076 TZ1 URBO 0627-073 Z1 0627-069 TZ1 TURBO 0627-073 Z1 0627-069 Z1 TURBO 0627-069 TZ1 TURBO 0627-073 Z1 0627-069 Z1 TURBO 0627-074 CROSSFIRE, CFR 8/1000 0627-067 BEARCAT 570 XT 0627-074 CROSSFIRE 6 0627-074 CROSSFIRE 6 0627-075 D627-069 Z1 TURBO 0627-073 Z1 0627-069 Z1 TURBO 0627-073 Z1 0627-067 CROSSFIRE, CFR 8/1000 0627-046 CROSSFIRE, CFR 8/1000 0627-046	1000 SNO PRO	0627-060
600 SNO PRO SX 600 SNO PRO XC 600 SNO PRO XC 7500/570 627-047 607 721 60627-047 721 0627-047 721 1URBO 627-046 721 721 0627-046 721 721 0627-066 721 721 0627-066 720 721 0627-066 720 721 0627-066 720 720 720 720 720 720 720 720 720 720	16/8	0627-046
### 600 SNO PRO XC   0627-073   ### 1500/570   0627-067   ### 1721   0627-047   ### 1721 TURBO   0627-066   ### 2010   ### 1627-046   ### 1627-047   ### 1627-047   ### 1627-049   ### 1721 TURBO   0627-073   ### 1721	11000	0627-060
T500/570 0627-067  TZ1 0627-047  TZ1 TURBO 0627-066  Z1 0627-067  Z1 TURBO 0627-066  Z010  BEARCAT 570 0627-067  BEARCAT 570 XT 0627-046  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060  F5/570 0627-046  M6/8 0627-046  M6/8 0627-046  SNO PRO 500 0627-060  SNO PRO 500 0627-075  SNO PRO 600 XC 0627-075  TZ1 0627-075  TZ1 0627-069  TZ1 TURBO 0627-069  TZ1 TURBO 0627-069  Z1 TURBO 0627-069  Z1 TURBO 0627-073  Z1 0627-069  Z1 TURBO 0627-073  CROSSFIRE 6 0627-046  BEARCAT 570 XT 0627-047  CROSSFIRE 6 0627-047  CROSSFIRE 6 0627-047  CROSSFIRE 6 0627-047  CROSSFIRE 6 0627-046	00 SNO PRO SX	0627-070
TZ1	00 SNO PRO XC	0627-073
TZ1 TURBO 0627-066 Z1 0627-077 Z1 TURBO 0627-066  Z010  BEARCAT 570 0627-067  BEARCAT 570 XT 0627-046  BEARCAT Z1 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060  F5/570 0627-067  F6/8 0627-046  M1000 0627-046  M1000 0627-046  SNO PRO 500 0627-075  SNO PRO 600 XX 0627-075  SNO PRO 600 XC 0627-067  TZ1 0627-067  TZ1 0627-069  TZ1 TURBO 0627-069  Z1 TURBO 0627-073  Z1 0627-069 Z1 TURBO 0627-073  Z1 0627-074  BEARCAT 570 XT 0627-047  BEARCAT 570 XT 0627-047  CROSSFIRE 6 0627-047  CROSSFIRE 6 0627-047  CROSSFIRE 6 0627-047	500/570	0627-067
Z1       0627-047         Z1 TURBO       0627-066         2010       0627-067         BEARCAT 570       0627-067         BEARCAT 570 XT       0627-046         BEARCAT 21 XT       0627-047         CROSSFIRE 6       0627-046         CROSSFIRE, CFR 8/1000       0627-060         F5/570       0627-046         M6/8       0627-046         M6/8       0627-040         SNO PRO 500       0627-047         SNO PRO 600 XX       0627-075         SNO PRO 600 XC       0627-076         TZ1       0627-069         TZ1 TURBO       0627-073         Z1       0627-069         Z1 TURBO       0627-073         2011       BEARCAT 570         BEARCAT 570 XT       0627-047         CROSSFIRE 6       0627-047         CROSSFIRE 6       0627-046         CROSSFIRE, CFR 8/1000       0627-060	Z1	0627-047
Z1 TURBO 0627-066  2010  BEARCAT 570 0627-067  BEARCAT 570 XT 0627-046  BEARCAT 570 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060  F5/570 0627-046  M6/8 0627-046  M1000 0627-060  SNO PRO 500 0627-047  SNO PRO 600 XX 0627-075  SNO PRO 600 XX 0627-075  TZ1 0627-067  TZ1 0627-069  TZ1 TURBO 0627-069  Z1 TURBO 0627-073  Z1 0627-069  Z1 TURBO 0627-073  Z1 0627-076  BEARCAT 570 XT 0627-047  BEARCAT 570 XT 0627-047  CROSSFIRE 6 0627-047  CROSSFIRE 6 0627-046	Z1 TURBO	0627-066
2010  BEARCAT 570	1	0627-047
BEARCAT 570	1 TURBO	0627-066
BEARCAT 570	2010	
BEARCAT Z1 XT  CROSSFIRE 6  0627-046  CROSSFIRE, CFR 8/1000  6627-060  F5/570  0627-046  M6/8  0627-046  M1000  0627-046  M1000  0627-040  SNO PRO 500  SNO PRO 500  SNO PRO 600 XC  0627-075  SNO PRO 600 XC  0627-067  TZ1  0627-069  TZ1 TURBO  0627-069  Z1 TURBO  0627-073  Z1  0627-069  Z1 TURBO  0627-073  Z1  BEARCAT 570 XT  BEARCAT 570 XT  0627-047  CROSSFIRE 6  0627-046  CROSSFIRE, CFR 8/1000  0627-060	BEARCAT 570	0627-067
CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060  F5/570 0627-046  F6/8 0627-046  M6/8 0627-046  M1000 0627-060  SNO PRO 500 0627-047  SNO PRO 600 SX 0627-075  SNO PRO 600 XC 0627-076  TZ1 0627-067  TZ1 0627-069  TZ1 TURBO 0627-073  Z1 0627-069  Z1 TURBO 0627-073  Z1 0627-069  EARCAT 570 XT 0627-046  BEARCAT 570 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060	BEARCAT 570 XT	0627-046
CROSSFIRE, CFR 8/1000 0627-060  F5/570 0627-067  F6/8 0627-046  M6/8 0627-046  M1000 0627-060  SNO PRO 500 0627-047  SNO PRO 600 SX 0627-075  SNO PRO 600 XC 0627-067  T570 0627-067  TZ1 0627-069  TZ1 TURBO 0627-073  Z1 0627-069  Z1 TURBO 0627-073  Z1 0627-076  BEARCAT 570 XT 0627-046  BEARCAT Z1 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060	BEARCAT Z1 XT	0627-047
F5/570         0627-067           F6/8         0627-046           M6/8         0627-040           M1000         0627-060           SNO PRO 500         0627-047           SNO PRO 600 SX         0627-075           SNO PRO 600 XC         0627-076           T570         0627-067           TZ1         0627-069           TZ1 TURBO         0627-073           Z1         0627-069           Z1 TURBO         0627-073           2011         BEARCAT 570           BEARCAT 570 XT         0627-046           BEARCAT Z1 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	ROSSFIRE 6	0627-046
F6/8         0627-046           M6/8         0627-046           M1000         0627-060           SNO PRO 500         0627-047           SNO PRO 600 SX         0627-075           SNO PRO 600 XC         0627-076           T570         0627-067           TZ1         0627-069           TZ1 TURBO         0627-073           Z1         0627-069           Z1 TURBO         0627-073           2011         BEARCAT 570           BEARCAT 570 XT         0627-046           BEARCAT Z1 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	ROSSFIRE, CFR 8/1000	0627-060
M6/8         0627-046           M1000         0627-060           SNO PRO 500         0627-047           SNO PRO 600 SX         0627-075           SNO PRO 600 XC         0627-067           T570         0627-069           TZ1 TURBO         0627-073           Z1         0627-069           Z1 TURBO         0627-073           Z0 11         BEARCAT 570           BEARCAT 570 XT         0627-067           BEARCAT 570 XT         0627-046           BEARCAT Z1 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	5/570	0627-067
M1000 0627-060 SNO PRO 500 0627-047 SNO PRO 600 SX 0627-075 SNO PRO 600 XC 0627-076 T570 0627-067 TZ1 0627-069 TZ1 TURBO 0627-073 Z1 0627-069 Z1 TURBO 0627-073 2011 BEARCAT 570 XT 0627-046 BEARCAT Z1 XT 0627-047 CROSSFIRE 6 0627-046 CROSSFIRE, CFR 8/1000 0627-060	6/8	0627-046
SNO PRO 500         0627-047           SNO PRO 600 SX         0627-075           SNO PRO 600 XC         0627-076           T570         0627-067           TZ1         0627-069           TZ1 TURBO         0627-073           Z1         0627-069           Z1 TURBO         0627-073           2011         BEARCAT 570           BEARCAT 570 XT         0627-067           BEARCAT 570 XT         0627-046           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	 16/8	0627-046
SNO PRO 600 SX       0627-075         SNO PRO 600 XC       0627-076         T570       0627-067         TZ1       0627-069         TZ1 TURBO       0627-073         Z1       0627-069         Z1 TURBO       0627-073         2011       BEARCAT 570         BEARCAT 570 XT       0627-067         BEARCAT 570 XT       0627-046         CROSSFIRE 6       0627-046         CROSSFIRE, CFR 8/1000       0627-060	11000	0627-060
SNO PRO 600 XC 0627-076 T570 0627-067 TZ1 0627-069 TZ1 TURBO 0627-073 Z1 0627-069 Z1 TURBO 0627-073 2011 BEARCAT 570 0627-067 BEARCAT 570 XT 0627-046 BEARCAT Z1 XT 0627-047 CROSSFIRE 6 0627-046 CROSSFIRE, CFR 8/1000 0627-060	NO PRO 500	0627-047
T570         0627-067           TZ1         0627-069           TZ1 TURBO         0627-073           Z1         0627-069           Z1 TURBO         0627-073           2011           BEARCAT 570           BEARCAT 570 XT         0627-067           BEARCAT 21 XT         0627-046           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	NO PRO 600 SX	0627-075
TZ1 0627-069  TZ1 TURBO 0627-073  Z1 0627-069  Z1 TURBO 0627-073  2011  BEARCAT 570 0627-067  BEARCAT 570 XT 0627-046  BEARCAT Z1 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060	NO PRO 600 XC	0627-076
TZ1 TURBO 0627-073 Z1 0627-069 Z1 TURBO 0627-073  2011  BEARCAT 570 0627-067  BEARCAT 570 XT 0627-046  BEARCAT Z1 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060	570	0627-067
Z1 0627-069 Z1 TURBO 0627-073  2011  BEARCAT 570 0627-067  BEARCAT 570 XT 0627-046  BEARCAT Z1 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060	<b>Z1</b>	0627-069
Z1 TURBO 0627-073  2011  BEARCAT 570 0627-067  BEARCAT 570 XT 0627-046  BEARCAT Z1 XT 0627-047  CROSSFIRE 6 0627-046  CROSSFIRE, CFR 8/1000 0627-060	Z1 TURBO	0627-073
2011       BEARCAT 570     0627-067       BEARCAT 570 XT     0627-046       BEARCAT Z1 XT     0627-047       CROSSFIRE 6     0627-046       CROSSFIRE, CFR 8/1000     0627-060	1	0627-069
BEARCAT 570         0627-067           BEARCAT 570 XT         0627-046           BEARCAT Z1 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	1 TURBO	0627-073
BEARCAT 570 XT         0627-046           BEARCAT Z1 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	2011	
BEARCAT Z1 XT         0627-047           CROSSFIRE 6         0627-046           CROSSFIRE, CFR 8/1000         0627-060	EARCAT 570	0627-067
CROSSFIRE 6 0627-046 CROSSFIRE, CFR 8/1000 0627-060	SEARCAT 570 XT	0627-046
CROSSFIRE, CFR 8/1000 0627-060	SEARCAT Z1 XT	0627-047
	ROSSFIRE 6	0627-046
<b>F5/570</b> 0627-067	ROSSFIRE, CFR 8/1000	0627-060
	5/570	0627-067
<b>F6/8</b> 0627-046	6/8	0627-046
M6/8 0627-046	16/8	0627-046
M1000 0627-060	11000	0627-060
<b>SNO PRO 500</b> 0627-047	NO PRO 500	0627-047
<b>SNO PRO 600 SX</b> 0627-075	NO PRO 600 SX	0627-075

2011 (CONTINUED	) <u> </u>
SNO PRO 600 XC	0627-076
T570	0627-067
TZ1	0627-069
TZ1 TURBO	0627-073
Z1	0627-069
Z1 TURBO	0627-073
2012	
BEARCAT 570	0627-067
BEARCAT 570 XT	0627-046
BEARCAT Z1 XT	0627-047
F5/570	0627-067
F 800	0627-083
F 1100	0627-081
F 1100 TURBO	0627-082
M 800	0627-084
M 1100	0627-081
M 1100 TURBO	0627-082
SNO PRO 500	0627-047
SNO PRO 600	0627-085
T570	0627-067
TZ1	0627-069
TZ1 TURBO	0627-082
XF 800	0627-083
XF 800 HIGH COUNTRY	0627-084
XF 1100	0627-081
XF 1100 TURBO	0627-073
2013	
BEARCAT 570	0627-067
BEARCAT 570 XT	0627-046
BEARCAT Z1 XT	0627-047
F5/570	0627-067
F 800	0627-083
F 1100	0627-081
F 1100 TURBO	0627-082
M 800	0627-084
M 1100	0627-081
M 1100 TURBO	0627-082
SNO PRO 500	0627-047
SNO PRO 600	0627-086
T570	0627-067
TZ1	0627-069
TZ1 TURBO	0627-073
XF 800	0627-083
XF 800 HIGH COUNTRY	0627-084
XF 1100	0627-081
XF 1100 TURBO	0627-082

2014	
BEARCAT 570	0627-067
BEARCAT 570 XT	0627-067
BEARCAT Z1 XT	0627-047
BEARCAT GS	0627-073
F5/570	0627-067
M 6000	0627-083
M 8000	0627-084
M 9000	0627-082
SNO PRO 500	0627-047
T570	0627-067
TZ1	0627-069
XF 7000	0627-070
XF 8000	0627-083
XF 8000 HIGH COUNTRY	0627-084
XF 9000	0627-082
ZR 5000	0627-081
ZR 6000	0627-083
ZR 6000R	0627-086
ZR 7000	0627-070
ZR 8000	0627-083
ZR 9000	0627-082
2015	
BEARCAT 2000	0627-067
BEARCAT 2000 XT	0627-046
BEARCAT 5000 XT	0627-047
BEARCAT GS	0627-073
LYNX 2000	0627-067
M 6000	0627-083
M 8000	0627-084
M 9000	0627-082
PANTERA 7000	0627-069
XF 7000	0627-070
XF 8000	0627-083
XF 8000 HIGH COUNTRY	0627-084
XF 9000	0627-082
ZR 4000	0627-083
ZR 5000	0627-081
ZR 6000	0627-083
ZR 6000 R-SX	
	0627-086
ZR 7000	0627-070
ZR 8000	0627-083
ZR 9000	0627-082
2016	
BEARCAT 2000 LT	0627-067
BEARCAT 2000 XT	0627-046
BEARCAT 3000 LT	0627-081
BEARCAT 7000 XT	0627-102
BEARCAT 7000 XT	0627-102

2016 (CONTINUED	n1
LYNX 2000	0627-067
M 6000	0627-083
M 7000	0627-063
M 8000	0627-084
M 9000	0627-082
PANTERA 3000	0627-081
PANTERA 7000	0627-070
PANTERA 7000 XT	0627-070
XF 6000	
	0627-070
XF 7000	0627-070
XF 8000	0627-083
XF 8000 HIGH COUNTRY	0627-084
XF 9000	0627-082
ZR 4000	0627-083
ZR 5000	0627-081
ZR 6000	0627-083
ZR 6000 R-SX	0627-086
ZR 7000	0627-070
ZR 8000	0627-083
ZR 9000	0627-082
2017	
BEARCAT 2000 LT	0627-067
BEARCAT 2000 XT	0627-046
BEARCAT 3000 LT	0627-081
BEARCAT 7000 XT	0627-102
LYNX 2000	0627-067
M 6000	0627-083
M 8000	0627-084
PANTERA 3000	0627-081
PANTERA 7000	0627-070
PANTERA 7000 XT	0627-102
XF 6000	0627-083
XF 7000	0627-070
XF 8000	0627-084
XF 9000	0627-112
ZR 3000	0627-081
ZR 4000	0627-083
ZR 5000	0627-081
ZR 6000	0627-083
ZR 6000 R-SX	0627-086
ZR 7000	0627-070
ZR 8000	0627-084
ZR 9000	0627-112
2018	
BEARCAT 2000 LT	0627-067
BEARCAT 7000 XT	0627-102

2018 (CONTINUED)	
BEARCAT XT	0627-114
LYNX 2000	0627-067
M 6000	0627-107
M 8000	0627-111
M 9000	0627-112
NORSEMAN 3000	0627-081
NORSEMAN 6000	0627-107
PANTERA 3000	0627-081
PANTERA 6000	0627-107
PANTERA 7000	0627-110
PANTERA 7000 XT	0627-102
XF 6000	0627-107
XF 7000	0627-110
XF 8000	0627-111
XF 9000	0627-112
ZR 200	0627-106
ZR 3000	0627-081
ZR 6000	0627-107
ZR 6000 R-SX	0627-086
ZR 7000	0627-110
ZR 8000	0627-111
ZR 9000	0627-112
2019	
BEARCAT 7000 XT	0627-102
LYNX 2000	0627-067
M 6000	0627-107
M 8000	0627-111
M 9000	0627-112
NORSEMAN 3000	0627-081
NORSEMAN 6000	0627-107
NORSEMAN 8000	0627-111
PANTERA 3000	0627-081
PANTERA 7000	0627-110
PANTERA 7000 XT	0627-102
XF 6000	0627-107
XF 8000	0627-111
XF 9000	0627-112
ZR 200	0627-106
ZR 3000	0627-081
ZR 6000	0627-107
ZR 6000 R-SX	0627-120
ZR 7000	0627-110
ZR 8000	0627-111
ZR 9000	0627-112

LYNX 2000 0627-067  M 6000 0627-107  M 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  ZO21  BLAST 4000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 0627-112  ZR 8000 0627-111  ZR 200 0627-107  ZR 6000 0627-110  ZR 8000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  RIOT 6000 0627-111  RIOT/X 8000 0627-111  RROT 6000 0627-110  ZR 6000 0627-110	2020	
M 6000 0627-107  M 8000 0627-107  RIOT 6000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  2021  BLAST 4000 0627-111  NORSEMAN X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-112  ZR 200 0627-106  ZR 6000 0627-111  ZR 200 0627-112  ZR 200 0627-117  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  RIOT 6000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  RIOT 6000 0627-111  RR 9000 0627-111		N627-N67
M 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  ZO21  BLAST 4000 0823-683  M 8000 0627-111  RIOT 6000 0627-107  RR 6000 0627-107  RR 6000 0627-107  ZR 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-112  ZR 9000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-110  ZR 6000 R-SX 0627-120  ZR 6000 0627-111  ZR 9000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RR 6000 0627-111  ZR 9000 0627-111  RR 9000 0627-111  ZR 9000 0627-111  RR 9000 0627-111		
RIOT 6000 0627-107 RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  ZO21  BLAST 4000 0823-683  M 8000 0627-111  RIOT 6000 0627-107  RR 6000 0627-107  RR 6000 0627-107  ZR 8000 0627-107  ZR 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  RIOT 6000 0627-111  ZR 9000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-107  ZR 6000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-111  RR 6000 0627-111  ZR 9000 0627-111  RR 9000 0627-112  ZR 8000 0627-110		
RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-112  ZO21  BLAST 4000 0823-683  M 8000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-111  ZR 9000 0627-111  ZR 9000 0627-112  ZR 8000 0627-112  ZR 8000 0627-111  ZR 9000 0627-112  ZO22  BLAST 4000 0823-683  M 8000 0627-111  ZR 9000 0627-112  ZO22  BLAST 4000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-111  RIOT 6000 0627-111  ZR 200 0627-107  ZR 6000 0627-111  RIOT 6000 0627-111  ZR 200 0627-110  ZR 8000 0627-111  RIOT 6000 0627-111  RR 9000 0627-111		
ZR 200 0627-106  ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  2021  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-106  ZR 6000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  ZR 9000 0627-112  ZO22  BLAST 4000 0823-683  M 8000 0627-111  ZR 9000 0627-112  ZO22  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-111  ZR 200 0627-106  ZR 6000 0627-111  ROSEMAN X 8000 0627-111  ZR 200 0627-107  ZR 6000 0627-110  ZR 200 0627-110  ZR 200 0627-111  ZR 200 0627-111  ZR 200 0627-111  RIOT 6000 0627-111  ZR 9000 0627-112  ZO23  BLAST 4000 0627-111  RIOT 5000 0627-111  RIOT 5000 0627-111  RIOT 6000 0627-111  RIOT 9000 0627-111  RIOT 9000 0627-111  RIOT 9000 0627-112  ZR 200 0627-1106  ZR 6000 0627-110		
ZR 6000 0627-107  ZR 8000 0627-111  ZR 9000 0627-112  2021  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-102  ZR 8000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-107  ZR 6000 0627-106  ZR 6000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  ZR 9000 0627-111  RIOT/X 8000 0627-110  ZR 6000 0627-110  ZR 6000 0627-106  ZR 6000 0627-110		
ZR 8000 0627-111  ZR 9000 0627-112  2021  BLAST 4000 0823-683  M 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 0627-112  ZR 8000 0627-111  ZR 9000 0627-112  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-112  ZO22  BLAST 4000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-107  ZR 6000 0627-111  ZR 200 0627-106  ZR 8000 0627-111  ZR 200 0627-110  ZR 8000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RR 9000 0627-112		
ZR 9000 0627-112  2021  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-111  XR 9000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RORSEMAN X 8000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-107  ZR 6000 0627-110  ZR 6000 0627-111  ZR 9000 0627-112  2023  BLAST 4000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RR 9000 0627-110  ZR 8000 0627-110  ZR 8000 0627-110  ZR 8000 0627-110  ZR 8000 0627-110		
BLAST 4000 0627-111  RIOT 6000 0627-111  RIOT K 8000 0627-111  RIOT K 8000 0627-111  RIOT K 8000 0627-111  RIOT K 8000 0627-106  RR 6000 0627-107  RR 6000 0627-107  RR 6000 0627-111  RR 9000 0627-111  RR 8000 0627-111  RR 8000 0627-111  RR 9000 0627-107  RR 6000 0627-107  RR 6000 0627-107  RR 6000 0627-112  RR 9000 0627-112  RR 9000 0627-111  RR 9000 0627-110		
BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-107  RIOT 6000 0627-106  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  RIOT 6000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-111  ZR 200 0627-107  ZR 6000 0627-111  ZR 200 0627-106  ZR 6000 0627-111  ZR 200 0627-112  ZR 8000 0627-111  RIOT 6000 0627-112  ZR 200 0627-110  ZR 8000 0627-111  RIOT SEMAN X 8000 0627-111  RIOT 9000 0627-110  ZR 200 0627-106  ZR 6000 0627-110		0027 112
M 8000 0627-111  NORSEMAN X 8000 0627-107  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  ZR 9000 0627-111  RIOT 6000 0823-683  M 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-107  ZR 6000 R-SX 0627-107  ZR 6000 0627-111  ZR 9000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  ZR 9000 0627-111  RIOT/X 8000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-106  ZR 6000 0627-110  ZR 200 0627-110  ZR 200 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-110		0022 /02
NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  ZO 22  BLAST 4000 0923-683  M 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-107  ZR 6000 R-SX 0627-106  ZR 6000 0627-110  ZR 9000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-111  RIOT 6000 0627-107  ZR 8000 0627-110  ZR 8000 0627-111  RIOT 6000 0627-111  RIOT/X 8000 0627-111  RIOT 6000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-110		
RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  ZO 22  BLAST 4000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-111  ZR 200 0627-107  ZR 6000 0627-107  ZR 6000 0627-110  ZR 9000 0627-111  RIOT 6000 0627-107  ZR 6000 0627-107  ZR 6000 0627-110  ZR 9000 0627-111  RIOT 6000 0627-111  RIOT 6000 0627-111  RIOT 8000 0627-111  RIOT 8000 0627-111  RIOT 8000 0627-111  RIOT 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-110  ZR 200 0627-107  ZR 6000 0627-110		
RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  ZO22  BLAST 4000 0823-683  M 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-111  ZR 200 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-111  RIOT/X 8000 0627-110  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 0627-107  ZR 6000 0627-117		
ZR 200 0627-106  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2022  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 8000 0627-110  ZR 9000 0627-111  RIOT 6000 0627-111  ZR 200 0627-106  ZR 6000 0627-111  ZR 200 0627-111  RIOT 8000 0627-111  RIOT 8000 0627-111  RIOT 9000 0627-111  RIOT 8000 0627-111  RIOT 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 6000 0627-110  ZR 6000 0627-110  ZR 6000 0627-110		
ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2022  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  RR 9000 0627-111  RR 9000 0627-111  RR 9000 0627-112  ZR 2023  BLAST 4000 0823-683  M 8000 0627-111  RIOT/X 8000 0627-111  RR 9000 0627-111  RR 9000 0627-111  RR 9000 0627-110  RR 9000 0627-110  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111		
ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2022  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ROSEMAN X 8000 0627-111  ROSEMAN X 8000 0627-111  ZR 200 0627-111  ZR 200 0627-111  ZR 9000 0627-111  ROSEMAN X 8000 0627-111  ROSEMAN X 8000 0627-111  ROSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-106  ZR 6000 0627-107  ZR 6000 0627-117		
ZR 8000 0627-111  ZR 9000 0627-112  2022  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 0627-112  ZR 8000 0627-111  RR 9000 0627-112  ZR 9000 0627-111  RR 9000 0627-111  RR 9000 0627-112  ZR 8000 0627-111  RR 9000 0627-110  RR 9000 0627-110  RR 9000 0627-106  ZR 8000 0627-110  ZR 8000 0627-110	-	
ZR 9000 0627-112  2022  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  RR 9000 0627-111  RR 9000 0627-111  RR 9000 0627-112  ZR 200 0627-111  RR 9000 0627-110  RR 9000 0627-110  ZR 200 0627-106  ZR 6000 0627-110  ZR 6000 0627-110  ZR 6000 0627-110		
2022  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-111  RIOT/X 8000 0627-111  ZR 9000 0627-112  ZR 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 0627-110		
BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111		0627-112
M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	2022	
NORSEMAN X 8000 0627-111  RIOT 6000 0627-107  RIOT/X 8000 0627-106  ZR 6000 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 0627-110	BLAST 4000	0823-683
RIOT 6000 0627-107  RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  ZO 23  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	M 8000	0627-111
RIOT/X 8000 0627-111  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	NORSEMAN X 8000	0627-111
ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT/X 8000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	RIOT 6000	0627-107
ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	RIOT/X 8000	0627-111
ZR 6000 R-SX 0627-120  ZR 8000 0627-111  ZR 9000 0627-112  2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	ZR 200	0627-106
ZR 8000 0627-111  ZR 9000 0627-112  2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	ZR 6000	0627-107
ZR 9000 0627-112  2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	ZR 6000 R-SX	0627-120
2023  BLAST 4000 0823-683  M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	ZR 8000	0627-111
BLAST 4000     0823-683       M 8000     0627-111       NORSEMAN X 8000     0627-111       RIOT/X 8000     0627-111       RIOT 9000     0627-112       ZR 200     0627-106       ZR 6000     0627-107       ZR 6000 R-SX     0627-120       ZR 8000     0627-111	ZR 9000	0627-112
M 8000 0627-111  NORSEMAN X 8000 0627-111  RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	2023	
NORSEMAN X 8000         0627-111           RIOT/X 8000         0627-111           RIOT 9000         0627-112           ZR 200         0627-106           ZR 6000         0627-107           ZR 6000 R-SX         0627-120           ZR 8000         0627-111	BLAST 4000	0823-683
RIOT/X 8000 0627-111  RIOT 9000 0627-112  ZR 200 0627-106  ZR 6000 0627-107  ZR 6000 R-SX 0627-120  ZR 8000 0627-111	M 8000	0627-111
RIOT 9000     0627-112       ZR 200     0627-106       ZR 6000     0627-107       ZR 6000 R-SX     0627-120       ZR 8000     0627-111	NORSEMAN X 8000	0627-111
ZR 200     0627-106       ZR 6000     0627-107       ZR 6000 R-SX     0627-120       ZR 8000     0627-111	RIOT/X 8000	0627-111
ZR 6000     0627-107       ZR 6000 R-SX     0627-120       ZR 8000     0627-111	RIOT 9000	0627-112
<b>ZR 6000 R-SX</b> 0627-120 <b>ZR 8000</b> 0627-111	ZR 200	0627-106
<b>ZR 8000</b> 0627-111	ZR 6000	0627-107
	ZR 6000 R-SX	0627-120
7D 0000 0797 119	ZR 8000	0627-111
<b>LK YUUU</b> U02/-112	ZR 9000	0627-112

2024	
BLAST 4000	0823-683
M 600	0627-131
M 8000	0627-111
NORSEMAN X 8000	0627-111
PANTERA 7000	0627-110
RIOT 600	0627-131
RIOT/X 8000	0627-111
RIOT 9000	0627-112
ZR 200	0627-106
ZR 600	0627-131
ZR 6000 R-SX	0627-120
ZR 7000	0627-110
ZR 8000	0627-111
ZR 9000	0627-112
·	·



#### C-TEC2™ SYNTHETIC OIL

The C-TEC2 revolutionary clean-burning engine technology demands an entirely unique oil formulation. This lubrication system effectively delivers oil where it is required — as a result using significantly less oil compared with traditional 2-cycle engines. This technology requires a unique viscosity and blend of additives and base stocks. After several years of intense testing, numerous formulations, thousands of dyno hours and hundreds of thousands of field test miles, we landed on this unique oil technology.

- The ONLY oil recommended for the C-TEC2 engine, but approved for ALL Arctic Cat 2-cycle engines
- Reduction in recoil pull-effort during cold weather starting
- Convenient C-TEC2 oil packaging provides easier pourability and less waste
- Fully synthetic formulation provides ultimate engine protection
- Detergent additives maximize Arctic Power Valve™ and engine cleanliness
- Smokeless formulation burns extremely clean with a fresher scent

**8639-118** 1 QUART

7639-840 1 GALLON BEST SELLER

**6639-521** 2.5 GALLONS



#### FORMULA 50 OIL

- Mineral based 50:1 injection oil is recommended for non-Arctic Power Valve 2-cycle engines
- Performs well over a wide range of operating temperatures
- Minimizes engine wear
- Prevents rust/deposit formation

**5639-475** 1 QUART

5639-476 1 GALLON BEST SELLER



2-STROKE OIL

#### APV™ SYNTHETIC OIL

- Outstanding performance for all non-C-TEC2 Arctic Cat 2-cycle engines
- Protects against engine wear with excellent lubricity
- Provides excellent Arctic Power Valve cleanliness
- Smokeless formulation burns clean
- Helps prevent piston scuffing, varnish formation and deposit buildup

**4639-349** 1 QUART

5639-469 1 GALLON BEST SELLER

**4639-347** 2.5 GALLONS

#### C-TEC4™ SYNTHETIC OIL & CHANGE KITS

- Provides superior performance in ALL operating conditions, including in the extreme cold
- Synthetic base stocks offer high lubricity that protects engine from wear and scuffing
- Exclusive formulation includes additives that help prevent deposit formations, ring sticking and engine wear
- Includes one gallon of synthetic C-TEC4 oil, oil filter, 0-ring washer and disposable funnel

**6639-524** 1 QUART (OIL ONLY)

**6639-525** 1 GALLON (OIL ONLY)

6639-529 '17-'24 9000 MODELS (998CC 3-CYL); '14-'24 7000 MODELS (1049CC 3-CYL)

6639-528 '07-'16 1100/1100T, 5/9000 MODELS (1056CC 2-CYL)

7639-042 '15-'19 3000 MODELS (700CC 2-CYL)

#### 4-STROKE OIL





# SYNTHETIC ACT GEARCASE FLUID

- Specially formulated for the ACT drive system
- Full synthetic lubricant that stays consistent across a broad temperature range so it flows well when cold and won't break down when hot
- Protects against wear and corrosion in ACT drive systems with reverse

5639-219 | 15 OZ.

7639-080 | 27.1 OZ.



# ARCTIC CAT EXTREME LOW TEMP GREASE

- Premium synthetic base makes Arctic Cat Low-Temp Grease perform in extreme winter conditions, -40°F to 300°F
- Keeps contaminants from entering and damaging suspension components
- Exceptional cold temp bearing and pivot point performance

7639-517 | 10 OZ.



#### ACT™ DRIVE FLUSH FLUID

 Flush ACT gearcase to remove contaminants and wear particles before replacing ACT gearcase fluid

4639-333 | 6 OZ.



#### SYNTHETIC SHOCK OIL

- Full synthetic medium weight shock oil protects against wear, fading, foaming, oxidation, rust and corrosion
- Proven superior performance under extreme conditions
- Best choice for servicing gas shocks that will see heavy-duty trail or racing use

4639-368 | QUART



#### SYNTHETIC CHAIN LUBE

- Full synthetic formulation resists breakdown and helps protect against wear at extreme high or low temperatures
- Inhibits rust and corrosion during periods of non-use or extended storage
- Made with additive that protects internal components and conditions seals

6639-539 | 15 OZ.

6639-117 | 2.5 GALLONS



## SEMI-SYNTHETIC SHOCK OIL

- Engineered with a high viscosity index (VI) formulation
- Provides superior, consistent performance in severe operating and racing conditions
- Protects against wear, foaming, oxidation and corrosion

5639-530 | QUART



#### FUEL TREATMENT

- Dual- antioxidant formula protects fuel system
- Stabilizes fuel for up to 2 years
- Safe for all power sports applications
- Ethanol compatible
- Convenient measuring cup

2436-868 | 12 07.



# ARCTIC CAT ANTIFREEZE -60/40 EXTENDED LIFE

- · Premixed and ready to pour
- Protects against freezing to -62°F and has boiling point of 270°F
- Bitterant additive reduces likelihood of animal ingestion
- Extended-life antifreeze 3 times longer service life

2436-871 | GALLON BEST SELLER



#### DOT 4 BRAKE FLUID

- Premium fluid designed with corrosion and oxidation inhibitors has over 10% higher wet boiling point than DOT 4 minimum requirements
- · Provides firm brake-feel in all conditions, even if moisture is introduced into the brake system

5639-848 | 12 OZ.



#### SPARK PLUG CADDY

0636-054 MEDIUM GREEN | UNIVERSAL BEST SELLER



#### CAT CADDY

- Superior mobility from 2.5-in. swivel casters
- · Includes two ski dollies and a track dolly

5639-873 PLASTIC - BLACK |

5639-874 PLASTIC - GREEN | BEST SELLER

4639-766 ALUMINUM - BLACK |

REPLACEMENT PARTS

0641-535 REPLACEMENT WHEEL | FITS CAT CADDY



#### DASH CADDY

- Dash storage with sturdy polyethylene construction
- Compartment door features a foam seal to keep contents safe and dry
- · Not compatible with Mid Performance windshield

**8639-219** | '18-'24 8000; '18-'23 6000; '17-'24 9000; '14-'24 7000; '17-'19 3000 Models

# **TOUCH-UP PAINT**

- Repair scratches and keep your Cat looking like new with genuine, factory color touch-up paint
- Available in 1/2 OZ (15 ML) bottle or 12 OZ (354 ML) aerosol
- See your dealer for specific vehicle application and complete details

#### **BALLISTIC BRONZE**

0652-240 0.5 0Z | '20 MODELS 0652-241 12 0Z | '20 MODELS

#### BLACK



**0652-100 0.5 0Z |** UNIVERSAL (PLASTIC)

0652-110 0.5 0Z | '00-'17 MODELS

0652-024 12 0Z | '00-'17 MODELS

0652-228 0.5 0Z| '18-'24 MODELS

0652-229 12 0Z | '18-'24 MODELS

#### **BLACK MAGIC**



0652-276 0.5 0Z | '23-'24 MODELS NEW

0652-27712 0Z | '23-'24 MODELS NEW

#### CAT GREEN



0652-077 12 0Z | '98-'11 MODELS

#### DYNAMIC CHARCOAL



0652-242 0.5 0Z | '20-'22 MODELS 0652-243 12 0Z | '20-'22 MODELS

#### DYNAMIC GRAY



0652-222 0.5 0Z | '17-'21 MODELS 0652-223 12 0Z | '17-'21 MODELS

#### **ELECTRIC BLUE**



0652-248 0.5 0Z | '20 MODELS 0652-249 12 0Z | '20 MODELS

#### FIRE RED



0652-218 0.5 0Z | '17-'24 MODELS 0652-219 12 0Z | '17-'24 MODELS

⚠ Warning: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

#### **GALAXY BLUE**

0652-278 0.5 0Z | '14-'24 MODELS NEW

0652-279 12 0Z | '14-'24 MODELS NEW

#### HYPER GREEN

**0652-244 0.5 0Z |** '20-'22 MODELS **0652-245 12 0Z |** '20-'22 MODELS

#### MEDIUM GREEN

**0652-220 0.5 0Z |** '17-'24 MODELS **0652-221 12 0Z |** '17-'24 MODELS

#### **ORANGE**

**0652-141 0.5 0Z |** '08-'24 MODELS **0652-142 12 0Z |** '08-'24 MODELS

#### PEARL CAT GREEN

**0652-144 0.5 0Z |** '08-'13 MODELS **0652-145 12 0Z |** '08-'13 MODELS

#### PHANTOM GRAY

0652-260 0.5 0Z | '23 MODELS 0652-261 12 0Z | '23 MODELS

#### **PLATINUM**

**0652-096 12 0Z |** '02-'11 MODELS

#### **PURPLE**

0652-238 0.5 0Z | '19 MODELS 0652-239 12 0Z | '19 MODELS

#### OUICKSILVER

**0652-250 0.5 OZ |** '20 MODELS **0652-251 12 OZ |** '20 MODELS

#### SKYE BLUE

0652-246 0.5 0Z | 21'-24' MODELS 0652-247 12 0Z | 21'-24' MODELS

#### SPARK ORANGE

**0652-256 0.5 OZ |** '23 MODELS **0652-257 12 OZ |** '23 MODELS

#### STAR WHITE

0652-280 0.5 0Z | '24 MODELS NEW 0652-281 12 0Z | '24 MODELS NEW

#### SUNSET ORANGE

**0652-148 0.5 OZ |** '14-'24 MODELS **0652-149 12 OZ |** '14-'24 MODELS

#### TEAM ARCTIC GREEN

**0652-199 0.5 OZ |** '14-'18 MODELS **0652-200 12 OZ |** '14-'18 MODELS

#### TRUE PLATINUM

0652-266 0.5 0Z | '23 MODELS NEW 0652-267 12 0Z | '23 MODELS NEW

#### WHITE

**0652-189 0.5 OZ |** '14-'24 MODELS **0652-190 12 OZ |** '14-'24 MODELS

Colors shown are approximation - contact your dealer with questions.

















# TRAIL



Born on the trail, we live for winding rides, high speeds and all-out adventure.







0.8A BATTERY CHARGER	87
1.5A BATTERY MAINTAINER	87
2-PLY TRACKS	83
4.3A BATTERY CHARGER	87
60/40 EXTENDED LIFE	
Α	97
A-2 EXT SHOVEL	72
ACCESSORY LATCHING SYSTEM	20
ACE WEARBARS	82
ACT DRIVE FLUSH FLUID	96
ADJUSTABLE BAR RISER	44
ADVANTAGE COVERS	9
ALPHA ONE REAR ARM BOLT KIT	48
ALPHA ONE TRACK + DRIVER UPDA	TE KIT 75
APV SYNTHETIC OIL	95
ARCTIC CAT ANTIFREEZE	97
ARCTIC CAT EXTREME	96
ARCTIC CAT IFP	60
ARCTIC CAT IFP PACKAGES	60
ASCENDER PRO SEAT	64
ASCENDER RUNNING BOARDS	64
ATACH BASE KIT	21
ATACH HIGH COUNTRY PACK	21
ATACH PASSENGER SEAT	37
ATACH SADDLEBAGS	21
ATACH TUNNEL PACK	21
В	
BACKCOUNTRY ACCESS	68
BACKCOUNTRY X	74
BAGS & STORAGE	19
BAR RISERS	44
BATTERY JUMP PACK	88
BC LINK 1.0 RADIO	71
BC LINK 2.0 RADIO	71
BC LINK REPLACEMENT BATTERY	71
BELT TOOL	88
BILLET AXLE WASHERS	66
BILLET BRAKE LEVER	62
BILLET RECOIL HANDLE	65
BILLET TUNNEL RACK	27
BUMPERS	28

C	
C-TEC4 SYNTHETIC OIL & CHANGE KITS	95
CANVAS COVERS	10
CARBIDE WEARBARS	55
CARGO BAG	25
CATALYST HITCH KIT	40
CATALYST SKI HANDLES	79
COBRA	72
COVER - YOUTH	53
CUSTOM CANVAS COVERS	11
CUSTOM HANDLEBAR BAG	24
CUSTOMIZATION	4
D	_
D-2 EXT SHOVEL	72
DASH CADDY	23
DEUCE TWIN CARBIDE WEARBARS	83
DIGGER (2-PLY) SUPPORT PLATES	84
DOOLY TWIN CARBIDE WEARBARS	83
DOT 4 BRAKE FLUID	97
DOUBLE DIGGER (2-PLY) SUPPORT PLATES	84
DOZER 1T SHOVEL	71
DRIVE CLUTCH PULLER	88
DRIVELINE REBUILD KIT	89
E	
ELECTRIC START KITS	39
ENGINE PERFORMANCE KIT - YOUTH	55
ENGINE REBUILD KITS	89
EVO FRONT BUMPER	29
EVO REAR BUMPER	30
EXHAUST SPRING TOOL	89
EXHAUST VALVE CABLE GAUGE	89
EXTREME LOW	16
EXTREME-DUTY BRAKE DISC	63
F	
FIXED VERTICAL STEERING POST	45
FLEX-TEC HAND GUARDS	43
FLEX-TEC HAND GUARDS - YOUTH - YOUTH	53
FLEX-TEC LITE HAND GUARDS	43
FLOAT 15 TURBO	69
FLOAT 2.0 AIR CYLINDER	69
FLOAT 25 TURBO	69
FLOAT MTNPRO 2.0 VEST	69
FORMULA 50 OIL	95
	66

FOX FLOAT 3 QSL	60
FOX FLOAT DIGITAL PUMP	88
FOX FLOAT DUAL GAUGE PUMP	88
FOX FLOAT GUARD KIT	61
FOX FLOAT QS3	60
FOX ZERO QS3	60
FOX ZERO QS3R	60
FRONT SUSPENSION KIT	80
FUEL TREATMENT	97
FULL SEND KIT	6
G	
GARMIN	32
GEARCASE FLUID	96
GOLD DIGGER TRACTION MASTER (2-PLY) TRACTION KITS	84
GPS INSTALL KITS	32
GRAND MASTER (SINGLE-PLY)	84
GRIP-IT GLUE	45
Н	
HACKSAW	74
HALF COVER	11
HAND GUARD EXTENSIONS	44
HAND GUARD LIGHT KIT	43
HAND WARMERS - YOUTH	54
HANDLEBAR BAG - YOUTH	53
HANDLEBAR SWITCH GUARDS	45
HANDLEBARS	42
HANDLING & TRACTION	78
HARD SADDLEBAGS	25
HARDCORE RUNNING BOARDS	63
HEATED GOGGLE BAG	24
HEATED SEAT	38
HEATED SEAT KITS	38
HEATED SHIELD ADAPTER	39
HEATED SHIELD OUTLET	38
HEAVY-DUTY BRAKE DISC	63
HEAVY-DUTY SUSPENSION KIT - YOUTH	54
HIGH TOURING WINDSHIELD	17
HIGH WINDSHIELD	53
HITCH KITS	41
ICE SCRATCHERS	62
ICE TRACK - YOUTH	55

JUMP PACK POUCH	88
L	
LAYDOWN STEERING POST	44
LED HEADLIGHT	65
LOW PROFILE TUNNEL RACK	27
LOW SNO PRO	16
LOW TEMP GREASE	96
M	***************************************
MAVERICK WEARBARS	82
MID LXR	17
MID PERFORMANCE	18
MID PERFORMANCE	16
MID TOURING	17
MID TOURING	16
MOUNTAIN HANDLEBAR	45
MOUNTAIN PACK	23
MOUNTAIN SHOVEL PACK	23
MOUNTAIN TUNNEL PACK	23
NUMBER PLATE KIT	65
0	
OIL & CARE	
OVERLOAD KITS	40
P	
PANEL VENT KIT	65
PANTERA HANDLEBAR BAG	24
PASSENGER HAND WARMERS	38
PASSENGER MUFFS	38
PASSENGER SEAT	37
PASSENGER SEAT	37
PASSENGER SEAT	37
PASSENGER WIND DEFLECTORS	38
POLYESTER COVERS	10
POWER CLAW	74
POWER CLAW	74
PREMIUM COVERS	9
PREMIUM GPS KIT	32
PRO BUMPER	29
PRO KIT	6
PRO MTN BUMPER	29
PRO MTN CAP	65
PRO MTN REAR BUMPER	30
PRO MTN RUNNING BOARDS	64
PRO MTN WINDSHIELD	16

PROCLIMB BUMPER	29
PROCLIMB-7 G2 SKIS	79
PROCROSS CAP	65
PROCROSS GRIPS	45
PROCROSS HAND GUARDS	43
PROCROSS LIGHTED HAND GUARDS	43
PROCROSS REAR BUMPER	30
PROCROSS-6 SKIS	79
PROUTE-10/8 SKIS	79
R	
RACING BRAKE PAD SET	63
RACING TAPE	66
RACK STRAP	27
RAIL CAP WHEEL KIT	67
RATTLER	72
REAR SUSPENSION SPRINGS	80
REAR WHEEL KIT	66
RIPSAW	74
RIPSAW II	74
RUFFIAN GRIPS	45
RUNNING BOARD GRIPS	54
RUNNING BOARD TRACTION	64
S	
SEMI-SYNTHETIC	96
SHAPER WEARBARS	82
SHOCK OIL	96
SIGNATURE SERIES (2-PLY)	84
SIGNATURE SERIES STAINLESS STEEL (2-PLY)	84
SINGLE RUNNER	82
SINGLE-PLY TRACKS	83
SKI HANDLES	80
SKID PLATES	47
SKID WHEEL KIT - YOUTH	55
SLP MOHAWK SKIS	79
SLP POWDER PRO SKIS	79
SLP WEARBARS (PAIR)	82
SNO PRO BRAKE LEVER	63
SNOCROSS HANDLEBAR KIT	••••••
SNUCKUSS HANDLEDAK KII	54
SNOWFLAP	54 47
SNOWFLAP	47
SNOWFLAP SPEEDLOCK	47
SNOWFLAP SPEEDLOCK SPEEDLOCK COVER	47 26 26

CDEEDDACK CADOO DACK	0.7
SPEEDRACK CARGO RACK	26
SPEEDRACK GEAR BAG SPEEDRACK GEAR RACK	25 25
	······
SPEEDRACK II SYSTEM SPEEDWERX CLUTCH KITS -YOUTH	25 55
SPEEDWERX HYPERSHIFT CLUTCH KITS	62
STAGGERED WEARBARS	83
STANDARD GPS KIT	32
STARTER KIT	7
STEALTH 270	70
STORAGE	19
STORAGE COVER	9
STUD DRILL	85
STUD TEMPLATE	85
SYNTHETIC ACT	96
SYNTHETIC CHAIN LUBE	96
SYNTHETIC SHOCK OIL	96
T	
TANK BAG	24
TANK PADS	47
TEAM ARCTIC HAND GUARDS	53
TETHER SWITCH	48
TETHER SWITCH -YOUTH	54
TIGER SLIDE WEAR STRIPS	62
TOUCH UP PAINT	98
TOURING MUFFS	44
TOW HITCH	41
TOW ROPE	41
TOW STRAP	41
TRACK MARKER	85
TRACK TENSION TOOL	89
TRACKER 3	70
TRACKER S	70
TRACTION KIT - YOUTH	55
TRAIL BLAZER KIT	5
TRAIL PACK	22
TREAD GPS KITS	32
TUNNEL CARGO BAG WITH SADDLEBAGS	25
TUNNEL FLARES	47
TUNNEL GEAR BAG	22
TUNNEL GRIPS	64
TUNNEL PACK	22
TUNNEL PACK -YOUTH	53
TUNNEL PAD	27
TOTALLIAU	LI

TUNNEL PROTECTOR KIT	85
TUNNEL PROTECTOR KIT - YOUTH	55
TUNNEL RACK	26
TUNNEL REINFORCEMENT KIT	48
TWIN RAIL BRACE KIT	48
U	
UTILITY	40
W	•
WEAR STRIPS	87
WHEEL KITS	67
WINDSHIELD BAG	23
WINDSHIELD DART	18
WINDSHIELD HARDWARE KIT	18
WINDSHIELD RETAINER	18
WINDSHIELDS	14
WINTER ESSENTIALS KIT	7
WINTER ESSENTIALS KIT	7
X	
XC MUFFS	44
XC WINDSHIELD	16
XL TUNNEL GEAR BAG	22
Υ	•
YOUTH	52





All specifications, competitive specifications, claims and information contained within are based on current knowledge and readily available printed material available as of January 1, 2023. All rights reserved. Cobra<sup>™</sup> and Ripsaw<sup>™</sup> are trademarks of Camso Inc. FOX\*, FOX FLOAT\* and FOX\* ZERO are registered trademarks of FOX Racing Shox. Garmin is a trademark of Garmin Ltd. or its subsidiaries. ADAPT<sup>™</sup>, Alpha One\*, Arctic Cat\*, Arctic Mountain Suspension<sup>™</sup>, Arctic Race Suspension<sup>™</sup>, ARS<sup>™</sup>, Ascender<sup>™</sup>, Arctic Wishbone Suspension<sup>™</sup>, AWS<sup>™</sup>, Bearcat\*, CATALYST<sup>™</sup>, C-TEC4<sup>™</sup>, C-TEC4<sup>™</sup>, CVTEC<sup>™</sup> ATAC\*, Mountain Cat\*, Power Claw<sup>™</sup>, ProClimb<sup>™</sup>, SLIDE-ACTION Rear Suspension<sup>™</sup>, Sno Pro\*, Sno-Cross<sup>™</sup>, Team Arctic\*, Thundercat\*, Torque-Sensing Link<sup>™</sup> and ZR\* Norseman\* and BLAST\* are trademarks of Arctic Cat Inc.

#### WOODY'S LIMITED WARRANTY

INTERNATIONAL ENGINEERING & MANUFACTURING, INC. WARRANTS each product manufactured by it to be free from defects in material and workmanship under use for the purpose for which it is intended. The Company shall not be liable for damage or delays caused by defective materials or workmanship; is limited to the repair or replacement at its factory of defective article or part thereof, which may be returned to the factory, transportation charges prepaid, within one (1) year after delivery to the original purchaser. Proof of purchase is also required. The Company shall be the sole judge of the existence of any defect in the article so returned. No claims for charges incurred in the removal, disassembly or reinstallation of such article shall be allowed. Product manufactured for consumer use on snowmobiles is designed for snow or ice only, use on any other surface voids warranty.

This Warranty shall not cover any article which has been misused or neglected or damaged by accident or any article which has been altered outside the Company's factory. The Warranty for stude is void unless the stude are installed with Woody's installation tools, support plates and lock nuts; according to the recommendations set forth in Woody's Instructions and Template Patterns. This Warranty does not cover bending, chipping, flaking or carbide pin breakage or pin loss from stud wear, stud replacement labor or shipping.

#### **WOODY'S MANUFACTURER WARRANTY RETURNS**

The Company shall, in no event be liable for consequential damage or contingent liability arising out of any total or partial failure to function of any article manufactured by it or of any equipment on or in which it is used. Failure of a user to give notice to claim as to defect claimed under the provisions of this Warranty within 1 year after delivery to original user, such claim shall constitute a waiver by consumer of all claims with respect to goods and equipment.

The above warranty is in lieu of all other warranties, expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. In no event will the company be liable for consequential damages whether or not it has notice of the possibility of any such damages.

 $Follow\ the\ Woody's\ Manufacturer\ Warranty\ Returns\ directions\ to\ return\ any\ product\ from\ International\ Engineering\ \&\ Mfg.,\ Inc.$ 

#### **STUD BOY WARRANTY**

Liberty Products, Inc. herein noted as The Company, warrants each article manufactured by it to be free from defects in material and workmanship under use for the purpose for which it is intended. The Company shall not be liable for damage or

delays caused by defective materials or workmanship; is limited to the repair or replacement, at its factory; of any defective article or part thereof, which may be returned to the factory; transportation charges, prepaid, within 90 days after delivery to the original user. Proof of purchase is also required. The Company shall be the sole judge of the existence of any defect in the article so returned. No claims for charges incurred in the removal, disassembly or reinstallation of such article will be allowed. Product manufactured for snowmobiling is designed for snow or ice only. Use on any other surface voids warranty. This warranty shall not cover any article which has been misused, neglected, or damaged by accident or any article which has been altered outside The Company's factory. The Company shall, in no event, be liable for consequential damage or contingent liability arising out of any total or partial failure to function of any article manufactured by it or of any equipment on or in which it is used. Failure of a user to give notice to claim as to defect claimed under the provisions of this Warranty within ninety (90) days of the appearance of such claim shall constitute a waiver by customer of all claims with respect to such goods and equipment. No express, implied, or statutory warranty other than that herein set forth is made or authorized to be made by Liberty Products, Inc.

Snowmobiling is serious fun. Be sure to read and understand your owner's manual and please pay special attention to the safety instructions. Arctic Cat Inc. endorses and encourages the safe use of all snowmobiles. Be careful, you can get hurt. Wear a helmet and don't drink and ride. Be aware of natural hazards you may encounter, allow yourself plenty of room to safely stop your snowmobile under all conditions, and maintain your equipment. Your safety is in your hands, so take care. All scenes depicted or described in this brochure were performed by professional riders under carefulty controlled conditions. Leave the fancy riding to the pros; they practice for years and train very hard to make it look easy. Never attempt to duplicate these maneuvers or encourage others to do so. We care about your safety and enjoyment of the sport.

#### **PROPOSITION 65 WARNING**

Warning: Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
This WARNING applies to all items that can be ordered on this page.

Get approval in minutes for the things you want. Ask your dealer for an application!



ALL ARCTIC CAT MODELS HAVE BEEN EVALUATED BY AN INDEPENDENT TESTING LABORATORY AND MEET ALL SSCC SAFETY STANDARDS IN EFFECT ON THE DATE OF

SPONSORED BY THE SNOWMOBILE SAFE





CES MODÉLES ONT ÉTÉ ÉVALUÉS PAR UN LABORATOIRE D'ESSAIS INDÉPENDANT ET SATISFAIENT TOUTES LES NORMES DE SÉCURITÉ DU SSCC EN VIGUEUR À LA DATE DE FABRICATION.

PARRAINÉ PAR LE COMITÉ DE SÉCURITÉ



# FIND THE RIGHT RIDE

CALL OR VISIT YOUR LOCAL ARCTIC CAT DEALER FOR MORE INFORMATION. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

Snowmobiling is serious fun. Be sure to read and understand your owner's manual and please pay special attention to the safety instructions. Arctic Cat Inc. endorses and encourages the safe use of all snowmobiles. Be careful; you can get hurt. Wear an approved helmet and don't drink and ride. Be aware of natural hazards you may encounter, allow yourself plenty of room to safely stop your snowmobile under all conditions, and maintain your equipment. Your safety is in your hands, so take care. All scenes depicted or described in this brochure were performed by professional riders under carefully controlled  $conditions. Leave the fancy riding to the pros; they practice for years and train very hard to make it look easy. \\ Never attempt to a condition of the pros; they practice for years and train very hard to make it look easy. \\$ duplicate these maneuvers or encourage others to do so. We care about your safety and enjoyment of the sport. All materials and specifications are subject to change without notice. All specifications, competitive specifications, claims and information contained within are based on current knowledge and readily available printed material available as of January 1, 2023. All rights reserved. Cobra™ and Ripsaw™ are trademarks of Camso Inc. FOX®, FOX FLOAT® and FOX® ZERO are registered trademarks of FOX Racing Shox. Garmin is a trademark of Garmin Ltd. or its subsidiaries. ADAPT™, Alpha One®, Arctic Cat®, Arctic Mountain Suspension™, Arctic Race Suspension™, ARS™, Ascender™, Arctic Wishbone Suspension™, AWS™, Bearcat®, CATALYST™, C-TEC2™, C-TEC4™, CVTEC™ATAC®, Mountain Cat®, Power Claw™, ProClimb™, SLIDE-ACTION Rear Suspension™,  $Sno\ Pro^{\circ}, Sno\ -Cross^{\intercal}, Team\ Arctic^{\circ}, Thundercat^{\circ}, Torque\ -Sensing\ Link^{\intercal}\ and\ ZR^{\circ}\ Norseman^{\circ}\ and\ BLAST^{\circ}\ are\ trademarks\ or\ trademarks\ or\$ registered trademarks of Arctic Cat Inc. The Arctic Cat snowmobile brand is among the most widely recognized and respected in the industry. The company designs, engineers, manufactures and markets snowmobiles, in addition to related parts, garments and accessories under the Arctic Cat brand name. Offerings and features are subject to change without notice. For more information, visit: www.arcticcat.com. ARCTICCAT.COM ARCTIC CAT'S ONLINE HQ. EVERYTHING FROM MACHINES AND SPECS DOWN TO THE ACCESSORIES AND GEAR YOU NEED TO TAKE ON THE WORLD.













