

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

BUILDING PERMIT

P#: _____

RESIDENTIAL OR COMMERCIAL

OWNER: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

LOT#: _____ ZONE: _____ FLOOD ZONE: _____ BFE: _____

SQ. FT. _____ VALUATION \$ _____

TOTAL ROOFING SQUARES: _____

SUBDIVISION: _____ DESCRIPTION: _____

STATE LIC. #: _____ PARISH LIC. #: _____

*****THE APPLICANT HAS CERTIFIED THAT THEY ARE THE AUTHORIZED AGENT FOR THIS PROPERTY AND THAT ALL CONSTRUCTION AND/OR TYPE OF OCCUPANCY WILL BE IN STRICT ACCORDANCE WITH ALL CODE OF ORDINANCE BUILDING REGULATIONS AND THE STATE FIRE MARSHAL ACT, LOCAL FIRE ORDINANCE, STATE SANITARY CODE AND THE LOCAL ZONING ORDINANCE.*****

X _____
(APPLICANT'S SIGNATURE)

X _____
(TOWN OFFICIAL'S SIGNATURE)

PERMIT FEE: _____ RCPT # _____ DATE: _____

PLAN REVIEW FEE: _____ RCPT # _____ DATE: _____

PLUMBING PERMIT FEE: _____ RCPT # _____ DATE: _____

ELECTRICAL PERMIT FEE: _____ RCPT # _____ DATE: _____

MECHANICAL PERMIT FEE: _____ RCPT # _____ DATE: _____

TOTAL FEES: _____

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

BUILDING PERMIT APPLICATION

DATE: _____

CONTRACTOR/HOMEOWNER: _____

TENANT: _____

PHONE #: _____ EMAIL: _____

PROJECT ADDRESS: _____

SUBDIVISION/SITE: _____ LOT #: _____

CONTRACTOR INFORMATION:

CONTRACTOR: _____ PARISH LIC. #: _____

MAILING ADDRESS: _____

CONTACT PERSON: _____ PHONE #: _____

CONTRACTOR'S SIGNATURE: _____

PERSON RECEIVING PERMIT (PRINT): _____

PERSON RECEIVING PERMIT (SIGN): _____

PROPOSED CONSTRUCTION:

COMMERCIAL: _____ BID PRICE: _____

RESIDENTIAL: _____ LIVING SQ. FT.: _____ TOTAL # ROOFING SQUARES: _____

_____ NEW CONSTRUCTION _____ ENERGY _____ DEMCO _____ OTHER

_____ OFFICE TRAILER _____ ADDITION _____ RENOVATION

_____ LIFT STATION _____ BUILD OUT _____ DEMOLITION

NOTICE: ANY INFORMATION WRITTEN ON THIS APPLICATION BECOMES PUBLIC RECORDS.

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

PLAN REVIEW ROUTING
PERMIT & INSPECTION DEPARTMENT

PROPERTY ADDRESS: _____

SUBDIVISION: _____ LOT # _____

(Circle One): HOME COMMERCIAL RENOVATION

CONTRACTOR/HOMEOWNER: _____

PHONE # _____ FAX #: _____

BID PRICE: _____ SQ. FT: _____ PRICE PER FT: _____

TOTAL ROOFING SQUARES: _____

FOR TOWN OFFICE ONLY:

PLANS RECEIVED FROM: _____ DATE: _____ TIME: _____

PLANS PICKED UP BY: _____ DATE: _____ TIME: _____

PARISH PERMIT OFFICE ONLY:

REVIEWED BY: _____ DATE: _____ TIME: _____

PLAN REVIEW FEE: \$ _____ PERMIT FEE: \$ _____

TOTAL: \$ _____

MORE INFO/COMMENTS NEEDED FOR INSPECTORS:

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

BUSINESS PERMIT FORM

PROPERTY OWNER: _____

LEESEE NAME: _____

BUSINESS NAME: _____ PHONE #: _____

BUILDING NAME: _____

PHYSICAL ADDRESS OF BUSINESS: _____

CITY: _____ STATE: _____ ZIP CODE: _____

OCCUPANCY DATE: _____

OCCUPANCY (IF BUSINESS IS A RESIDENCE):

% RESIDENCE: _____

% BUSINESS: _____

PLEASE CIRCLE ONE: OWN/LEASE AGE OF BUILDING: _____

SQ. FT. OF:

SALES AREA: _____ STORAGE: _____ CANOPY: _____

EXTERIOR WALLS: BRICK %: _____ WOOD %: _____ STUCCO %: _____

VINYL %: _____ METAL %: _____ GLASS %: _____ OTHER%: _____

PLEASE CIRCLE ONE: METAL/SHINGLES

X _____ X _____ _____
(SIGNATURE) (TOWN WITNESS) (DATE)

OFFICE USE ONLY:

SECTION: _____ TOWNSHIP: _____ RANGE: _____

WARD: _____ ASSESSMENT #: _____

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

ACKNOWLEDGEMENT STATEMENT

I _____ HAVE READ ALL THE ENCLOSED INFORMATION AND UNDERSTAND ALL THE INSPECTION PROCEDURES AND PROCESS INVOLVED IN CONSTRUCTING THIS PROJECT # _____. IN SIGNING THIS FORM I FULLY ACKNOWLEDGE MY RESPONSIBILITIES TO CALL OR HAVE MY SUBCONTRACTORS CALL FOR INSPECTIONS AT THE PROPER TIME.

X _____
(SIGNATURE)

(DATE)

X _____
(TOWN OFFICIAL'S SIGNATURE)

(DATE)

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

AFFIDAVIT OF TERMITE TREATMENT

PROJECT #: _____

UNDER PENALTY OF LAW TO FALSE STATEMENTS, I, _____
OF _____. DO HEREBY CERTIFY TO THE BUILDING
OFFICIAL OF THE TOWN OF ALBANY, STATE OF LOUISIANA, THAT ON (MONTH)
_____, (DAY), 20_____. THAT
_____, WAS CONTRACTED FOR A TERMITE
PREVENTION/TREATMENT OF THE SLAB/FOUNDATION OF THE RESIDENCE OR
COMMERCIAL BUILDING LOCATED AT:

STREET ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____ LOT #: _____

X _____

(PEST CONTROL SPECIALISTS SIGNATURE)

(DATE)

**PLEASE PROVIDE A COPY OF ANY PAPERWORK PROVIDED BY THE COMPANY
THAT IS CONTRACTED, AND A COPY OF THE MANUFACTURER'S LABEL FOR THE
CHEMICAL APPLIED MUST BE ATTACHED TO THIS AFFIDAVIT.**

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

REQUEST FOR FLOOD ZONE DETERMINATION:

NAME: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

PHONE #: _____ FAX #: _____

*****FOR OFFICE USE ONLY*****

FLOOD ZONE: _____

MAP PANEL #: _____

BASE FLOOD ELEVATION: _____

X _____

(TOWN OFFICIAL'S SIGNATURE)

(DATE)

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

POTABLE WATER SYSTEM CHECKLIST

1. UNLESS SPECIFIED BY AN ENGINEER: THE MAIN FEED LINE SHALL BE $\frac{3}{4}$ " IN DIAMETER.
2. THE MATERIAL ACCEPTABLE UNDER SLABS: TYPE (L) & TYPE (K) SEAMLESS COPPER TUBING ONLY. COPPER LINE TO BE SLEEVED THROUGH FOOTING AND BELOW FINISHED FLOOR THROUGH SLAB.
3. JOINTS SOLDERED WITH LEAD FREE TIN ALLOY SOLDER.
4. PLUMBERS MUST USE THE LOOP-SYSTEM: WALL-TO-WALL MANIFOLDS: NO JOINTS ALLOWED BENEATH THE CONCRETE SLAB.
5. THE PLUMBER SHALL MAINTAIN $\frac{3}{4}$ " MANIFOLDS WITH ONLY THE LAST TWO SUPPLY OUTLETS REDUCING TO $\frac{1}{2}$ ".
6. BATH TUBS AND SHOWERS SIDE-BY-SIDE OR ANY TUB, TUB OR SHOWER, SHOWER ARRANGEMENT IS CONSIDERED A HIGH-VOLUME SITUATION AND EACH SHALL BE SUPPLIED WITH A $\frac{1}{2}$ " COLD AND $\frac{1}{2}$ " HOT SUPPLY FROM A $\frac{3}{4}$ " MANIFOLD.
7. OTHER FIXTURES: TOILET, LAVATORY, SINK, DISHWASHER, TWO LAVATORIES, ETC.; TWO FIXTURES MAY BE SUPPLIED FROM A $\frac{1}{2}$ " WATER SUPPLY.
8. CHECK COPPER LINES FOR DENTS CAUSED BY SHOVEL WORK. IF A DENT IS SEVERE ENOUGH THE LINE MUST BE REPLACED.
9. THE PLUMBER SHALL ROUGH-IN HOSE BIBS WITH BACKFLOW PREVENTERS AT LOCATIONS WHERE A 50 FT. GARDEN HOSE PIPE CAN OVERLAP ZONES.
10. MINIMUM 12" AIR CHAMBERS ON ALL FIXTURES EXCEPT ICE MAKERS AND TOILETS (INCLUDING TUBS AND SHOWERS).
11. WATER HEATER RELIEF LINES TO BE $\frac{3}{4}$ COPPER TYPE (K), (L), (M) OR CPVC. EXITING THE BUILDING AT FOUNDATION.
12. GAS LINES ENTERING THE HOME SHALL BE 1" BLACK IRON PIPE WITH 4" DRIP LEG.
13. INSTALLED WATER SUPPLY VALVE FOR BUILDING AT 16" ABOVE FINISHED SLAB.

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

REQUIREMENTS FOR PLAN REVIEW

ALL RESIDENTIAL PLANS MUST BE SUBMITTED TO THE BUILDING DEPT. FOR A POSSIBLE TWO-WEEK REVIEW PERIOD.

RESIDENTIAL PLANS MUST HAVE THE FOLLOWING:

PLOT PLAN: SUPPLY DIAGRAM OF LOT SHOWING MEASUREMENTS FOR STRUCTURE TO ALL BUILDING SETBACK LINES & EXISTING STRUCTURES, & THE DISTANCES REQUIRED FOR ALL SERVITUDES & STRUCTURE FOOT PRINT ON LOT. SETBACKS ARE AS FOLLOWS: FRONT BOUNDARY LINE 25', REAR BOUNDARY LINE 10', & BOTH SIDES 10' (UNLESS APPROVED DIFFERENTLY BY PLANNING & ZONING COMMITTEE AND THE TOWN COUNCIL).

FLOOR PLAN: PROVIDE SCALED DIAGRAM OF STRUCTURE TO BE BUILT. IF STRUCTURE IS A MODIFICATION/ADDITION TO AN EXISTING STRUCTURE, PLAN MUST INDICATE ALL EXISTING & NEW PORTIONS.

FOUNDATION & FOOTING PLAN: FURNISH SCALED DIAGRAM OF FOUNDATION FOOT PRINT ON LOT WITH ALL DIMENSIONS & DETAILED FOOTING ILLUSTRATIONS WITH APPLICABLE MEASUREMENTS FOR EACH.

ELECTRICAL PLAN: SHOW SCALED WIRING DIAGRAM FOR STRUCTURE (MAY BE OVERLAID ON FLOOR PLAN FOR HOUSE). DIAGRAM MUST SHOW ALL SWITCHES, CONVENIENCE OUTLETS, GFCI OUTLETS/CIRCUITS, SMOKE DETECTORS, WATER HEATER, HVAC UNIT, CEILING FANS, & ETC. ELECTRICAL PLANS MUST INCLUDE SPECIFICATIONS LIST & SYMBOLS KEY.

MECHANICAL PLAN: SUPPLY SEPARATE SCALED DIAGRAM OF MECHANICAL PLAN WITH DETAILED SPECIFICATIONS & SYMBOL KEY (MUST BE OVERLAID ON A SEPARATE FLOOR PLAN FROM ELECTRICAL PLAN). PLANS MUST SHOW ALL MECHANICAL EQUIPMENT, DUCTS, VENTS, CATWALKS, REQUIRED WORK SPACE PLATFORMS, RETURN AIR, ATTIC ACCESS TO EQUIPMENT, DRAIN LINES, DRAIN PAN WITH FLOAT SWITCH, GAS SUPPLY LINE, & ALL ELECTRICAL NEEDS & FIXTURES WITH ALL REQUIRED DISTANCE MEASUREMENTS SHOWN ALSO.

THE APPROVED SET OF PLANS MUST BE ON THE JOBSITE AT ALL TIMES DURING THE INSPECTION PROCEDURES.

IF PLANS ARE DRAWN BY AN ARCHITECT OR ENGINEER, THEY MUST HAVE THEIR SEAL & THEIR ORIGINAL SIGNATURE. IF DRAWN BY A DESIGNER THEIR NAME MUST BE ON THE DRAWINGS.

IF YOUR PLANS ARE A COPY OF AN ORIGINAL SET ALREADY USED BY SOMEONE ELSE, OR YOU, TO BUILD THE SAME STRUCTURE IN ANOTHER LOCATION, YOU MUST PROVIDE A LETTER FROM THE DESIGNER, ARCHITECT, OR DRAFTSMAN GRANTING THEIR PERMISSION FOR MULTIPLE USES.

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

SEQUENCE OF INSPECTIONS

FOLLOWING THE ISSUANCE OF A BUILDING PERMIT, IT IS THE SOLE RESPONSIBILITY OF THE HOMEOWNER & BUILDING, PLUMBING, MECHANICAL, & ELECTRICAL CONTRACTORS TO CONTACT THE BUILDING OFFICIAL'S OFFICE AT (225)567-1101, TO REQUEST THE NECESSARY INSPECTIONS AT THE APPROPRIATE STAGES. THE INSPECTION WILL BE SCHEDULED FOR THE NEXT BUSINESS DAY. IF THE CONTRACTORS SCHEDULE THEIR WORK AHEAD OF TIME, THERE WILL NOT BE ANY DELAYS BETWEEN REQUEST FOR INSPECTION AND THE EXECUTION OF INSPECTIONS.

ORDER OF INSPECTIONS

BEFORE POURING CONCRETE:

1. TEMPORARY METER (SENT TO ELECTRIC COMPANY AFTER INSPECTION IS APPROVED)
2. ELEVATION CERTIFICATE UNDER CONSTRUCTION
3. PLUMBING ROUGH-IN/SET BACKS
4. FOUNDATION AND IN-SLAB ELECTRICAL ROUGH-IN (IF APPLICABLE)

BEFORE COVERING WALLS & CEILING:

5. ELECTRICAL ROUGH-IN
6. MECHANICAL ROUGH-IN
7. PLUMBING TOP OUT & LOCAL GAS AUTHORITY (IF APPLICABLE)
8. FRAMING

BEFORE ELECTRICITY CAN BE BROUGHT INTO HOME:

9. FINAL ELECTRICAL INSPECTION (AFTER PASSING THIS INSPECTION, YOU MAY GET TEMP ELECTRICITY TO THE STRUCTURE FOR 30 DAYS ONLY IF YOU CHOSE TO PURCHASE A TEMP ELECTRICAL CUT-IN PERMIT. HOWEVER, THIS WILL NOT ALLOW THE TENANT TO MOVE INTO THE BUILDING).
10. FINAL PLUMBING INSPECTION
11. FINAL MECHANICAL INSPECTION
12. FINAL ELEVATION CERTIFICATE (ORIGINAL CERTIFICATE MUST BE RETURNED TO OFFICE)
13. CERTIFICATE OF OCCUPANCY (ISSUED ONLY AFTER ALL WORK IS COMPLETED & ALL REQUIRED PAPERWORK IS RETURNED TO THE OFFICE).

IN ORDER TO RECEIVE A FINAL INSPECTION THE FOLLOWING STEPS MUST BE COMPLETED:

- | | |
|---|------------------------|
| A. ALL DITCHES CLEAN AND FREE FROM OBSTRUCTION. | G. SEWER INSPECTION |
| B. NO DEBRIS MAY BE PRESENT ON LOT. | H. CULVERT INSPECTION. |
| C. LOT MUST BE GRADED TOWARDS DRAINAGE DITCHES. | |
| D. LOCKS MUST BE ON DOORS. | |
| E. STRUCTURE MUST BE 100% COMPLETE. | |
| F. MUNICIPAL ADDRESS ON STRUCTURE. | |

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

PLUMBING ROUGH-IN'S CHECKLIST

1. MATERIALS USED: PVC SCH 40; CAST-IRON.
2. DIRECTION FLOW>.
3. HEIGHT OF HIGH END OF SEWER LINE RELATIVE TO DEPTH OF LOW END (OUTLET END) OF SEWER LINE.
4. THERE SHALL BE A 3" CLEAN OUT UPSTREAM OF EACH WATER CLOSET (TOILET); UNLESS THE TOILET IS WITHIN 36" OF THE MAIN SEWER LINE.
5. A VENT FITTING SHALL LEAVE THE MAIN SEWER LINE EITHER STRAIGHT UP (90 DEGREES TO THE CENTER LINE) OR NOT MORE THAN BEING ROLLED OVER TO 45 DEGREES FROM THE CENTER LINE.
6. ALL FLOOR DRAINS SHALL BE TRAPPED WITH TRAP PRIMERS IN ALL PUBLIC BATHS & COMMERCIAL FLOOR DRAINS.
7. ANY SEWER LINE DRAINING 2 FIXTURES OF MORE SHALL BE 3" IN DIAMETER. P-TRAPS FOR WASHING MACHINE TO BE ABOVE FLOOR.
8. CHECK TO SEE IF THERE ARE NO LOW SPOTS (DIPS OR SWAY BACKING OF PIPE IN THE HORIZONTAL RUN). ALL SEWER MAINS TO BE MINIMUM OF 4" IN DIAMETER. 4" LINE TO ALL TOILETS EXCEPT UPSTAIRS.
9. LEAK TESTING: EITHER A 10 FT. COLUMN FILLED WITH WATER & HOLDING; OR AIR PRESSURE 5 PSIG WITH 5 LBS. TEST GAUGE.
10. SEWER LINES SHALL BE ENTRENCHED & SUPPORTED BY CONTINUOUS COMPACTED SOIL: NO ELEVATED PIPING WITH X BRACING EVERY 5 FT.
11. NO SEWER LINES RUNNING IN FOOTINGS, OR ELEVATED ABOVE FOOTINGS.
12. NO SHORT SWEEP 90 TO BE USED FOR SEWER OR WASTE CONNECTIONS.
13. THE FALL SHALL BETWEEN 1/8" TO 1/4" PER RUNNING FOOT.
14. CLEAN-OUTS SHALL BE INSTALLED IN THE DIRECTION OF FLOW OUTSIDE BUILDING WHERE POSSIBLE.
15. IT IS THE PLUMBERS' RESPONSIBILITY TO DRAIN THE SANITARY SEWER FROM WITHIN THE BUILDING TO THE OUTSIDE OF THE BUILDING LINE WITH AS FEW CHANGES IN DIRECTION AS POSSIBLE.
16. VISUALIZE RUNNING A SEWER CABLE THROUGH THE SYSTEM EVERY CHANGE IN DIRECTION GIVES RESISTANCE TO THE CABLE, BE AWARE OF IMPRACTICAL SITUATION.
17. ANY SEWER LINE 4" IN DIAMETER SHALL HAVE A CLEAN OUT EVERY 75 FT. A SEWER LINE 3" IN DIAMETER SHALL HAVE A CLEAN OUT EVERY 50 FT.
18. ANY SEWER LINE THAT CHANGES DIRECTION IN EXCESS OF 45 DEGREES BY USE OF ONE FITTING SHALL REQUIRE A CLEAN OUT AT THAT POINT OF THE LINE.
19. BATH TUB & SHOWER TRAP AREAS TO BE SEALED OFF WITH ASPHALT MATERIAL. (TAR, MOTOR, SHEETROCK, MUD, ETC.)

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

PLANS REQUIRED TO BE ON SITE:

PLANS ON JOB REQUIRED:

PLANS REVIEWED BY THE LIVINGSTON PARISH BUILDING OFFICIAL'S OFFICE AND BEARING THE ORIGINAL RED INK APPROVAL STAMP OF HIS OFFICE SHALL BE KEPT AT THE SITE OF THE BUILDING OR WORK AND SHALL BE OPEN AND AVAILABLE TO THE BUILDING OFFICIAL OR HIS AUTHORIZED REPRESENTATIVE DURING INSPECTIONS.

NOTE: AS THIS OFFICE DOES NOT SCHEDULE INSPECTIONS TO BE DONE AT SPECIFIC TIMES, THE BUILDING OFFICE REQUIRES THAT THE PLANS SHALL BE KEPT ON SITE & AVAILABLE TO THE INSPECTORS AT ALL TIMES.

POSTING OF PERMIT CARD REQUIRED:

INSPECTION CARD (PERMIT CARD):

1. SHALL BE POSTED AT EYE LEVEL ON THE JOBSITE AND LOCATED AS TO BE READILY VISIBLE FROM THE ROAD, STREET, DRIVEWAY, OR PUBLIC WAY AND TOWARDS THE FRONT OR FRONT SIDE OF THE BUILDING OR PROPERTY IN AN ACCESSIBLE AND CONSPICIOUS PLACE, SO AS TO ALLOW THE BUILDING OFFICIAL (INSPECTORS) TO CONVENIENTLY MAKE THE REQUIRED INSPECTION ENTRIES THEREON.
2. SHALL BE PROTECTED FROM THE WEATHER AT ALL TIMES.
3. SHALL BE MAINTAINED IN SUCH POSITION AND LOCATION ON THE JOBSITE BY THE PERMIT HOLDER UNTIL THE FINAL CERTIFICATE OF OCCUPANCY (C/O) INSPECTION HAS BEEN MADE AND APPROVED.

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

NOTICE TO HOMEOWNERS:

HOMEOWNERS TAKING OUT A HTG & A/C PERMIT MUST HOLD A CURRENT FREON CARD OR HAVE SOMEONE THAT DOES HOLD A CURRENT CARD. IF CARDHOLDER IS SOMEONE BESIDES HOMEOWNER, A COPY OF THEIR DRIVER'S LICENSE OR OTHER VALID I.D. MUST BE SUBMITTED ALSO. THE HOLDER OF THE FREON CARD IS NOT TO BE COMPENSATED FOR DOING THE WORK.

NOTICE TO ALL HOMEOWNERS:

IF YOU AS A HOMEOWNER TAKE OUT AN ELECTRICAL, PLUMBING, OR MECHANICAL PERMIT YOU CAN NOT HIRE SOMEONE TO DO THE WORK. THE PURPOSE OF THE HOMEOWNER PERMIT IS TO ALLOW THE HOMEOWNER TO BE ABLE TO DO THE WORK OR HAVE SOMEONE ELSE DO IT FOR NO COMPENSATION. IF A LICENSED CONTRACTOR IS DESIRED THE CONTRACTOR WILL NEED TO TAKE OUT THE PERMIT.

NOTICE TO BUILDER/HOMEOWNERS:

IF APPLICABLE IT IS THE BUILDER/HOMEOWNERS RESPONSIBILITY TO CONTACT THE LOCAL GAS AUTHORITY CONCERNING ANY REQUIREMENTS DEALING WITH GAS INSTALLATION & INSPECTIONS. THE PARISH PERMIT DEPARTMENT WILL DO THEIR INSPECTION AS WELL, DURING THE PLUMBING TOP-OUT.

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225)567-1101 / (225)567-4902 (fax)

ROOF & FRAMING TIE-DOWN:

ROOF ASSEMBLIES SHALL HAVE RAFTER OR TRUSS TIES INSTALLED EVERY FOUR FEET. THE RESULTING UPLIFT FORCES FROM THE RAFTER OR TRUSS TIES SHALL BE TRANSMITTED TO THE FOUNDATION. A CONTINUOUS LINE OF CONNECTIONS UTILIZING A SINGLE OR A COMBINATION OF CLIPS, STRAPS, AND/OR HOLD-DOWN ANCHORS TO SECURE THE:

1. RAFTER TO DOUBLE TOP PLATE.
2. TOP PLATE TO STUD.
3. STUD TO BOTTOM PLATE.

BELOW IS A LIST OF NUMEROUS PRODUCTS ON THE MARKET TO ACHIEVE THE REQUIRED RESULTS:

1. FRAME CLIPS
2. TRUSS ANCHORS
3. JOIST SUPPORTS
4. HURRICANE CLIPS
5. HOLD DOWN ANCHORS
6. RAFTER TIES
7. STRAPS

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

NOTICE TO ALL CONTRACTORS AND HOMEOWNERS:

EFFECTIVE IMMEDIATELY, BUILDING PERMIT PLACARDS, JOB SITE SIGNS AND SUB-CONTRACTOR SIGNS WILL BE REQUIRED ON EACH LOCATION. ANY WORK SITE THAT DOES NOT HAVE A BUILDING PERMIT PLACARD, JOB SITE SIGN, OR SUB-CONTRACTOR SIGN IF REQUIRED WILL BE REJECTED.

JOB SITE SIGNS WILL BE CONSTRUCTED IN FRONT OF THE STRUCTURE AND CAN BE VIEWED FROM THE ROAD WITH THE LOT NUMBER AND/OR ADDRESS.

BUILDING PERMIT CARDS MUST BE WEATHER PROOF AND LOCATED ON THE JOB SITE SIGN AND MOUNTED EYE LEVEL HEIGHT.

IF THE SUB-CONTRACTOR IS RESPONSIBLE FOR ALL OF THE SUBDIVISION, ONE SIGN CAN BE INSTALLED AT THE ENTRANCE.

ALSO, ALL COMPANY VEHICLES ON THE JOB SITES MUST BE CLEARLY IDENTIFIED WITH COMPANY NAME, ADDRESS, AND TELEPHONE NUMBER.

NOTICE TO ALL HOMEOWNERS AND CONTRACTORS

EFFECTIVE MARCH 1ST 2002:

I WOULD LIKE FOR YOU TO BE AWARE OF CODE 113.1.6 "CERTIFICATE OF OCCUPANCY". I WOULD LIKE TO ADVISE YOU IF YOU ALLOW ANYONE TO MOVE IN HOMES AND/OR BUILDINGS BEFORE THE CERTIFICATE OF OCCUPANCY IS ISSUED THAT YOU WILL BE SERVED A SUMMONS TO APPEAR BEFORE THE PARISH COURT AND BE FINED AT YOUR OWN EXPENSE.

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

GARAGE REQUIREMENTS:

'97 CABO ONE AND TWO FAMILY DWELLING CODE:

CABO 309.1 OPENINGS FROM A PRIVATE GARAGE DIRECTLY INTO A ROOM USED FOR SLEEPING PURPOSES SHALL NOT BE PERMITTED.

CABO 309.1 OPENING BETWEEN GARAGE AND RESIDENCE SHALL BE EQUIPPED WITH EITHER SOLID WOOD DOORS NOT LESS THAN 1-3/8-INCH THICK OR 20 MINUTE FIRE-RATED DOORS. (THIS REQUIREMENT INCLUDES ATTIC DROPSTAIRS INSTALLED IN A GARAGE CEILING).

CABO 309.2 GARAGES SHALL BE SEPARATED FROM THE RESIDENCE AND ITS ATTIC AREA BY MEANS OF A MINIMUM ½ INCH GYPSUM BOARD APPLIED TO THE GARAGE SIDE.

CABO 309.3 GARAGE & CARPORT FLOOR SURFACES SHALL BE OF APPROVED NON-COMBUSTIBLE MATERIAL. THE AREA OF FLOOR USED FOR PARKING OF AUTOMOBILES OR OTHER VEHICLES SHALL BE SLOPED TO FACILITATE THE MOVEMENT OF LIQUIDS TO A DRAIN OR TOWARD THE MAIN VEHICLE ENTRY DOORWAY.

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

EFFECTIVE AUGUST 1ST 2002, THE FOLOWING NEC CODES WILL BE ENFORCED:

680.74 BONDING OF HYDROMASSAGE BATHTUBS

90.7 A. EXAMINATION OF EQUIPMENT FOR SAFETY

110.3 EXAMINATION, IDENTIFICATION, INSTALLATION, AND USE OF EQUIPMENT

- 1. ALL TUBS AND MOTORS SHALL BE UL LISTED AS A SYSTEM.**
- 2. IF USING A SOLID PIECE OF MARBLE AS AN ACCESS PLATE IS MUST BE LEFT OUT UNTIL INSPECTION IS COMPLETED.**
- 3. MARBLE PIECES SHALL BE FRAMED FOR REMOVAL & LABELED AS AN ACCESS PANEL.**
- 4. ALL ENCLOSED TUBS & MOTORS SHALL BE INSTALLED BY THE INSTRUCTIONS SUPPLIED BY THE MANUFACTURER FOR PROPER VENTILATION.**
- 5. MANUFACTURER INSTALLATION INSTRUSTIONS FOR THE TUB & MOTORS SHALL BE MADE AVAILABLE TO THE INSPECTORS AND HOMEOWNERS.**
- 6. ALL METAL PIPING SYSTEMS, METAL PARTS OF ELECTRICAL EQUIPMENT AND PUMP MOTORS ASSOCIATED WITH THE HYDRMASSAGE TUB SHALL BE BONDED TOGETHER USING A COPPER BONDING JUMPER, INSULATED, COVERED OR BARE, NOT SMALLER THAN 8 AWG SOLID.**

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

FIREBLOCKING REQUIRED:

'97 CABO, ONE AND TWO FAMILY DWELLING CODE:

'97 CABO 302.7 **FIREBLOCKING** SHALL BE PROVIDED TO CUT OFF ALL CONCEALED DRAFT OPENINGS (BOTH VERTICAL & HORIZONTAL) & TO FORM AN EFFECTIVE FIRE BARRIER BETWEEN STORIES, AND BETWEEN A TOP STORY AND THE ROOF SPACE. FIREBLOCKING SHALL BE PROVIDED IN WOOD-FRAME CONSTRUCTION IN THE FOLLOWING LOCATIONS:

1. IN CONCEALED SPACES OF STUD WALLS & PARTITIONS, INCLUDING FURRED SPACES, AT THE CEILING & FLOOR LEVEL.
2. AT ALL INTERCONNECTIONS BETWEEN CONCEALED VERTICAL & HORIZONTAL SPACES SUCH AS OCCUR AT SOFFITS, DROP-CEILINGS, COVE-CEILINGS, ETC.
3. IN CONCEALED SPACES BETWEEN STAIR STRINGERS IN THE TOP & BOTTOM OF THE RUN.
4. AT OPENINGS AROUND VENTS, PIPES, DUCTS, CHIMNEYS, & FIREPLACES, AT CEILING & FLOOR LEVEL, WITH NON-COMBUSTIBLE MATERIALS.

'97 CABO 602.7.1 **MATERIALS FOR FIREBLOCKING:** EXCEPT AS PROVIDED IN SECTION 602.7, ITEM 4, FIREBLOCKING SHALL CONSIST OF:

- *2-INCH NOMINAL LUMBER, OR TWO THICKNESS OF 1-INCH NOMINAL LUMBER WITH BROKEN LAP JOINTS, OR
- *ONE THICKNESS OF 23/32-INCH WOOD STRUCTURAL PANELS WITH JOINTS BACKED BY 23/32-INCH SOOD STRUCTURAL PANELS OF
- *ONE THICKNESS OF 3/4-INCH PARTICLE BARD WITH JOINTS BACKED BY 3/4-INCH PARTICLE BOARD, 1/2-INCH GYPSUM BOARD, OF 1/4-INCH CEMENT BASED MILLBOARD.

'97 CABO 602.7.1.2 **UNFACED FIBERGLASS BATT INSULATION** USED AS FIREBLOCKING SHALL FILL THE ENTIRE CROSS SECTION OF THE WALL CAVITY TO A MINIMUM HEIGHT OF 16-INCHES MEASURED VERTICALLY. WHEN PIPING, CONDUIT OR SIMILAR OBSTRUCTIONS ARE ENCOUNTERED, THE INSULATION SHALL BE PACKED TIGHTLY AROUND THE OBSTRUCTION.

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

MEMO:

ALL STRUCTURES ARE TO HAVE AN EXTERIOR WALL INSPECTION TO INSURE THE PROPER MOISTURE/VAPOR BARRIER IS IN PLACE BEFORE ANY TYPE OF SIDING, BRICK, OR STUCCO IS INSTALLED. ALSO, IF BRICK IS BEING INSTALLED THE BRICK TIES NEED TO BE IN PLACE AT THIS TIME.

MEMO:

MECHANICAL CONTRACTORS:

PLEASE BE ADVISED THAT AUXILIARY AND/OR SECONDARY DRAIN PANS FOR UNITS INSTALLED IN ATTIC SPACES, SUSPENDED CEILINGS, OR ANY SPACE WHERE DAMAGE COULD OCCUR TO THE EQUIPMENT, BUILDING, CONTENTS, OR OCCUPANTS DUE TO AN OVERFLOW OF THE EQUIPMENT DRAIN PAN OR STOPPAGE IN THE CONDENSATE DRAIN PIPING, SHALL HAVE BOTH AN AUXILIARY DRAIN LINE AND A FLOAT SWITCH TO CONTROL OVERFLOW FOR THE PAN. THE FLOAT SWITCH SHALL BE INSTALLED NO LOWER THAN 2" FROM THE BOTTOM OF THE PAN AND THE DRAIN LINE SHALL BE INSTALLED AT A HIGHER POINT THAN THE FLOAT SWITCH.

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

HOMEOWNERS/BUILDERS & CONTRACTORS BE AWARE:

IT IS YOUR RESPONSIBILITY TO SUBMIT YOUR CONSTRUCTION PLANS TO THE SUBDIVISION ARCHITECTURAL COMMITTEE FOR THEIR REVIEW AND APPROVAL IF ONE EXISTS FOR THE SUBDIVISION.

HOMEOWNER/BUILDERS BEWARE:

AS A HOMEOWNER/BUILDER YOU SHOULD UNDERSTAND THAT BY STATE LAW LA R.S. 9:3141-3150 YOU ARE RESPONSIBLE FOR:

ONE YEAR FOLLOWING THE WARRANTY COMMENCEMENT DATE:

THE HOME WILL BE FREE FROM ANY DEFECT DUE TO NON-COMPLIANCE WITH THE BUILDING STANDARDS.

TWO YEARS FOLLOWING THE WARRANTY COMMENCEMENT DATE:

THE PLUMBING, ELECTRICAL, HTG, A/C, & VENTILATING SYSTEMS WILL BE FREE FROM ANY DEFECTS DUE TO NON-COMPLIANCE WITH THE BUILDING STANDARDS.

TEN YEARS FOLLOWING THE WARRANTY COMMENCEMENT DATE:

THE HOME WILL BE FREE FROM MAJOR STRUCTURAL DEFECTS DUE TO NON-COMPLIANCE WITH THE BUILDING STANDARDS.

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711

(P): (225)567-1101 (F): (225)567-4902

ONE AND TWO FAMILY DWELLING CODE

SECTION 313 RAMPS

313.1 MAXIMUM SLOPE. ALL EGRESS RAMPS SHALL HAVE A MAXIMUM SLOPE OF ONE UNIT VERTICAL IN EIGHT UNITS HORIZONTAL (12.5% SLOPE).

313.2 HANDRAILS REQUIRED. HANDRAILS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF ALL RAMPS EXCEEDING A SLOPE OF ONE UNIT VERTICAL IN 12 UNITS HORIZONTAL (8.33% SLOPE).

313.3 ANDING REQUIRED. A MINIMUM 3 FT. BY 3 FT. LANDING SHALL BE PROVIDED AT THE TOP & BOTTOM OF RAMPS, WHERE DOORS OPEN ONTO THE RAMP, & WHERE THE RAMP CHANGES DIRECTION.

SECTION 314 STAIRWAYS

314.1 WIDTH. STAIRWAYS SHALL NOT BE LESS THAN 36 INCHES IN CLEAR WIDTH AT ALL POINTS ABOVE THE PERMITTED HANDRAIL HEIGHT AND BELOW THE REQUIRED HEADROOM HEIGHT. THE MINIMUM WIDTH AT & BELOW THE HANDRAIL HEIGHT SHALL NOT BE LESS THAN 32 INCHES WHERE A HANDRAIL IS INSTALLED ON ONE SIDE & 28 INCHES WHERE HANDRAILS ARE PROVIDED ON BOTH SIDES.

314.2 TREADS AND RISERS. THE MAXIMUM RISER HEIGHT SHALL BE 7 ¾ INCHES & THE MINIMUM TREAD DEPTH SHALL BE 10 INCHES. THE RISER HEIGHT SHALL BE MEASURED VERTICALLY BETWEEN LEADING EDGES OF THE ADJACENT TREADS. THE TREAD DEPTH SHALL BE MEASURED HORIZONTALLY BETWEEN THE VERTICAL PLANES OF THE FOREMOST PROJECTION OF ADJACENT TREADS & AT A RIGHT ANGLE TO THE TREAD'S LEADING EDGE. THE WALKING SURFACE OF TREADS & LANDINGS OF A STAIRWAY SHALL BE SLOPED NO STEEPER THAN ONE UNIT VERTICAL IN 48 UNITS HORIZONTAL (2% SLOPE). THE GREATEST RISER HEIGHT WITHIN ANY FLIGHT OF STAIRS SHALL NOT EXCEED THE SMALLEST BY MORE THAN 3/8 INCH. THE GREATEST TREAD DEPTH WITHIN ANY FLIGHT OF STAIRS SHALL NOT EXCEED THE SMALLEST BY MORE THAN 3/8 INCH.

314.2.1 PROFILE. THE RADIUS OF CURVATURE AT THE LEADING EDGE OF THE TREAD SHALL BE NO GREATER THAN 9/16 INCH. A NOSING NO LESS THAN ¾ IN. BUT NO MORE THAN 1 ¼ INCHES SHALL BE PROVIDED ON STAIRWAYS WITH SOLID RISERS. BELEVELING OF NOSING SHALL NOT EXCEED ½ INCH. RISERS SHALL BE VERTICAL OR SLOPED FROM THE UNDERSIDE OF THE LEADING EDGE OF THE TREAD ABOVE AT AN ANGLE NO MORE THAN 30 DEGREES FROM THE VERTICAL.

EXCEPTION: A NOSING IS NOT REQUIRED WHERE THE TREAD DEPTH IS A MINIMUM OF 11 INCHES.

314.3 HEADROOM. THE MINIMUM HEADROOM IN ALL PARTS OF THE STAIRWAY SHALL NOT BE LESS THAN 6 FT. 8 INCHES MEASURED VERTICALLY FROM THE SLOPED PLANE ADJOINING THE TREAD NOSING OR FROM THE FLOOR SURFACE OF THE LANDING OR PLATFORM.

314.4 WINDERS. WINDERS ARE PERMITTED, PROVIDED THAT THE WIDTH OF THE TREAD AT A POINT NO MORE THAN 12 INCHES FROM THE SIDE WHERE THE TREADS ARE NARROWER IS NOT LESS THAN 10 INCHES & THE MINIMUM WIDTH OF ANY TREAD IS NO LESS THAN 6 INCHES. THE CONTINUOUS HANDRAIL REQUIRED BY SECTION 315.1 SHALL BE LOCATED ON THE SIDE WHERE THE TREAD IS NARROWER.

314.5 SPIRAL STAIRS. SPIRAL STAIRWAYS ARE PERMITTED, PROVIDED THAT THE MINIMUM WIDTH SHALL BE 26 INCHES WITH EACH TREAD HAVING A 7 ½ INCH MINIMUM TREAD WIDTH AT 12 INCHES FROM THE NARROW EDGE. ALL TREADS SHALL BE

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

ONE AND TWO FAMILY DWELLING CODE CONTINUED:

IDENTICAL, AND THE RISE SHALL BE NO MORE THAN 7 ¾ INCHES. A MINIMUM HEADROOM OF 6 FT. 6 INCHES SHALL BE PROVIDED.

314.6 CIRCULAR STAIRWAYS. CIRCULAR STAIRWAYS SHALL HAVE A MINIMUM TREAD DEPTH & A MAXIMUM RISER HEIGHT IN ACCORDANCE WITH SECTION 314.2 & THE SMALLER RADIUS SHALL NOT BE LESS THAN TWICE THE WIDTH OF THE STAIRWAY. THE MINIMUM TREAD DEPTH OF 10 INCHES SHALL BE MEASURED FROM THE NARROWER END.

314.7 ILLUMINATION. ALL STAIRS SHALL BE PROVIDED WITH ILLUMINATION IN ACCORDANCE WITH SECTION 303.4

SECTION 315 HANDRAILS

315.1 HANDRAILS. HANDRAILS HAVING MINIMUM & MAXIMUM HEIGHTS OF 30 INCHES RESPECTIVELY, MEASURED VERTICALLY FROM THE NOSING OF THE TREADS SHALL BE PROVIDED ON AT LEAST ONE SIDE OF STAIRWAYS OF THREE OR MORE TREADS OR LOCATED ON THE OUTSIDE RADIUS. ALL REQUIRED HANDRAILS SHALL BE CONTINUOUS THE FULL LENGTH OF THE STAIRS. ENDS SHALL BE RETURNED OR SHALL TERMINATE IN NEWEL POSTS OR SAFETY TERMINALS. HANDRAILS ADJACENT TO A WALL SHALL HAVE A SPACE OF NO LESS THAN 1 ½ INCHES BETWEEN THE WALL & HANDRAIL.

EXCEPTIONS:

- 1. HANDRAILS SHALL BE PERMITTED TO BE INTERRUPTED BY A NEWEL POST AT A TURN.**
- 2. THE USE OF A VOLUTE, TURNOUT OR STARTING EASING SHALL BE ALLOWED OVER THE LOWEST TREAD.**

315.2 HANDRAIL GRIP SIZE. HANDRAILS SHALL HAVE EITHER A CIRCULAR CROSS SECTION WITH A DIAMETER OF 1 ¼ INCHES-2 INCHES, OR A NON-CIRCULAR CROSS SECTION WITH A PERIMETER DIMENSION OF AT LEAST 4 INCHES BUT NO MORE THAN 6 ¼ INCHES AND A LARGEST CROSS SECTION DIMENSION NOT EXCEEDING 2 ¼ INCHES. EDGES SHALL HAVE A MINIMUM RADIUS OF 1/8 INCH.

315.3 GUARDRAIL DETAILS. PORCHES, BALCONIES, OR RAISED FLOOR SURFACES LOCATED MORE THAN 30 INCHES ABOVE THE FLOOR OR GRADE BELOW SHALL HAVE GUARDRAILS NO LESS THAN 36 INCHES IN HEIGHT. OPEN SIDES OF STAIRS WITH A TOTAL RISE OF MORE THAN 30 INCHES ABOVE THE FLOOR OR GRADE BELOW SHALL HAVE GUARDRAILS NO LESS THAN 34 INCHES IN HEIGHT MEASURED VERTICALLY FROM THE NOSING OF THE TREADS.

315.4 GUARDRAIL OPENING LIMITATIONS. REQUIRED GUARDRAILS ON OPEN SIDES OF STAIRWAYS, RAISED FLOOR AREAS, BALCONIES, & PORCHES SHALL HAVE INTERMEDIATE RAILS OR ORNAMENTAL CLOSURES WHICH DO NOT ALLOW PASSAGE OF AN OBJECT 4 INCHES OR MORE IN DIAMETER.

EXCEPTION: THE TRIANGULAR OPENINGS FORMED BY THE RISER, TREAD & BOTTOM RAIL OF A GUARDRAIL AT THE OPEN SIDE OF A STAIRWAY MAY BE OF SUCH A SIZE THAT A SPHERE 6 INCHES CANNOT PASS THROUGH.

TOWN OF ALBANY
29816 S. MONTPELIER
P.O. BOX 1000
ALBANY, LA 70711
(P): (225)567-1101 (F): (225)567-4902

MEMO:


INSPECTIONS FOR PIER & BEAM STRUCTURE ARE AS FOLLOWS:

1. INSPECT FOOTINGS BEFORE POURING CONCRETE, IF THEY ARE POURED IN PLACE.
2. INSPECT BEAMS, SILLS, FLOOR JOIST, & FOOTINGS (IF CONCRETE PADS ARE USED) BEFORE FLOOR DECKING IS INSTALLED.

MEMO:

EFFECTIVE IMMEDIATELY, BEFORE A FOUNDATION INSPECTION IS SCHEDULED WE HAVE TO RECEIVE A PRELIMINARY OR PROPOSED ELEVATION CERTIFICATE. THE ELEVATION CERTIFICATE IS REQUIRED FOR ONLY STRUCTURES THAT ARE LOCATED WITHIN A SPECIAL FLOOD HAZARD AREA, & MUST BE CERTIFIED BY A LICENSED CIVIL ENGINEER OR LAND SURVEYER, SHOWING THAT A BASE FLOOD ELEVATION HAS BEEN SHOT & A BENCHMARK HAS BEEN ESTABLISHED. THIS IS AN EFFORT TO HELP ENSURE THAT THE FINISHED FLOOR WILL BE AT OR ABOVE THE PROPER ELEVATION REQUIRED BY FEMA.

TOWN OF ALBANY
 29816 S. MONTPELIER AVE
 P.O. BOX 1000
 ALBANY, LA 70711
 (225) 567-1101 / (225)567-4902 (fax)



NOTICE TO CONTRACTORS

All work shall be readily accessible for inspection(s) by the Building Official or the authorized representative. This form offers no deviation or exclusion from permitting procedures and policies, local ordinances or the codes adopted by this jurisdiction. Work cannot start until the permit is in possession and is posted at the job site.

OWNER OF PROPERTY: _____ DATE: _____

NAME OF TENANT: _____

ADDRESS: _____

LOT: _____ SQUARE: _____ SUBDIVISION: _____

CONTRACTOR INFORMATION: (Please Print)

COMPANY NAME: _____ PARISH LICENSE # _____

MAILING ADDRESS: _____ PHONE # _____

AUTHORIZED SIGNATURE: X _____ STATE LICENSE #: _____

Qty.	CODE	ITEM	UNIT	Qty.	CODE	ITEM	UNIT
	E01	Service, through 100 Amps	12.00		E18	Motor, Fractional HP	3.00
	E02	Service, through 200 Amps	14.00		E19	Motor, 1 through 2 IHP	6.00
	E03	Service, through 400 Amps	16.00		E20	Motor, 3 through 5 HP	8.00
	E04	Service, through 600 Amps	18.00		E21	Motor, 7 1/2 through 10 HP	10.00
	E05	Service, through 800 Amps	20.00		E22	Motor, 15 through 25 IHP	12.00
	E06	Service, through 1000 Amps	22.00		E23	Motor, 30 through 100 HP	15.00
	E07	Service, through 1200 Amps	24.00		E24	Motor, 150 through 200 IHP	20.00
	E08	Service, through 1400 Amps	26.00		E26	Mobile Home and/or Construction Trailer	20.00
	E09	Service, through 1600 Amps	30.00		E34	Temporary Meter	20.00
	E0C	Electrical Admin Fee-Comm	200.00		E35	House Moving	20.00
	E0R	Electrical Admin Fee-Reside	150.00		E37	Commercial Temp Cut-In	40.00
	E10	Service, through 1800 Amps	34.00		E38	Solar Panels	20.00
	E11	Service, through 2000 Amps	38.00		E40	Re-Inspection Fee	200.00
	E12	After Hours/Holidays Inspection Fee	300.00				
	E13	Permit Transfer to Contr./Homeowner	20.00				
	E14	Temporary Cut-In Residential	20.00				
	E15	Rebuild Service	20.00				
	E16	Circuit, each 120v	3.00				
	E17	Circuit, each 240v	6.00				

Total Due: _____


Please Circle:

Commercial Remodel Sign Trailer Receipt # _____ Project # _____

Residential New Pool Change out Approved _____

This is to certify that I, _____ am the authorized agent for the owner of subject property. I have read and understand the above stipulations and I agree to perform all work and comply with all standards as required by the codes and regulations as set forth in local and state law.

TOWN OF ALBANY
 29816 S. MONTPELIER AVE
 P.O. BOX 1000
 ALBANY, LA 70711
 (225) 567-1101 / (225)567-4902 (fax)



NOTICE TO CONTRACTORS

All work shall be readily accessible for inspection(s) by the Building Official or the authorized representative. This form offers no deviation or exclusion from permitting procedures and policies, local ordinances or the codes adopted by this jurisdiction. Work cannot start until the permit is in possession and is posted at the job site.

OWNER OF PROPERTY: _____ DATE: _____

NAME OF TENANT: _____

ADDRESS: _____

LOT: _____ SQUARE: _____ SUBDIVISION: _____

CONTRACTOR INFORMATION: (Please Print)

COMPANY NAME: _____ PARISH LICENSE # _____

MAILING ADDRESS: _____ PHONE # _____

AUTHORIZED SIGNATURE: X _____ STATE LICENSE #: _____

Qty.	CODE	ITEM	UNIT	Qty.	CODE	ITEM	UNIT
	M01	AC Unit, 0-4 ½ + Tons	40.00		M17	Mobile Home	20.00
	M02	AC Unit, 5-9 ½ + Tons	59.00		M18	AC/Heat Unit, Apt/per unit	28.00
	M03	AC Unit, > 10 Tons	7.00		M19	AC/Heat Unit, Motel/per unit	28.00
	M04	Refrig, 0-4 ½ + HP	40.00		M20	AC/Heat Unit, Nursing/per unit	28.00
	M05	Refrig, 5-9 + HP	52.00		M21	AC/Heat Unit, Office/per unit	28.00
	M06	Refrig, > 10 HP (per Hp)	6.00		M22	Reserved	0.00
	M07	Refrig, Cooler/ Freezer	40.00		M23	After Hours/Holiday Inspection Fee	300.00
	M08	Chiller Cooling/Heating Coil per Ton	7.00		M24	Re-Inspection Fee	200.00
	M09	Cmrc Hood/Ventilation System	60.00		M25	Reserved	0.00
	M0C	Mechanical Admin Fee-Comm	200.00		M26	Reserved	0.00
	M0R	Mechanical Admin Fee_reside	150.00		M27	Reserved	0.00
	M10	Cmrc Clothes Dryer	28.00		M28	Reserved	0.00
	M11	Boiler	59.00		M30	Fire Suppression System	60.00
	M12	Heater, Unit	24.00		M31	Permit Transfer to Contr./Homeowner	20.00
	M13	Heater, Duct <= 25 Tons	24.00				
	M14	Heater, Duct > 25 Tons (per ton)	7.00				
	M15	Duct Alteration/Extension	24.00				
	M16	Cooling Tower	75.00				

Total Due: _____


Please Circle:

Commercial Remodel Sign Trailer Receipt # _____ Project # _____

Residential New Pool Change out Approved _____

This is to certify that I, _____ am the authorized agent for the owner of subject property. I have read and understand the above stipulations and I agree to perform all work and comply with all standards as required by the codes and regulations as set forth in local and state law.

TOWN OF ALBANY
29816 S. MONTPELIER AVE
P.O. BOX 1000
ALBANY, LA 70711
(225) 567-1101 / (225)567-4902 (fax)



NOTICE TO CONTRACTORS

All work shall be readily accessible for inspection(s) by the Building Official or the authorized representative. This form offers no deviation or exclusion from permitting procedures and policies, local ordinances or the codes adopted by this jurisdiction. Work cannot start until the permit is in possession and is posted at the job site.

OWNER OF PROPERTY: _____ DATE: _____

NAME OF TENANT: _____

ADDRESS: _____

LOT: _____ SQUARE: _____ SUBDIVISION: _____

CONTRACTOR INFORMATION: (Please Print)

COMPANY _____ NAME: _____ PARISH LICENSE # _____

MAILING ADDRESS: _____ PHONE # _____

AUTHORIZED SIGNATURE: X _____ STATE LICENSE #: _____

Qty.	CODE	ITEM	UNIT	Qty.	CODE	ITEM	UNIT
	P01	Fixture, Add to First	6.00		P17	Fixture, Garbage Disposal (ca.)	6.00
	P02	Fixture, Bath tub (ca.)	6.00		P18	Fixture, Roof Drain (ca.)	6.00
	P03	Fixture, HW Heater (ca.)	6.00		P19	Fixture, >100 (ca.)	4.50
	P04	Fixture, Lavatory (ca.)	6.00		P20	Receptors (grease, oil, acid...)	6.00
	P05	Fixture, Shower Bath (ca.)	6.00		P21	Mobile Home	20.00
	P06	Fixture, Sink (ca.)	6.00		P23	Sprinkler Heads, <= 20	15.00
	P07	Fixture, Water Closet (ca.)	6.00		P24	Sprinkler Heads, 21 – 100 (ca.)	0.50
	P08	Fixture, Washing Machine (ca.)	6.00		P26	Standpipes	25.00
	P09	Fixture, A/C Drain (ca.)	6.00		P27	Sewer Tie-In/Sewer Stub Out or Drain	20.00
	P0C	Plumbing Admin Fee-Comm	200.00		P28	Permit Transfer to Contr./Homeowner	20.00
	P0R	Plumbing Admin Fee-Reside	150.00		P29	After Hours- Holiday Inspection	300.00
	P10	Fixture, Gas (ca.)	6.00		P31	House Moving	20.00
	P11	Fixture, Urinal (ca.)	6.00		P32	Swimming Pool	38.00
	P12	Fixture, Floor Drain (ca.)	6.00		P33	Re-Inspection Fee	200.00
	P13	Fixture, Drinking Fountain (ca.)	6.00				
	P14	Fixture, Service Sink (ca.)	6.00				
	P15	Fixture, Bidet (ca.)	6.00				
	P16	Fixture, Dishwasher (ca.)	6.00				

Total Due: _____

Please Circle:

Commercial Remodel Sign Trailer Receipt # _____ Project # _____

Residential New Pool Change out Approved _____

This is to certify that I, _____ am the authorized agent for the owner of subject property. I have read and understand the above stipulations and I agree to perform all work and comply with all standards as required by the codes and regulations as set forth in local and state law.