

# ZEP ODORSTROYER 12-1L

Version 1.0

Revision Date 01/09/2017

Print Date 06/03/2022

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ODORSTROYER 12-1L Material number : 177701C

# Manufacturer or supplier's details

Company	:	Zep Inc.
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs	
For SDS Information	:	Compliance Services 1-877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded.	

#### Recommended use of the chemical and restrictions on use

Recommended use : Air Care

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

• •	
Appearance	liquid
Colour	green
Odour	characteristic
GHS Classification	
Eye irritation	: Category 2A
Skin sensitisation	: Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Precautionary statements	: <b>Prevention:</b> P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.



Version 1.0	Revision Date 01/09/2017	Print Date 06/03/2022
	P272 Contaminated work clothing the workplace.	g should not be allowed out of
	P280 Wear protective gloves/ ey Response:	e protection/ face protection.
	P302 + P352 IF ON SKIN: Wash	with plenty of water.
	P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing.	S: Rinse cautiously with water
	P333 + P313 If skin irritation or ra advice/ attention.	ash occurs: Get medical
	P337 + P313 If eye irritation pers attention.	ists: Get medical advice/
	P362 + P364 Take off contamina reuse.	ted clothing and wash it before
	<b>Disposal:</b> Dispose of contents/container in regulation.	accordance with local

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
propan-2-ol	67-63-0	>= 1 - < 5
Alcohols, C12-15, ethoxylated	68131-39-5	>= 1 - < 5
propane-1,2-diol	57-55-6	>= 1 - < 5
alpha-hexylcinnamaldehyde	101-86-0	>= 0.1 - < 1

### SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If on clothes, remove clothes.</li> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>Wash contaminated clothing before re-use.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> </ul>
If swallowed	: Keep respiratory tract clear.



Version 1.0	Revision Date 01/09/2017	Print Date 06/03/2022
	Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless d physician or poison control center. Take victim immediately to hospita	an. irected to do so by a
Most important symptoms and effects, both acute and delayed	: Effects are immediate and delayed Symptoms may include irritation, re May cause an allergic skin reaction Causes serious eye irritation. Review section 2 of SDS to see al	edness, pain, and rash. n.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.



Version 1.0



#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling		Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Keep away from oxidizing agents and strongly acid or alkaline materials.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	200 ppm 492 mg/m3	CA AB OEL
		STEL	400 ppm 984 mg/m3	CA AB OEL
		TWA	200 ppm	CA BC OEL
		STEL	400 ppm	CA BC OEL
		TWAEV	400 ppm	CA QC OEL
			983 mg/m3	
		STEV	500 ppm 1,230 mg/m3	CA QC OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm	OSHA P0



Version 1.0

Revision Date 01/09/2017

Print Date 06/03/2022

	1	1	1,225 mg/m3	
		PEL	400 ppm 980 mg/m3	CAL PEL
		STEL	500 ppm 1,225 mg/m3	CAL PEL
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aerosol)	10 mg/m3	CA ON OEL

# **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH BEI
				shift at		
				end of		
				workwee		
				k		

Engineering measures	ective ventilation in	all processing areas
Personal protective equipm		
Respiratory protection	ntilation is provided	ction unless adequate local exhaust or exposure assessment demonstrates thin recommended exposure guidelines.
Hand protection Remarks	• •	pecific workplace should be discussed the protective gloves.
Eye protection	sure that eyewash e workstation locatio fety glasses	stations and safety showers are close to on.
Skin and body protection		on according to the amount and langerous substance at the work place.
Hygiene measures	hen using do not ea hen using do not sr ash hands before b	

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid	
Colour : green	
Odour : characteristic	
Odour Threshold : No data available	Э
рН : 7.5 - 8.2	



# **ZEP ODORSTROYER 12-1L**

Version 1.0	Revision Date 01/09/2017	Print Date 06/03/2022
Melting point/freezing point	: No data available	
Boiling point	: < 37.7 °C	
Flash point	: does not flash	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1 g/cm3	
Solubility(ies)		
Water solubility	: completely soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Strong acids Bases
Hazardous decomposition products	: No decomposition if stored and applied as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects		
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	: Effects are immediate and delayed.	

Version 1.0	Revision Date 01/09/2017	Print Date 06/03/202
	Symptoms may include irritation,	redness, pain, and rash.
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as proba human carcinogen by IARC.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 Method: Calculation method	mg/kg
Components:		
propan-2-ol: Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method	
Alcohols, C12-15, ethoxylat Acute oral toxicity		٢g
Skin corrosion/irritation		
Product:		
Remarks: May cause skin irrit	tation and/or dermatitis.	
Serious eye damage/eye irritatio	on	
Product:		
Remarks: Severe eye irritation	n	
Respiratory or skin sensitisation	1	
Product:		
Remarks: Causes sensitisation	on.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
propan-2-ol: Alcohols, C12-15, ethoxylat	ed:	
propane-1,2-diol: alpha-hexylcinnamaldehydd	e:	
	e:	

ZepInc



# **ZEP ODORSTROYER 12-1L**

Version 1.0

Revision Date 01/09/2017

Print Date 06/03/2022

#### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### **Further information**

Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

### Persistence and degradability

No data available Bioaccumulative potential

## Product:

information

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
propane-1,2-diol : Partition coefficient: n-	: log Pow: -1.07
octanol/water	. log i ow. 1.07
alpha-hexylcinnamaldehyde	
Partition coefficient: n- octanol/water	: log Pow: 4.686
octanol/water	
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Additional ecological	: No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.



Version 1.0	Revision Date 01/09/2017	Print Date 06/03/2022

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCAOn TSCA InventoryDSLAll components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:



# ZEP ODORSTROYER 12-1L

Version 1.0

Revision Date 01/09/2017

Print Date 06/03/2022

TSCA (USA), DSL (Canada), NDSL (Canada)

#### SECTION 16. OTHER INFORMATION

WHMIS - GHS Label Information:

#### Hazard pictograms

 Signal w ord
 :
 Warning:

 Hazard statements
 :
 May cause an allergic skin reaction. Causes serious eye irritation.

 Precautionary statements
 :
 Prevention: A void breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/ eye protection/face protection.

 Response: IF ON SKIN: Wash with plenty of w ater. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and w ash it before reuse.

 Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	01/09/2017
Print Date:	06/03/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.