

Version 1.0

Revision Date 02/13/2017

Print Date 11/22/2022

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP APRIZA NPE FREE 4-4L

Material number : P83454C

## Manufacturer or supplier's details

Company	:	Zep Inc.
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada
Telephone	:	404-352-1680

Emergency telephone num	nbe	rs	
For SDS Information	:	Compliance Services 1-877-428-9937	
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.	
Emergency			

### Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	liquid
Colour	clear, light green
Odour	pleasant
GHS Classification	
Oxidizing liquids	: Category 1
Skin corrosion	: Category 1A
Serious eye damage	: Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H271 May cause fire or explosion; strong oxidizer. H314 Causes severe skin burns and eye damage.
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat, hot surfaces, sparks, open flames



/ersion 1.0	Revision Date 02/13/2017	Print Date 11/22/2022
	and other ignition sources. No s	
	P220 Keep away from clothing a	and other combustible
	materials.	
	P264 Wash skin thoroughly after	
	P280 Wear protective gloves/ pr	otective clothing/ eye
	protection/ face protection.	
	P283 Wear fire resistant or flame	e retardant clothing.
	Response:	
	P301 + P330 + P331 IF SWALL	OWED: RINSE MOUTH. DO NO
	induce vomiting.	NI (an hair). Taka aff
	P303 + P361 + P353 IF ON SKI	
	immediately all contaminated clo	
	P304 + P340 + P310 IF INHALE	
	and keep comfortable for breath	ing. Immediately call a
	POISON CENTER/doctor.	
	P305 + P351 + P338 + P310 IF	
	water for several minutes. Remo	
	and easy to do. Continue rinsing CENTER/doctor.	. Immediately call a POISON
	P306 + P360 IF ON CLOTHING:	rinso immodiately
	contaminated clothing and skin	•
	removing clothes.	with plenty of water before
	P363 Wash contaminated clothi	na hoforo, rouso
	P370 + P378 In case of fire: Use	•
	alcohol-resistant foam to extingu	
	P371 + P380 + P375 In case of	
	Evacuate area. Fight fire remote	
	Storage:	
	P420 Store separately.	
	Disposal:	
	Dispose of contents/container in	n accordance with local
	regulation.	

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration [%]
hydrogen peroxide	7722-84-1	>= 5 - < 10
1-(1-methyl-2-propoxyethoxy)propan-2-ol	29911-27-1	>= 1 - < 5
Alcohols, C12-15, ethoxylated	68131-39-5	>= 1 - < 5
dodecyldimethylamine oxide	1643-20-5	>= 1 - < 5

### SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious place in recovery position and seek medical advice.



sion 1.0		Revision Date 02/13/2017	Print Date 11/22/2022
		If symptoms persist, call a physicia	an.
In case of skin contact	:	Immediate medical treatment is new wounds from corrosion of the skin difficulty. Wash off immediately with plenty of minutes. Remove contaminated clothing an Wash contaminated clothing befor If skin irritation persists, call a phy	heal slowly and with of water for at least 15 nd shoes. e reuse.
In case of eye contact	:	Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of w for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a	vater, also under the eyelids,
If swallowed	:	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic bever Never give anything by mouth to a If symptoms persist, call a physicia Take victim immediately to hospita	an unconscious person. an.
Most important symptoms and effects, both acute and delayed	:	Effects are dependent on exposur contact time). Effects are immediate and delayed Symptoms may include blistering, Causes severe skin burns and eye Review section 2 of SDS to see all	d. irritation, burns, and pain. e damage.
Notes to physician	:	Treat symptomatically. Symptoms	s may be delayed.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or wate courses.	r
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	: Collect contaminated fire extinguishing water separately. Th	is



Version 1.0	Revision Date 02/13/2017	Print Date 11/22/2022
	must not be discharged into dra Fire residues and contaminated be disposed of in accordance w For safety reasons in case of fir separately in closed containmer Use a water spray to cool fully of	l fire extinguishing water must with local regulations. re, cans should be stored nts.
Special protective equipment for firefighters	: Wear self-contained breathing a necessary.	apparatus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Evacuate personnel to safe areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Neutralize with chalk, alkali solution or ammonia. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>Prevent unauthorized access.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Store and keep away from bases and alkalies. Do not store near acids. Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION



Version 1.0

Revision Date 02/13/2017

Print Date 11/22/2022

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m3	CA AB OEL
		TWA	1 ppm	CA BC OEL
		TWAEV	1 ppm 1.4 mg/m3	CA QC OEL
		TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z-1
		TWA	1 ppm 1.4 mg/m3	OSHA P0
		PEL	1 ppm 1.4 mg/m3	CAL PEL

	1.4 mg/m3		
Engineering measures	: effective ventilation in all processing areas		
Personal protective equipm			
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.		
Hand protection Material Remarks	Protective gloves The suitability for a specific workplace should be discussed with the producers of the protective gloves.		
Eye protection	Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. Ensure that eyewash stations and safety showers are close to the workstation location.		
Skin and body protection	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.		
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear, light green
Odour	:	pleasant

## SAFETY DATA SHEET



# **ZEP APRIZA NPE FREE 4-4L**

ion 1.0		Revision Date 02/13/2017	Print Date 11/22/2022
Odour Threshold	:	No data available	
рН	:	3.5 - 4	
Melting point/freezing point	:	No data available	
Boiling point	:	104.4 °C	
Flash point	:	Not applicable	
Evaporation rate	:	1	
Upper explosion limit	:	No data available	
Lower explosion limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Density	:	1.03 g/cm3	
Bulk density	:	No data available	
Solubility(ies)			
Water solubility	:	soluble in cold water, soluble in hot wate	er
Solubility in other solvents	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Thermal decomposition	:	No data available	
Viscosity			
Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	No data available	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids Bases Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.



Version 1.0

Revision Date 02/13/2017

Print Date 11/22/2022

## SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects			
Aggravated Medical Condition	: None known.		
Symptoms of Overexposure	<ul> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include blistering, irritation, burns, and pain.</li> </ul>		
Carcinogenicity:			
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
Acute toxicity			
Product:			
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method		
Components:			
Alcohols, C12-15, ethoxylate Acute oral toxicity	ed: : LD50 Oral Rat: 500 - 5,000 mg/kg		
Skin corrosion/irritation			
Product:			
Remarks: Extremely corrosive	and destructive to tissue.		
Serious eye damage/eye irritatio	n		
Product:			
Remarks: May cause irreversible eye damage.			
Respiratory or skin sensitisation			
No data available			
Germ cell mutagenicity			
No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
No data available			
hydrogen peroxide: 1-(1-methyl-2-propoxyethoxy)propan-2-ol: Alcohols, C12-15, ethoxylated: dodecyldimethylamine oxide:			



Version 1.0

Revision Date 02/13/2017

Print Date 11/22/2022

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### Further information

Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

### Persistence and degradability

No data available Bioaccumulative potential

#### Product:

Partition coefficient: n- octanol/water	:	Remarks: No data available
<u>Components:</u> 1-(1-methyl-2-propoxyethoxy)	pre	opan-2-ol :
Partition coefficient: n- octanol/water	-	Pow: 7.7

#### Mobility in soil

No data available

### Other adverse effects

No data available

## Product:

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not contaminate ponds, waterways or ditches with</li> </ul>



Version 1.0		Revision Date 02/13/2017	Print Date 11/22/2022
		chemical or used container. Dispose of in accordance with local reg	ulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on,	the empty drum.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

#### The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

## SAFETY DATA SHEET



## **ZEP APRIZA NPE FREE 4-4L**

Version 1.0

Revision Date 02/13/2017

Print Date 11/22/2022

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**

...

Hazard pictograms	
Signal w ord Hazard statements	<ul> <li>Danger:</li> <li>May cause fire or explosion; strong oxidizer. Causes severe skin burns and eye damage.</li> </ul>
Precautionary statements	: Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignitions sources. No smoking. Keep aw ay from clothing and other combustible materials. Was skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/face protection. Wear fire resistant or flame retardant clothing. <b>Response:</b> IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediatel call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF ON CLOTHING: rinse immediately contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. In case of major fire and large quantities: Evacua area. Fight fire remotely due to the risk of explosion. <b>Storage:</b> Store separately. <b>Disposal:</b> Dispose of contents/container in accordance with local regulation.

Version:	1.0
Revision Date:	02/13/2017
Print Date:	11/22/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.