





REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SECTION
COMMERCIAL APPROACH
RESIDENTIAL APPROACH
W/UTILITY STRIP
A

NOTE

- 4 INCHES OF 3/4" COMPACTED AGGREGATE BASE SHALL BE REQUIRED UNDER ALL CONCRETE WHERE UNSUITABLE BASE MATERIAL IS ENCOUNTERED, IF FILL MATERIAL IS REQUIRED, OR WHERE DIRECTED BY PUBLIC WORKS.
- ALL CONCRETE SHALL BE CURED WITH A CURING COMPOUND AS SPECIFIED IN THE STANDARD SPECIFICATIONS OR AS DIRECTED BY PUBLIC WORKS.
- STANDARD SIDEWALK WIDTH IS 5 FEET IN NEW CONSTRUCTION.
- PLACE PREFORMED EXPANSION JOINT FILLER AT DREWEYWAY CONSTRUCTION AND AT MAXIMUM SPACING OF 60 FEET FOR NEW SIDEWALK CONSTRUCTION.
- FULL HEIGHT CURB MAY BE SAWCUT TO PROVIDE RESIDENTIAL DRIVEWAY APPROACH.



SECTION
COMMERCIAL APPROACH
RESIDENTIAL APPROACH
B



BONNEVILLE COUNTY
PUBLIC WORKS DEPT.

TYPICAL APPROACH/DRIVEWAY

DESIGN	SIZE	DWG NO.	REV
DATE PLOTTED	SCALE	100-3	
	NTS	SHEET	1 OF 1