

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07

Version: 3.0

Page: 1/10

(30749351/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Texapon® N 70 NA FlexGold

Recommended use of the chemical and restriction on use

Recommended use*: surfactants

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: No applicable information available.
Synonyms: Alkyl ether sulfate Use: Surfactants, Chemicals

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 2/10
(30749351/SDS_GEN_US/EN)



Signal Word:
Danger

Hazard Statement:

H318 Causes serious eye damage.
H315 Causes skin irritation.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye/face protection.
P273 Avoid release to the environment.
P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P303 + P362 IF ON SKIN (or hair): Wash with plenty of soap and water.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection point.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
67762-41-8	0.2 - 0.3%	Alcohols, C10-16
68002-97-1	1.0 - 3.0%	(OLIGOMER) Alcohols, C10-16, ethoxylated (> 1 < 2.5 mol EO)
68585-34-2	50.0 - 75.0%	(OLIGOMER) Alcohols, C10-16, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

4. First-Aid Measures

Description of first aid measures

General advice:

If adverse health effects develop seek medical attention.

If inhaled:

Fresh air. If adverse health effects develop seek medical attention.

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 3/10
(30749351/SDS_GEN_US/EN)

If on skin:

After contact with skin, wash immediately with plenty of water. Remove contaminated clothing. If adverse health effects develop seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Do not rub eyes; mechanical action may cause corneal damage. Immediate medical attention required.

If swallowed:

If the victim is conscient, make him drink 2-3 glasses of water and look for medical service or health service.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.
Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat symptomatically.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, dry powder, foam

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material.

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 4/10
(30749351/SDS_GEN_US/EN)

For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: 20 - 40 °C

Protect from temperatures below: 0 °C

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 50 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

No occupational exposure limits known.

Advice on system design:

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary. Follow manufacturer's recommendations.

Respiratory protection not required.

Hand protection:

Plastic gloves, Rubber gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 5/10
(30749351/SDS_GEN_US/EN)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	paste, pasty	
Odour:	slight odour	
Odour threshold:	not applicable	
Colour:	cream	
pH value:	7.0 - 9.0 (20 °C)	
decomposition point:	> 206 °C The substance / product decomposes.	
boiling temperature:	> 100 °C	
Flash point:	> 250 °C	
	Aqueous preparation	
Flammability:	not flammable	
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosoles	
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	not determined	
Vapour pressure:	not determined	
Density:	1.07 - 1.1 g/cm ³ (20 °C)	(DGF C-IV 2; QP1100.0; Density)
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	0.3 (23 °C)	(measured)
Self-ignition temperature:	250 °C	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	not determined	
Viscosity, kinematic:	not determined	
Solubility in water:	280 g/l (20 °C)	
	soluble	
Solubility (qualitative):	soluble	
	solvent(s): distilled water,	
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section. No further information available.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 6/10
(30749351/SDS_GEN_US/EN)

not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with oxidizing agents. Reacts with bases. Reacts with strong acids.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: sulphur compounds

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Primary routes of entry

Dermal contact.

Ingestion.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: May be harmful if swallowed in large quantities.

Virtually nontoxic after a single skin contact.

Virtually nontoxic by inhalation.

Virtually nontoxic after a single ingestion.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 401)

Inhalation

No applicable information available.

Dermal

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg (OECD Guideline 402)

Assessment other acute effects

Assessment of STOT single:

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 7/10
(30749351/SDS_GEN_US/EN)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Causes serious eye damage. Causes skin irritation.

Skin

Species: rabbit

Result: Irritant.

Method: OECD Guideline 404

Eye

Species: rabbit

Result: Severely irritating.

Method: Draize test

Sensitization

Assessment of sensitization: No sensitizing effect.

Species: guinea pig

Result: Non-sensitizing.

Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Genetic toxicity

Assessment of mutagenicity: Mutagenicity tests revealed no genotoxic potential.

Genetic toxicity in vitro: OECD Guideline 471 Ames-test Salmonella typhimurium:negative

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The information available on the product provides no indication of reproductive toxicity.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

12. Ecological Information

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 8/10
(30749351/SDS_GEN_US/EN)

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish

LC50 > 10 - 100 mg/l, *Leuciscus idus* (DIN EN ISO 7346-2)

Aquatic invertebrates

EC50 > 10 - 100 mg/l (OECD Guideline 202, part 1)

Aquatic plants

EC50 > 10 - 100 mg/l, *Scenedesmus subspicatus* (OECD Guideline 201)

Chronic toxicity to fish

No observed effect concentration > 1 - 10 mg/l, *Leuciscus idus*

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates

No observed effect concentration > 0.1 - 1 mg/l, *Daphnia magna*

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN 38412 Part 27 (draft) bacterium/EC0: > 100 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Readily biodegradable (according to OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

Significant accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Study scientifically not justified.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Container disposal:

Dispose of in accordance with national, state and local regulations.

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07
Version: 3.0

Page: 9/10
(30749351/SDS_GEN_US/EN)

14. Transport Information

Land transport
USDOT

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

Cosmetic TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
1000 LBS	75-07-0	acetaldehyde
100 LBS	123-91-1	1,4-dioxane
10 LBS	75-21-8	Ethylene Oxide

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

[Other Prop 65 components may be present in the product.]

NFPA Hazard codes:

Health: 3 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2017/12/07

Safety Data Sheet

Texapon® N 70 NA FlexGold

Revision date : 2017/12/07

Page: 10/10

Version: 3.0

(30749351/SDS_GEN_US/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Texapon® N 70 NA FlexGold is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED
HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS
PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT
PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO
DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR
TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE
MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET
FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED
WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE
SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED
A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY
UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION
FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO
OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION
GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET