

Telefax: +49 (0) 6202 2782-21

according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ORCON F

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives, sealants

# Uses advised against

No information available.

# 1.3. Details of the supplier of the safety data sheet

Company name: MOLL bauökologische Produkte GmbH

proclima

Street: Rheintalstraße 35 - 43
Place: D-68723 Schwetzingen

Telephone: +49 (0) 6202 2782-0

e-mail: info@proclima.de
e-mail (Contact person): info@proclima.de
Internet: http://www.proclima.de
Responsible Department: info@proclima.de

1.4. Emergency telephone +44 (171) 635 91 91

**number:** +49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1A

Hazard Statements:

May cause an allergic skin reaction.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

# Hazard components for labelling

1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one

2-methyl-2H-isothiazol-3-one

Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no.

220-239-6] (3:1)

Signal word: Warning

Pictograms:



#### **Hazard statements**

H317 May cause an allergic skin reaction.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.



according to Regulation (EC) No 1907/2006

ORCON F

Revision date: 04.02.2019

Page 2 of 11

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification	•	•	
64-17-5	ethanol, ethyl alcohol			10 - < 15 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	9		
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-b	penzisothiazolin-3-one		>0,001-<0,01 %
	220-120-9	613-088-00-6	01-2120761540-60	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H318 H317 H400	l-Factor = 10); H302 H315		
2682-20-4	2-methyl-2H-isothiazol-3-one			>0,001-<0,01 %
	220-239-6		01-2120764690-50	
	Acute Tox. 2, Acute Tox. 3, Skin Co Chronic 2; H330 H301 H314 H318			
55965-84-9	Mixture of: 5-chloro-2-methyl-4-isot 2-methyl-2H-isothiazol-3-one [EC n	hiazolin-3-one [EC no. 247-500-7] ar o. 220-239-6] (3:1)	nd	>0,001-<0,01 %
	911-418-6	613-167-00-5	01-2120764691-48	
	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H331 H311 H301 H314 H317 H400 H410			

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

No special measures are necessary.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Remove contaminated, saturated clothing immediately.

In case of skin irritation, consult a physician.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.



according to Regulation (EC) No 1907/2006

#### ORCON F

Revision date: 04.02.2019 Page 3 of 11

### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps.

Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Dry extinguishing powder, Carbon dioxide (CO2), Water spray jet

In case of major fire and large quantities: alcohol resistant foam, Water spray jet

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide, Nitrogen oxides (NOx), Carbon dioxide (CO2).

### 5.3. Advice for firefighters

Special protective equipment for firefighters Protective clothing.

In case of fire: Wear self-contained breathing apparatus.

Remove persons to safety.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Dispose of waste according to applicable legislation.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

Wear personal protection equipment (refer to section 8).

Remove persons to safety.

Provide adequate ventilation.

Do not breathe gas/vapour/aerosol.

In case of insufficient ventilation, wear suitable respiratory equipment.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Stop leak if safe to do so. Wipe up with absorbent material (eg. cloth, fleece).

Handling larger quantities: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### 6.4. Reference to other sections

See protective measures under point 7 and 8.

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 4 of 11

#### Advice on safe handling

See section 8. Wear personal protection equipment (refer to section 8).

Do not breathe gas/fumes/vapour/spray.

Provide adequate ventilation. In case of inadequate ventilation wear respiratory protection.

Avoid contact with skin, eyes and clothes.

Keep container tightly closed.

Persons with a history of skin sensitisation problems should not be employed in any process in which this product is used.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Further information on handling

Observe instructions for use.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Store in a dry place. Protect from sunlight.

#### Hints on joint storage

Keep away from: Food and feedingstuffs, Oxidising agent, Humidity

# Further information on storage conditions

No information available.

#### 7.3. Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7631-86-9	silica dioxide, amorphous, synthetic			
Worker DNEL,	long-term	inhalation	systemic	4 mg/m³
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			
Worker DNEL,	Worker DNEL, long-term		systemic	6,81 mg/m³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day



according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 5 of 11

#### **PNEC values**

CAS No	Substance		
Environmental	Environmental compartment Value		
2634-33-5 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one			
Freshwater 0,011 mg/l		0,011 mg/l	
Marine water		0,0011 mg/l	
Freshwater sediment 0,0499		0,0499 mg/l	
Marine sediment (		0,00499 mg/l	
Soil 3 mg/kg		3 mg/kg	

#### 8.2. Exposure controls

### Appropriate engineering controls

Provide adequate ventilation.

#### Protective and hygiene measures

Work in well-ventilated zones or use proper respiratory protection.

Only wear fitting, comfortable and clean protective clothing.

Avoid contact with skin, eyes and clothes.

Wash hands and face before breaks and after work and take a shower if necessary.

Use protective skin cream before handling the product.

When using do not eat, drink, smoke, sniff.

### Eye/face protection

Suitable eye protection:

goggles

Face protection shield

#### Hand protection

Tested protective gloves must be worn: DIN EN 374

Unsuitable material:Fabric, Leather articles

Suitable material: CR (polychloroprene, chloroprene rubber), Butyl caoutchouc (butyl rubber), NBR (Nitrile rubber)

Thickness of the glove material >= 0,4 mm NBR (Nitrile rubber)

Wearing time with occasional contact (splashes): max. 480 min. (NBR (Nitrile rubber))

Wearing time with permanent contact 240 - 480 min (NBR (Nitrile rubber)) Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wear cotton undermitten if possible.

Check leak tightness/impermeability prior to use.

# Skin protection

Suitable protective clothing: Protective clothing

# **Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment. Combination filtering device (EN 14387) A (P2).

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: green
Odour: mild

Test method

pH-Value: not determined



according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 6 of 11

#### Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

not determined

Flammability

Solid: not determined
Gas: not determined

**Explosive properties** 

In use may form flammable/explosive vapour-air mixture.

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not determined

Decomposition temperature: not determined

**Oxidizing properties** 

No information available.

Vapour pressure: not determined

(at 20 °C)

Density (at 25 °C): 1,06 g/cm³
Water solubility: not determined

(at 20 °C)

Solubility in other solvents

No information available.

Partition coefficient: not determined
Viscosity / dynamic: 1500000 mPa·s

(at 25 °C)

Viscosity / kinematic: not determined

(at 40 °C)

Vapour density: not determined Evaporation rate: not determined

# 9.2. Other information

No information available.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.



according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 7 of 11

#### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No information available.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

The product has not been tested.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	oral	LD50 mg/kg	6200	Rat	IUCLID	
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS	
2634-33-5	1,2-benzisothiazol-3(2H)	-one, 1,2-be	enzisothiazolii	n-3-one		
	oral	ATE mg/kg	500			
2682-20-4	2-methyl-2H-isothiazol-3-one					
	oral	ATE mg/kg	100			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation aerosol	ATE	0,05 mg/l			
55965-84-9	Mixture of: 5-chloro-2-me 220-239-6] (3:1)	ethyl-4-isoth	iazolin-3-one	[EC no. 247-500-7] and 2	-methyl-2H-isothiazol-3-on	e [EC no.
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	300			
	inhalation vapour	ATE	3 mg/l			
	inhalation aerosol	ATE	0,5 mg/l			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one; 2-methyl-2H-isothiazol-3-one; Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 8 of 11

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
64-17-5	ethanol, ethyl alcohol				
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h Daphnia magna	IUCLID	
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one				
	Acute fish toxicity	LC50 22 mg/l	96 h		
	Acute crustacea toxicity	EC50 2,9 mg/l	48 h		
	Acute bacteria toxicity	(0,11 mg/l)			

# 12.2. Persistence and degradability

The product has not been tested.

	Source				
	Source				
	•				
1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one					
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
3					
Readily biodegradable (according to OECD criteria).					
	:ol-3				

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	0,7

# **BCF**

CAS No	Chemical name	BCF	Species	Source
2634-33-5	1,2-benzisothiazol-3(2H)-one,	6,95	fish	OECD 305
	1,2-benzisothiazolin-3-one			

# 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 9 of 11

#### Advice on disposal

Dispose of waste according to applicable legislation.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

### Contaminated packaging

Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

# Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

# 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information



according to Regulation (EC) No 1907/2006

#### **ORCON F**

Revision date: 04.02.2019 Page 10 of 11

Restrictions on use (REACH, annex XVII):

Entry 3: ethanol, ethyl alcohol

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID:Règlement international conernat le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Refulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effectice concentration, 50 percent

**DNEL: Derived No Effect Level** 

PNEC: Predicted No Effect Concentration PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

- decontraction for mixtures and dood statutation motified decorating to resignation (20) for 12122000 [021]			
Classification	Classification procedure		
Skin Sens. 1A; H317	Calculation method		

#### Relevant H and EUH statements (number and full text)

المالمالية

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### **Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product



according to Regulation (EC) No 1907/2006

# **ORCON F**

Revision date: 04.02.2019 Page 11 of 11

properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)