

# **HYBRID**

# TECHNICAL DATASHEET







# EVOLVING WITH YOUR PRACTICE

As your dental practice grows and changes, upgradable Hybrid Eco will grow with you, offering possibilities for expansion and improvement.

# 5-AXIS SIMULTANEOUS MILLING TECHNOLOGY

Hybrid Eco has been created to achieve highly accurate results using 5-axis milling technology. It has been carefully designed and developed to provide the highest level of excellence in its output.

## **HYBRID ECO**

### **Perfection In Every Detail**

Hybrid Eco is the perfect choice for those seeking the highest level of precision in their dental work. Its advanced technology allows for ultra-precise milling, resulting in flawless dental work every time.


## **Holder Types**





Standart Holder

Holder



## **Technical Specifications HYBRID ECO**

AXIS MOTOR TECHNOLOGY Absolute Servo Motor SPINDLE ROTATION SPEED 60.000RPM

SPINDLE POWER 0.86kW

NUMBER OF AXES Simultaneous 5 Axes

MAX. MILL ANGLE OF A AND B AXIS +30 Degrees

MAX BUR SHANK DIAMETER 3/4 mm

BUR CAPACITY 12

REFERENCING MILLING REQUIREMENT

No

redon

VOLTAGE / FREQUENCY 110v - 230v / 50-60Hz PRESSURIZED AIR REQUIREMENT 150 L / min.

AIR PRESSURE (BAR)

Open System

SOFTWARE

### DEVICE DIMENSIONS 560 x 630 x 650

#### Standarts

Hybrid Eco Dry Soft: Disc Holder, Zircon Bur Set, Spindle Cleaning Kit, Cutting Oil, Cleaning Brush, Pump, Adapter, Ethernet Cable, Fuses, Usb

Hybrid Eco Dry Soft + Glass Ceramic: Disc Holder, Glass Ceramic Holder, Zircon Bur Set, Glass Ceramic Bur Set, Spindle Cleaning Kit, Cutting Oil, Cleaning Brush, Pump, Adapter, Ethernet Cable, Fuses, Usb

### Options

Table, Vacuum Unit, Sinter Furnace, Scanner, Design Sotfware

## **Applications**



Veners

Crown Bridge





Inlay





Onlay







Crown



Screw Retantion

Bridge









Denture

**Custom Abutments** 

Hybrid Abutment

Material Types

Zirconium

PMMA

Composite

Glass Ceramic

Wax







www.redon.com









in / redontechnology