



Tile/PVC Flooring & Accessories





WEBER BUILDING SOLUTIONS

Saint-Gobain Weber (M) Sdn Bhd (SGWM) which is based in Malaysia and part of the global multi-national group Saint-Gobain Group is the leading innovator & producer of Industrial Mortar. SGWM has been collaborating with its sole distributor **Global Imports & Exports** for the region of New Zealand & South Pacific Islands for over 25 years and this business relationship continues to grow in the region.

GIE had been in the forefront of introducing WEBER Tile Fixing Solutions ... namely WEBERSET CTF GREY and the Coloured Grouts to this region where the WEBER brand and the said Tile Adhesive which conforms to the ASNZ Standards have a well-established recognition by the local key distributors, building contractors, specifiers and end-users alike. It is well known for its quality, reliability and performance where installations of ceramic and porcelain tiles are concerned. With WEBER Tile Fixing Solutions you can be assured that your ceramic and porcelain tile finishes remains sound over the years.

As GIE moves into the year 2021 ... it intends to introduce new building solutions into the South Pacific Island market and to contribute further to the advancement of the local construction market. As such GIE will introduce the following products very soon :



Skim Coat Plaster Solution :


Pre-Mixed Skim Coat Plasters are basically employed for the leveling and / or smoothing of interior walls, soffit and ceiling to improve the overall quality of the applied surfaces; prior to applying other finishing materials. WEBER Skim Coat Plasters (WEBERWALL SKIMCOAT BASE & WEBERWALL SKIMCOAT FINISH) which are applied in thin coats of between 1 - 4mm over Block Walls, Concrete & Cement-Sand Render affords the desired quality. It is available in both Grey or White colour.



Waterproofing Solution :

As with all buildings (domestic or commercial) wet areas ie. washroom, kitchen etc. ... must be waterproofed appropriately so that it maintain its water tightness; thus preventing leakages and damages to the building & properties. With WEBER Two-Component Latex Fortified Cementitious Waterproofing Solution (WEBERTEC WP SLURRY) you can be assured of achieving the desired results.

With this brief announcement both SGWM & GIE will be looking forward to bringing in more innovative solutions to the South Pacific Islands and we look forward to sharing this with all our key distributors and other industry players. We wish that we will have a mutually successful year 2021 and continue to drive the quality growth of the construction market in the South Pacific Islands.



WEBER Tile Fixing Solutions





Weber CTF Grey - 20kg

SKU: 19500

Pieces: 80 Bags Per Pallet

Suitable for fixing Ceramic Wall & Floor Tiles, Vitrified Homogeneous Tiles, Porcelain Tiles, Mosaics, Quarry Tiles, Terracotta, Marbles, Granites, Slates, Terrazzo, Brick Veneer, Decorative Stones etc., to wall & floor, dry or wet, interior or exterior areas.

- Colour : Grey
- Density : Approx. 1.7 g/m³
- pH : Approx. 12
- Dry Solid Content : 100%
- Bed Thickness : 3 – 6 mm (Finish Thickness)
- Mix Proportion : 1 pbw water to approx. 4 pbw adhesive (6.0 - 6.5 ltrs water / Latex Admixture to 25 kg set CTF grey)
- Adjustability Time : 10 minutes – may vary depending on porosity of substrate.
- Working Time (Pot Life) : 3 – 4 hours
- Setting Time : 24 hours
- Application Temperature : 5°C – 40°C



Weber Superflex 21 - 25KG

SKU: 19800

Pieces: 64 Bags Per Pallet

- Premium grade C2TE Tile Adhesive
- Excellent bond strength (1.6 - 1.9 N/mm²)
- Easy to mix & apply
- Low Wall Tile Slippage
- Colour : Grey / White
- Density : Approx. 1.6 g/m³
- pH : Approx. 12
- Dry Solid Content : 100%
- Bed Thickness : 3 – 6 mm (Finished Thickness)
- Mix Proportion : 1 pbw water to Approx. 4 pbw adhesive (6.0 - 6.5 ltrs water/Latex Admixture to 20 kg set superflex 21)
- Adjustability Time : 15 minutes at 30°C - May vary depending on
- Working Time (Pot Life) : 3 – 4 hours
- Setting Time : 24 hours
- Application Temperature : 5°C - 40°C
- Temperature Resistance : 100°C
- Frost Resistance : - 15°C



Weber Fine Tile Grout - 3.5kg / 20kg

SKU: Varies by Colour

Pieces: Varies on Sizes

Weberfill fine grout is suitable for grouting or pointing joints between Ceramic Wall & Floor Tiles, Vitri-fied Homogeneous Tiles, Porcelain Tiles, Mosaics, Quarry Tiles, Terracotta, Marbles, Granites, Slates, Terrazzo, Brick Veneer, Decorative Stones etc. Suitable for use at wall or floor, dry or wet, interior or exterior areas including swimming pools.

- Density : 1.68 g/cm³
- pH of mix : 10.80
- Dry Solid Content : 100%
- Working Time (Pot Life) : 45 minutes / Setting Time : 24 hours


Standard Colours - Available in 3.5kg or 20kg

	Brown 46 SKU: 19658
	White 38 SKU: 19707
	Dark Brown 80 SKU: 19664
	Ivory 36 SKU: 19669

	Platinum 224 SKU: 19690
	Quarry Brown 223 SKU: 19692
	Silver Grey 58 SKU: 19696
	Toshiba Grey 665 SKU: 19705

Special Colours - Available in 3.5kg or 20kg

	Marble Brown 210 SKU: 19682		Marble Red 220 SKU: 19678
	Amber 227 SKU: 19651		Marble Yellow 203 -5kg* SKU: 19684
	Apple Green 238 SKU: 19653		Maroon 109 SKU: 19681
	Blue 120 SKU: 19655		New Peach 239 SKU: 19686
	Charcoal 117 SKU: 19662		Oasis 226 SKU: 19709
	Dusky Orange 106 SKU: 19666		Redish Brown 107 SKU: 19694
	Light Yellow 110 SKU: 19708		Sky Blue 123 SKU: 19698
	Marble Beige 212 SKU: 19683		Soft Pink 312 SKU: 19700




600 x 600mm & 300 x 600mm Tiles

Products Available Include:




400 x 400mm & 300 x 300mm Tiles

Products Available Include:




Lino Flooring

Products Available Include:





Products Available Include:



Products Available Include:

