

Waukesha, WI 53188,

USA

MATERIAL SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

PRODUCT NAME: <u>VP-TECH</u>

PRODUCT DESCRIPTION: HEAVY DUTY SEMI SYNTHETIC

EFFECTIVE DATE: July 29, 2010

SUPERCEDE: 23 Sept 2006

HMIS RATINGS: HEALTH [1] FLAMMARILITY

FLAMMABILITY [0] REACTIVITY [0]

PERSONAL PROTECTION [C]

SECTION 2 – HAZARD IDENTIFICATION

APPEARANCE (NEAT): AMBER

ODOR: MILD

LIKELY ROUTES OF EXPOSURE: EYES, SKIN, INGESTION OR INHALATION.

EYES: MAY CAUSE SEVERE IRRITATION (TEARS, BLURRED VISION, AND REDNESS).

SKIN: CONCENTRATE MAY CAUSE SKIN TO BE IRRITATED. PROLONGED EXPOSURE OF THIS MATERIAL MAY CAUSE MODERATE SKIN IRRITION. MAY CAUSE DRYING/DEFATTING OF THE SKIN. SKIN IRRITION CAN ALSO OCCUR WHEN DILUTED PRODUCT BECOMES CONTAMINATED WITH CERTAIN OILS, DISSOLVED METALS, OR WHEN DILUTED MIX RATIO IS TOO STRONG.

INGESTION: NOT LIKELY TO BE TOXIC. MAY CAUSE IRRITATION TO THE MOUTH, THROAT OR STOMACH. MAY CAUSE NAUSEA, DIARRHEA OR VOMITING. IF INGESTED, DO NOT INDUCE VOMITING.

INHALATION: CONCENTRATE WILL NOT PRODUCE VAPORS UNLESS HEATED TO

TEMPERATURES OF ~ 300 F. IF IRRITATION, HEADACHE, NAUSEA, OR DROWSINESS OCCURS, REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF BREATHING BECOMES DIFFICULT OR SYMPTOMS PERSIST. INHALATION OF DILUTED MIX CAN OCCUR IN APPLICATIONS WHERE HIGH MIST LEVELS ARE GENERATED. OSHA HAS SET A PEL OF 15 mg/m³ FOR ANY AIRBORNE PARTICULATE AS A NUISANCE LEVEL OF EXPOSURE. NIOSH HAS SET AN REL OF 0.5 mg/m³ FOR METALWORKING FLUID MIST. EXTENDED EXPOSURE TO MISTS MAY CAUSE UPPER RESPIRATORY IRRITATION. REMOVE VICTIM TO FRESH AIR, AND ADMINISTER OXYGEN IF NEEDED.

SECTION 3 - INFORMATION ON INGREDIENTS

THIS INGREDIENT IS CONSIDERED HAZARDOUS UNDER FEDERAL HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200)

HYDROTREATED NAPTHENIC OIL

CAS# 64742-52-5

10 – 20 % BY WEIGHT



Waukesha, WI 53188,

USA

SECTION 4 - FIRST AID

EYES: IMMEDIATLEY FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

SKIN: REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. WASH SKIN WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION IF IRRIATION DEVELOPS.

INGESTION: DO NOT INDUCE VOMITING. DO NOT ADMINISTER ANYTHNG BY MOUTH TO AN UNCONCIOUS PERSON. IF CONCIOUS, OFFER WATER TO DRINK. GET MEDICAL ATTENTION IMMEDIATELY.

INHALATION: REMOVE VICTIM TO FRESH AIR, AND ADMINISTER OXYGEN IF NEEDED. IF IRRITATION, HEADACHE, NAUSEA, OR DROWSINESS OCCURS, REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF BREATHING BECOMES DIFFICULT OR SYMPTOMS PERSIST.

SECTION 5 - FIRE & EXPLOSION DATA

FLASH POINT: N/A

FLAMMABLE LIMITS: LFL: N/D UFL: N/D

HAZARDOUS DECOMPOSITION PRODUCTS: N/D

EXTINGUISHING MEDIA: USE DRY CHEMICAL, C02, WATER SPRAY OR FOAM.

FIRE FIGHTING PROCEDURES: AS IN ANY FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND, MSHA/NIOSH (APPROVED OR EQUIVALENT) AND FULL

PROTECTIVE GEAR.

SPECIAL FIRE AND EXPLOSION HAZARDS: NONE EXPECTED

SECTION 6 - SPECIAL HANDLING & STORAGE PRECAUTIONS

AVOID ALL CONTACT OF PRODUCT WITH EYES OR SKIN. WASH THOROUGHLY AFTER HANDLING. DO NOT SWALLOW. DO NOT STORE PRODUCT CONCENTRATE IN ELEVATED TEMPERATURES. IF PRODUCT IS FROZEN THE STABILITY CAN BE COMPROMISED. THAW COMPLETELY AND EVALUATE.

SECTION 7 - REACTIVITY & STABILITY INFORMATION

STABILITY: STABLE UNDER NORMAL CONDITIONS **MATERIALS TO AVOID:** STRONG ACIDS OR OXIDIZERS

CONDITIONS TO AVOID: USE AS DIRECTED

HAZARDOUS DECOMPOSITION: N/D

SECTION 8 – SPILL OR LEAK PROCEDURES

PRODUCT SPILL/LEAK: USE ABSORBANT MATERIAL TO CONTAIN THE SPILL. COLLECT USED ABSORBANT MATERIAL AND DISCARD AS DICTATED BY FEDERAL, STATE, AND LOCAL REGUALTIONS THAT MAY APPLY. ENSURE THAT ANY RESIDUE FROM SPILL IS PROPERLY CLEANED AND DISCARDED ACCORDING TO REGULATIONS AS WELL.

VP-TECH PAGE 2 OF 6

EFFECTIVE 7/29/2010



Waukesha, WI 53188,

USA

SECTION 9 - PHYSICAL DATA

BOILING POINT: ND **VAPOR PRESSURE:** N/D

SPECIFIC GRAVITY (WATER=1.0): 1.01 +/- 0.02

PERCENT VOLATILE: N/D **EVAPORATION RATE:** N/D

SOLUBILITY IN WATER: COMPLETE

pH (5% SOLUTION): 9.4+/- 0.5 APPEARANCE (NEAT): AMBER

ODOR: MILD

SECTION 10 - PERSONAL PROTECTION

RESPRIATORY PROTECTION: IN APPLICATIONS CONTAINING TIME WEIGHTED EXPOSURES (0.5 TO 5 mg/m^3) NIOSH RECOMMENDS THAT INHALATION CAN BE REDUCED THROUGH IMPROVED VENTILATION OR A MIST COLLECTION PROCESS. IN THE EVENT THAT THESE METHODS ARE NO APPLICABLE NIOSH RECOMMENDS THE USE OF AN AIR PURIFYING HALF-MASK RESPIRATOR, STANDARD OR DISPOSABLE, EQUIPPED WITH ANY P OR R SERIES PARTICULATE FILTER. IF CONTINUOUS EXPOSURE EXCEEDS 5 mg/m^3, IT IS HIGHLY RECOMMENDED BY NIOSH TO USE AN AIR-PURIFYING RESPIRATOR EQUIPPED WITH A HOOD OR HELMET AND A HEPA FILTER. IF PERSISTENT RESPIRATORY PROBLEMS OCCUR WHEN MIST LEVELS ARE LESS THAN 0.5 mg/m^3 IT IS THEN THE INDUVIDUALS RESPONBSIBILITY TO GET A RECOMMENDATION FROM A QUALIFIED HEALTH CARE PROVIDER FOR PERSONALIZED RESPIRATORY PROTECTION.

WARNING: THE PROPER USE AND TYPE OF RESPIRATOR IS THE RESPONSIBILITY OF USER AND IS DEPENDANT ON THE PRODUCT AND OPERATING CONDITIONS. WALTER USA IS IN NO WAY RESPONSIBLE FOR IMPROPER USE OF ITS PRODUCT.

VENTILATION: IN GENERAL NORMAL SHOP VENTILATION IS ADEQUATE. IN CERTAIN INSTANCES WHEN HIGH MIST LEVELS OCCUR OR WHEN MACHINES ARE PLACED CLOSE TOGETHER SPLASH GUARDS AND/OR MIST COLLECTORS ARE RECOMMENDED TO AVOID THE POSSIBILITY OF RESPIRATORY IRRITATION.

EYE PROTECTION: PROPER OSHA APPROVED METALWORKING PLANT SAFETY GLASSES ARE REQUIRED WHEN HANDLING THIS PRODUCT AND IT SCONCENTRATE.

PROTECTIVE CLOTHING OR EQUIPMENT: PROPER OSHA APPROVED METALWORKING PLANT PROTECTIVE CLOTHING AS APPROPRIATE.

PROTECTIVE GLOVES: IMPERVIOUS GLOVES SUCH AS LATEX OR NITRILE GLOVES ARE HIGHLY RECOMMENDED WHEN HANDLING THIS PRODUCT.



Waukesha, WI 53188,

USA

SAFETY COMMENTS: NEVER EAT, DRINK, OR SMOKE IN WORK AREAS. PRACTICE GOOD PERSONAL HYGIENE AFTER USING THIS MATERIAL, THIS MEANS WASHING HANDS BEFORE EATING, DRINKING, SMOKING, USING THE TOILET, OR APPLYING COSMETICS.

SECTION 11 – TOXICOLOGY INFORMATION

Toxicological information: Not Established

Acute Toxicity: Not Determined Local Effects: None known

Component Analysis: Not established

Pre-Existing conditions aggravated by exposure: Not Established

Synergistic Materials: No data available for this product.

Epidemiology: NO epidemiological data is available for this product.

Nuerotoxicity: No data available for this product.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% are mutagenic or genotoxic.

Teratogenicity: No data available to indicate product or any components present at greater than

0.1% may cause birth defects.

Chronic Toxicity: Not established

Subchronic Toxicity: Not established

Human Experience: Not established

Symptoms and Target Organs: Not established

Further Information: This product has no known adverse effect on human health

Reproductivity: Not established

Routes of Exposure: Ingestion, inhalation, eye contact, ski contact

Carcinogenicity: No components listed by ACGIH, IARC, NIOSH, NTP, or OSHA.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: This material is not expected to be harmful to aquatic life.

Environemental Effects: Ecological injuries are not know or expected under normal use.

Persistance/Degradability: Not established.

Bioaccumulations: Not established **Aquatic Toxicity**: Not established **Partition Coefficient:** Not Established

SECTION 13 – DISPOSAL



Waukesha, WI 53188,

USA

Waste Codes: Waste codes should be assigned by the user based on the applications for which the product was used.

Disposal Instructions: This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b) (4)). Under RCRA, it is the responsibility of the user of the product to determine, at this time of disposal, whether the product meets RCRA criteria for hazardous waste.

Waste from residues/unused products: Dispose of in accordance with local regulations. Contaminated Packaging: Do not re-use empty containers.

SECTION 14 - SHIPPING INFORMATION / PACKAGING SIZE

HAZARD CLASS: NON-HAZARDOUS

DOT SHIPPING NAME: NON-HAZARDOUS

UN NUMBER: NON-HAZARDOUS

PACKAGING SIZE: 5 GALLON PAILS, 55 GALLON DRUMS, 275 AND 330 GALLON TOTES, BULK

TANKER.

SECTION 15 – REGULATORY INFORMATION

SARA III SECTION 313 INFORMATION:

NONE

SECTION 16 – OTHER

FOR ADDITIONAL INFORMATION PLEASE CALL 1-800-945-5554

EMERGENCY (24 HOURS): CHEMTREC 1-800-424-9300



Waukesha, WI 53188,

USA

DISCLAIMER:

THE INFORMATION PRESENTED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE DEPENDABLE AND IS ACCURATE AS OF THE DATE ISSUED. HOWEVER, SINCE DATA, SAFETY STANDARDS, AND GOVERNMENT REGULATIONS ARE SUBJECT TO CHANGE AND THE CONDITIONS OF HANDLING AND USE ARE OUT OF OUR CONTROL, WALTER USA, LLC. MAKES NO WARRANTY REGARDING THE ACCURACY OF SUCH DATA OR ITS SUITABILITY FOR ANY PURCHASER, USE OR FOR ANY CONSEQUENCE OF ITS USE. THE DATA IN THIS MSDS RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE, OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE, OR DISPOSAL OF THE PRODUCT. WALTER USA, LLC. ASSUMES NO RESPONSIBILITY FOR INJURY TO THE RECIPIENT OR TO THIRD PERSONS OR FOR ANY DAMAGE TO ANY PROPERTY AND THE RECIPIENT ASSUMES ALL SUCH RISKS