











Tunnel Reclaimers



Decrease Operating Expenses

Keep a continuous feed to your aggregate processing plant all while eliminating the costs associated with extra equipment and staff.

- ► Eliminate extra material handling
- Decrease dependency on loaders
- ▶ Reduce workforce

Heavy Duty Construction

Our designs are manufactured for equal pressure across the entire length of the tunnel.

- ▶ Operate fully loaded wheel loaders throughout entire length (equivalent to Caterpillar 988G)
- Operate fully engaged dozers across entire length (equivalent to Caterpillar D10)
- Continuously welded external seams

Modular Design

The modularity in our design keeps manufacturing costs stable and allows for flexible, future modifications without replacing entire systems.


- ► Dome- or box-style shape tunnel sections
- > Standard widths of 2.44, 3.05 and 3.66 metres
- Vibrating pan or belt feeder box sections available in 610 mm increments
- > Roof- or floor-mounted belt feeder options






Tunnel Reclaim Conveyor

Box-style Tunnel



Dome-style Tunnel



Model	Width (m)	Height (m)	Walkways	Standard Lengths (m)	Additional Increments (mm)
TRC08	2.44	2.44	1	5.18 / 15.54	864
TRC10	3.05	2.74	1 or 2	5.18 / 15.54	864
TRC12	3.66	2.90	1 or 2	5.18 / 15.54	864





Australian distributor Mobile Conveying Services www.mobileconveyors.com.au or call 1300 665 409







- TeleStacker® Conveyor
- PowerStacker® Conveyor
- Portable Radial Stacking Conveyor
- Self-Contained Portable Radial Stacking Conveyor
- Pinnacle® Conveyor
- Portable Jump Conveyor
- Stack-Pac™ Conveyor
- Slide-Pac Conveyor
- Trailblazer™ Conveyor
- Zipline™ Conveyor
- Stackable Conveyor

- Extender[™] Conveyor
- Conveyor Mobility Options
- RazerTail® Truck Unloader
- Tunnel Reclaim Conveyor
- Portable Feed Hopper
- Modular Feed Hopper
- Clay Hopper
- Mobile Ship and Barge Loading
- Dozer Trap
- Geotrek™ Tracked Conveyor
- Conveyor Wear Life Solutions











