

Makers of Harps and Hammered Dulcimers

3450 16th Ave. W., Seattle, WA 98119 • 206-634-1656 • Toll Free 866-634-1656 • Fax 206-691-3712 • www.dustystrings.com

Ravenna 34

Stringing Diagram – Gut Strings

String #	Note	Color	Nylon Diameter (inches)	Gut Diameter (MM/inches)	Loveland Lever Size	Gut Substitutions (if buying strings from another supplier)	
#1	A		028″		00		
#2	G		028"		00		
#3	F	blue	028"		00		
#4	E		028"		0	D D 1	
#5	D				O	<u>Bow Brand</u>	<u>Camac Classique</u>
#6	C	red	032"	66/.026	0	Lever 2 nd Oct. C	N/A
#7	B			70/.028	0	Lever 2 nd Oct. A	Standard Pedal 2 nd Oct. D
#8	A			74/.029	0	Lever 2 nd Oct. G	Heavy Pedal 2 nd Oct. D
#9	G			76/.030	3	Heavy Pedal 2 nd Oct. D	Light Pedal 3 rd Oct. D
#10	F	blue		80/.031	3	Lever 2 nd Oct. F	N/A
							Standard Pedal 2 nd Oct. A
						Lever 3 rd Oct. D	
						Lever 3 rd Oct. C	
#14	B			93/.037	5	Light Pedal 3 rd Oct. E	Standard Pedal 3 rd Oct. E
#15	A			96/.038	5	Lever 3 rd Oct. B	Standard Pedal 3 rd Oct. D
#16	G			1.00/.039	5	Lever 3 rd Oct. A	Light Pedal 4 th Oct. E
#17	F	blue		1.05/.041	6	Lever 3 rd Oct. F	N/A
#18	E			1.15/.045	6	Lever 4 th Oct. E	Standard Pedal 3 rd Oct. G
#19	D		050 "	1.20/.047	6	Lever 4 th Oct. D	Light Pedal 4 th Oct. B
#20	С	red		1.24/.049	7	Lever 4 th Oct. C	N/A
#21	B			1.30/.051	8	Lever 4 th Oct. B	Standard Pedal 4 th Oct. D
#22	A		Nylon wound	1.40/.055	9	Lever 4 th Oct. A	Heavy Pedal 4 th Oct. D
#23	G		"	1.52/.060	10	Light Pedal 4 th Oct. B	Light Pedal 5 th Oct. D
#24	F	blue	"		11		
#25	E		"		11		
#26	D		"		12		
#27	С	red	Steel wound		8		
#28	B		"		8		
#29	A		"		9		
#30	G		"		9		
#31	F	blue	"		11		
#32	E		"		12		
#33	D		"		13		
#34	С	red	"		13		

#1 is the highest string. Middle C is #20.

All strings may be purchased directly from Dusty Strings or from some Dusty Strings harp dealers. In addition, the nylon monofilament strings are standard diameters that may be found at a number of other suppliers. The gut strings may also be purchased from other suppliers, and as it is very important to use equivalent diameters, we have provided information above about acceptable gut string substitutes. The wound strings are specific to Dusty Strings harps, and it is unlikely that you will find substitutes that will work, unless you order them custom-made.

Important: Use of strings other than the diameters and materials specified here will invalidate your warranty; the total amount of string tension has been carefully calculated and exceeding this amount may put your harp at risk.