

Play Matta™ Scuff Pads



Play Matta™ Scuff pads provide a highly effective, and low cost solution for high use playground areas prone to wear and hollowing.

Play Matta™ Scuff Pads integrate seamlessly with surrounding loose fill surfacing and provide years of compliant, low maintenance performance in high use areas, such as under swings and slides on the playground.

Wood chip and sand surfacing solutions can be satisfactory at installation, but require consistent attention, particularly in high use areas.

Play Matta™ Scuff Pads ensure your scuff zones are consistently compliant and protected against water pooling and hollowing — keeping your playground open and compliant year round, as intended.



PLAY MATTA™

SAFETY SURFACE SOLUTIONS
TO SUIT YOUR BUDGET

GUARANTEED COMPLIANCE FOR
VULNERABLE SCUFF ZONES

MAINTENANCE ISSUES SOLVED
— NO RAKING OF LOOSE FILL WITH
FEWER SITE VISITS

EASY TO INSTALL & COST EFFECTIVE

ASTM, ADA & UFAS ACCESSIBILITY &
SAFETY STANDARDS

WEATHERPROOF, UV & FIRE RESISTANT

ISO CERTIFIED QUALITY

CERTIFIED INSTALLATION

MATTA™ 6-YEAR PRODUCT WARRANTY



Health &
Safety
ISO 45001



Quality
ISO 9001



Reusable Plastic
Products Licence
No. 0610082



Our recycled products
are made from up to 85%
recycled materials.



Play Matta™ Scuff Pads are the
perfect solution for:

SCHOOLS



PUBLIC PLAYGROUNDS



EARLY CHILDHOOD




Play Matta™ Scuff Pads Specifications

CRITICAL FALL HEIGHTS*

SYSTEM	THICKNESS	AS/NZS
A+A System (over A1+A1 shock pad)	165mm	N/A
A+B System (over A1+B1 shock pad)	130mm	4.5m
A System (over A1 shock pad)	95mm	2.9m
B System (over B1 shock pad)	60mm	1.7m
Play Matta™ Scuff Pad tile only	25mm	0.3m

*Over concrete slab. CFH- Critical Fall Height as per AS/ NZS standards.
Thickness can vary by +/- 5mm

Excel Scuff Pads




The Play Matta™ Excel Scuff Pad system provides a low cost and low maintenance solution for high use playground areas.

Excel tiles are installed on top of existing wood chip protecting high-use zones. The system can be easily self-installed and will only require an occasional 'shake out' to ensure the tiles remain above the existing wood chip.



Colour Options



FAQs

DO PLAY MATTA™ SCUFF PADS COME IN DIFFERENT SIZES?

Yes, Play Matta™ Scuff Pads can be as small as 1 m² to accommodate equipment entry or exit points, right through to full equipment footprint coverage.

HOW MUCH MAINTENANCE IS INVOLVED?

Unlike loose fill products (such as wood chip or sand surfacing), Play Matta™ Scuff Pads are virtually maintenance free, and Play Matta™ Excel Scuff pads require an occasional 'shake out' to ensure the tiles remain above the existing loose fill.

WHAT IS THE LIFE CYCLE OF A PLAY MATTA™ SYSTEM?

A well-installed and maintained Play Matta™ playground (this requires a Play Matta™ Certified™ Installer), will last up to 10+ years. We have lifted and relayed, or repurposed product over 15 years old.



NZ PHONE. 0800 628 827

AU PHONE. 1800 462 882

INTL PHONE. +64 9 577 0157

INFO@PLAYMATTA.COM

PLAYMATTA.COM