

May 28, 2020

**Attention:** Tanya Francis  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO, ON M9W 6N9

The design submission, tracking number 2020-02681, originally received on May 20, 2020 was surveyed and accepted for registration as follows:

**CRN :** 0A18364.52 **Accepted on:** May 28, 2020  
**Reg Type:** ADDITION TO ACC. FITTING **Expiry Date:** April 04, 2026  
**Drawing No. :** SEE PRESSURE RATING CHARTS FOR SCOPE  
**Fitting type:** SUPERLOK I-FITTINGS  
Design registered in the name of : BMT CO LTD

**The registration is conditional on your compliance with the following notes:**

*\*\* The Scope of this Registration include the addition of the I-Fittings, which have the identical body, front and back ferrule as the standard compression fittings covered in previously registered 0A18364.5 dated 2016/05/11. The only difference is longer edged nut and the addition of identification rings.*

*As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction is ASME B31.3.*

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3337 or fax (780) 437-7787 or e-mail Dick@absa.ca.

Sincerely,



DICK, ASHLING, P. Eng.  
DOP Cert. No. D00007936

**STATUTORY DECLARATION  
Registration of Fittings**

I, Jong Chan, Yoon, President  
(name of applicant) (position title) (must be in a position of authority)  
of BMT Co., Ltd.  
(name of manufacturer)  
located at 35, Sanmakgongdannam 11-gil Yangsan-Si, Gyeongsangnam-do Korea  
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☐ comply with the requirements of R101031 which specifies the dimensions,  
(title of recognized North American Standard)  
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☒ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B31.3 as supported by the attached  
(title of code of construction or other applicable document)  
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, ISO 9001-HSB as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

I-Lok Fittings

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents

DECLARED before me at Yangsan in the GyeongsangnamDo of Korea  
(city) (province or state)

this 18th day of Dec., 2019  
(Month) (Year)

(print) JANG WOON YEOUNG  
(a Commissioner of Oaths or Notary Public)

(sign) Jang Woon Yeong  
(a Commissioner of Oaths or Notary Public)

J.C Yoon  
(signature of applicant)

**For ABSA Office Use Only:**

NOTES: See Pressure Rating Charts for Superlok Imperial Tube I-Fittings

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category \_\_\_\_\_

Registration Number: \_\_\_\_\_

Date Registered: \_\_\_\_\_

Expiry Date: \_\_\_\_\_

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline.

2020-02681

**ABSA**

SAFETY CODES ACT - PROVINCE OF ALBERTA

(Signature of the Administrator/SCO)

**ACCEPTED: 0A18364.52**

**See acceptance letter for conditions of registration.**

Date: 2020-05-28

By: Ashling Dick  
ASHLING DICK, P. Eng.

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



# 법무법인 삼성

등부 2019 년 제 2244 호

Registered No. 2019 - 2244

## 인 증

## Notarial Certificate

위 등록 신청서 에 기재된 촉탁인  
주식회사 비엠티 대표이사 윤종찬  
의 대리인 김민지는 본 공증인의 면  
전에서 위 사서증서에 위 본인이 기  
명날인한 것임을 확인하였다.



2019 년 12 월 18 일 이 사무소  
에서 위 인증한다.

MINJI KIM attorney-in-fact of  
JONG CHAN, YOON, President of  
BMT Co., Ltd. appeared before me  
and admitted principal's subscription to  
the attached  
the STATUTORY DECLARATION  
Registration of Fittings.

This is hereby attested on this 18<sup>th</sup> day  
of DEC., 2019. at this office.

법무법인 삼성  
소속 울산지방검찰청

경남 양산시 중앙로 168. 2층

공증담당

변호사

장우영



SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office  
168, Jungang-Ro, Yangsan-City,  
Gyeongsangnam-do, Korea.

Jang woon yeong

Signature of the Notary Public

JANG WOON YEOUNG


This office has been authorized by the  
Minister of Justice, the Republic of Korea to  
act as Notary Public since Feb. 7. 2015. under  
Law No. 220.





# 법무법인 삼성

Registered No. 2019 - 2244



## NOTARIAL CERTIFICATE

**SAMSUNG LAW & NOTARY OFFICE INC.**

Belong to Ulsan District Prosecutor's Office

168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea

TEL : +82 55 372-5599



# PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS

TABLE 1 - TUBE COMPRESSION FITTINGS		
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10), SUTI(17), SRUTI(18), SUCI(24), SRI(26), SPWCI(29), SMPWEI(29), SSWCI(30), SSWEI(30)
3/8	6,500	
1/2	6,700	
3/4	5,800	
1	4,700	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

TABLE 2 - MALE NPT & ISO TAPERED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	SMCI(7), SMEI(12), SHMEI(11), SMBTI(19), SMRTI(21), SOPCI(27)
3/8	7,800	
1/2	7,700	
3/4	7,300	
1	5,300	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page


Fittings excluded from registration scope:

SMEI 16

TABLE 3 - FEMALE NPT & ISO TAPERED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	SFCI(8), SFEI(16), SFBTI(22), SFRTI(23)
3/8	5,300	
1/2	4,900	
3/4	4,600	
1	4,400	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page



This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

# PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS

TABLE 4 - NON-POSITIONABLE SAE/MS FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	SSMCI(28)
9/16	4,568	
3/4	4,568	
7/8	3,626	
1-1/16	3,626	
1-5/16	2,900	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

TABLE 5 - POSITIONABLE SAE/MS FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	SPHMEI(13), SPMEI(14), SPMBTI(20)
9/16	3,626	
3/4	3,626	
1-1/16	2,900	
1-5/16	2,320	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SPHMEI 6/8/12/16

TABLE 6 - AN (JIC) STRAIGHT FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	SAUI(25)
9/16	8,200	
3/4	8,200	
1-1/16	7,000	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

TABLE 7 - ISO PARALLEL FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	4,568	SGCI(9), SOSCI(27)
3/8	4,568	
1/2	2,320	
3/4	2,320	
1	2,320	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SGCI 4

SOCI 12/16



TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ON M9W 6N9

**Date:** June 10, 2020  
**Account #:** 35231  
**Journal #:** 75878

**Attn:** CECYLIA GARBACZ

**Re:** Application for Design Registration

The design, as detailed in your, CRN# 0A18364.5ADD1, for a Fitting is accepted for registration as follows:

**Registered To:** BMT CO LTD **CRN:** 0A18364.51

**Drawing #:** Scope of Registration

**Drawing Revision:** N/A

**Conditions Of Registration:**

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Scope of Registration: Superlok I-Fittings per Pressure Rating Charts attached to the Statutory Declaration

**Reviewer's Notes:**

As required by CSA B51 4.2.1, this registration expires on 04-Apr-2026. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0A18364.5ADD1 registration shall apply to BC registration.

---

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Janina Mihailescu

[janina.mihailescu@technicalsaftybc.ca](mailto:janina.mihailescu@technicalsaftybc.ca)  
Design Administration

**cc:**



# **PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS**

TABLE 1 – TUBE COMPRESSION FITTINGS		
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/16	12,000	SU (15), SRU (16) SBHRU (17), SBHU (18) SUE (31), SUT (39) SRUT (40), SUC (49) SR (51), SBR (53) SPC (56), SFTC (58) SP (68), SC (68)
1/8	10,900	
3/16	10,200	
1/4	10,200	
5/16	8,000	
3/8	6,500	
1/2	6,700	
5/8	6,000	
3/4	5,800	
7/8	4,800	
1	4,700	SPWC (66) SMPWE (67) SSWC (67) SSWE (67)
1-1/4	3,600	
1-1/2	3,400	
2	3,600	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

Fittings excluded from registration scope:

- SSWE 16




5/8	7,800	SHME (35)
1/2	7,700	SMBT (41)
3/4	7,300	SMRT (44)
1	5,300	SMA (54)
1-1/4	6,000	SOPC (60)
1-1/2	5,000	
2	3,900	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

Fittings excluded from registration scope:

- SME 32



**PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS**

TABLE 3 – FEMALE NPT & ISO TAPERED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/16	6,700	SFC (25) SBFC (29) SFE (38) SFBT (47) SFRT (48) SFA (55)
1/8	6,500	
1/4	6,600	
3/8	5,300	
1/2	4,900	
3/4	4,600	
1	4,400	
1-1/4	5,000	
1-1/2	4,600	
2	3,900	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.



BCSA J#65137



Wale APR. 4, 2016

3/4	4,568
7/8	3,626
1-1/16	3,626
1-3/16	2,900
1-5/16	2,900
1-5/8	2,320
1-7/8	2,320
2	1,813

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.





**PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS**


TABLE 5 – POSITIONABLE SAE/MS FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
5/16	4,568	SPHME (36) SPME (36) SPMBT (43) SPMRT (46)
7/16	4,568	
1/2	4,568	
9/16	3,626	
3/4	3,626	
7/8	2,900	
1-1/16	2,900	
1-3/16	2,320	
1-5/16	2,320	
1-5/8	1,813	
1-7/8	1,813	
2	1,450	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

Fittings excluded from registration scope:

- SPHME 6/8/12/16
- SPME 24/32
- SPMBT 24/32
- SPMRT 24/32



1-5/16	7,600	5,000
--------	-------	-------

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.


Fittings excluded from registration scope:

- SAF 2
- SAU 16
- SAA 16

TABLE 7 – AN (JIC) SHAPED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	NONE
9/16	7,600	
3/4	7,600	
1-1/16	6,300	
1-5/16	4,100	

\* Pressure rating at 100°F.

\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.



**PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE FITTINGS**

TABLE 8 – ISO PARALLEL FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/8	4,568	SGC (27) SPME (37) SPMBT (42) SPMRT (45) SOSC (60)
1/4	4,568	
3/8	4,568	
1/2	2,320	
3/4	2,320	
1	2,320	

\* Pressure rating at 100°F.


\*\* Number in ( ) corresponds to Superlok Tube Fittings catalogue page.

Fittings excluded from registration scope:

- SGC 4
- SPMBT 12/16
- SPMRT 16
- SOSC 12/16



BCSA J#65137





TSSA  
345 Carlington Drive  
Toronto, ONT, M9W 6N9  
CA

Dear Cecylia Garbacz

**Re: Reciprocal CRN Registration in Manitoba**

Your application indicates that a CRN has been received in another Canadian Jurisdiction, and therefore your CRN has been registered in Manitoba as follows:

File Number: 74-R704

CRN: 0A18364.54

Scope: Superlok I-Fittings per Pressure Rating Charts attached to the Statutory Declaration

Manufacturer: BMT CO LTD.

Expiry Date: 4/Apr/26

Please find attached invoice for registration.

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, a CRN issued in any Canadian Jurisdiction will be accepted for use in Manitoba.

In accordance with Steam and Pressure Plants Regulation and CSA B51, it is the manufacturer's responsibility to file a Manufacturers Data Report, including partial data reports, with our office, prior to shipping pressure equipment to Manitoba.

Please contact me directly via email at [Cheryl.Lashek@gov.mb.ca](mailto:Cheryl.Lashek@gov.mb.ca) for any questions or concerns.

**Cheryl Lashek, P.Eng**  
**Director, ITSM**  
Inspection and Technical Services  
Office of the Fire Commissioner  
508 - 401 York Avenue, Winnipeg Manitoba R3C 0P8  
T (204) 945-3507 | F (204) 948-2309





# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: BMT Co., Ltd.	
Manufacturers Address: 35, Sanmakgongdamm 11-gil Yangsan-Si, Gyeongsangnam-do Korea	
Plant Locations: 35, Sanmakgongdamm 11-gil Yangsan-Si, Gyeongsangnam-do Korea	
<b>Category of Fittings to be registered. Circle one Category only</b> <input checked="" type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="checkbox"/> B Flanges: all flanges <input type="checkbox"/> C Valves: all line valves <input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input type="checkbox"/> E Strainers, filters, separators, and steam traps <input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  ASME B31.3
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>  	<b>Type of Construction</b> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other: Machined
<b>List of supporting documentation and identification of the actual items to be registered:</b> Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents 	


## **Declaration:**

I Jong Chan, Yoon (see note 3) employed by BMT Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001-HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. C. Yoon  
 Declared before me at SAMSUNG LAW & NOTARY OFFICE INC.  
 This 18<sup>th</sup> day of Dec. AD 2019  
 Commissioner of Oaths Jang Moon Yeong  
 Or Notary Public: (sign) Jang Moon Yeong  
 (Affix Official seal to the right)

Use this space for the Official Seal



CRN: <u>0A18364.5</u> Add1 FID#: <u>15311</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Addition to include the Superlok I-Fitting (I-Lok) series. 11/2018 Identical body & ferrule to prev. reg. CRN expires April 4, 2026 - DG	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. DEPT OF JUSTICE PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT REGISTRATION ONLY CRN <u>0A18364.57Add1</u>  CHIEF BOILER INSPECTOR DATE <u>6/5/20</u>
---	--

☐ BLRs    ☐ PVs  
☐ FITTINGS    ☐ NUCLEAR COMPONENTS





# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: BMT Co., Ltd.	
Manufacturers Address: 35, Sanmakgongdamm 11-gil Yangsan-Si, Gyeongsangnam-do Korea	
Plant Locations: 35, Sanmakgongdamm 11-gil Yangsan-Si, Gyeongsangnam-do Korea	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p><input checked="" type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p></p>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other:</p> <p>Machined</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents</p> <p></p>	

## Declaration:

I, Jong Chen, Yoon (see note 3) employed by BMT Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:1986 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. C. Yoon  
 Declared before me at SAMSUNG LAW & NOTARY OFFICE INC.  
 This 18<sup>th</sup> day of Dec. AD 2019  
 Commissioner of Oaths Jang Woon Yeung  
 Or Notary Public: (sign) Jang Woon Yeung  
 (Affix Official seal to the right)



<p>CRN: <u>0A18364.5</u> Add1</p> <p>FID#: <u>15311</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>Addition to include the Superlok I-Fitting (I-Lok) series.          11/2016 Identical body &amp; ferrule to prev. reg.</p> <p>CRN expires April 4, 2026 - DG</p>	<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>Newfoundland Labrador Service NL</p> <p>Registered <u>0A18364.50 Add. 1</u>          Date <u>20/06/2019</u>          Engineering and Inspection Services          Registered by <u>[Signature]</u></p> <p>UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATION</p>
---	---





# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: BMT Co., Ltd.		
Manufacturers Address: 35, Bannalgongdennam 11-gil Yangsan-Si, Gyeongsangnam-do Korea		
Plant Locations: 35, Bannalgongdennam 11-gil Yangsan-Si, Gyeongsangnam-do Korea		
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p><input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B31.3</p>	
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p></p>		<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other: Machined</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents</p> <p></p>		

## Declaration:


I, Jong Chan, Yoon (see note 3) employed by BMT Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. C. Yoon  
 Declared before me at SAMSUNG LAW & NOTARY OFFICE INC.  
 This 18<sup>th</sup> day of Dec. AD 2019  
 Commissioner of Oaths  
 Or Notary Public: (sign) Jang Woon Yeoung

(Affix Official seal to the right)

JANG WOON YEOUNG

Use this space for the Official Seal

<p>CRN: <u>0A18364.5</u> Add1</p> <p>FID#: <u>15311</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>Addition to include the Superlok I-Fitting (I-Lok) series.              11/2018 identical body &amp; ferrule to prev. reg.</p> <p>CRN expires April 4, 2026 - DG</p>	<p>This space for Regulatory Authority use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p></p> <p>Northwest Territories</p> <p>REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.</p> <p>C.R.N. <u>0A18364.5</u> Sect 1.0 - Fittings Rev.2</p> <p>SIGNED: <u>[Signature]</u></p> <p>DATE <u>June 9 2020</u></p>
---	--

16300





# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <b>BMT Co., Ltd</b>	
Manufacturers Address: <b>35, Sanmakgongdanam 11-gil Yangsan-Si, Gyeongsangnam-do Korea</b>	
Plant Locations: <b>35, Sanmakgongdanam 11-gil Yangsan-Si, Gyeongsangnam-do Korea</b>	
<b>Category of Fittings to be registered. Circle one Category only</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  <b>ASME B31.3</b>
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>  <div align="center">  </div>	<b>Type of Construction</b> Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other: <b>Machined</b>
<b>List of supporting documentation and identification of the actual items to be registered:</b> Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents <div align="center">  </div>	

**Declaration:**

I, Jong Chan, Yoon (see note 3) employed by BMT Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SGS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. C. Yoon  
 Declared before me at SAMSUNG LAW & NOTARY OFFICE LLC.  
 This 18<sup>th</sup> day of Dec. AD 2019  
 Commissioner of Oaths  
 Or Notary Public: (sign) Jang Woon Yeong

(Affix Official seal to the right)

**JANG WOON YEONG**

Use this space for the Official Seal



CRN: <u>0A18364.5</u>	This space for Regulatory Authority use
FID#: <u>15311</u>	This registration must be revalidated after ten (10) years from the date of acceptance
Notes:	
1. All Fittings shall be registered in the name of the Manufacturer.	
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.	
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.	
4. Quality Control programs shall be resubmitted for validation.	
Addition to include the Superlok I-Fitting (I-Lok) series.	
11/2018 Identical body & ferrule to prev. reg.	
CRN expires April 4, 2026 - DG	

BOILER PRESSURE VESSEL  
 Date June 5/20  
 C.R.N. 0A18364.5BADD1  
 Dwg. as described  
 Signed Yvonne Perry  
 L of 1  
 Part  
 ACT & REGULATIONS

Sheet 1.0 - Fittings Rev.2





# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: BMT Co., Ltd.		
Manufacturers Address: 35, Seonmakgongdennam 11-gil Yangsan-Si, Gyeongsangnam-do Korea		
Plant Locations: 35, Seonmakgongdennam 11-gil Yangsan-Si, Gyeongsangnam-do Korea		
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p><input checked="" type="checkbox"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="checkbox"/> B Flanges: all flanges</p> <p><input type="checkbox"/> C Valves: all line valves</p> <p><input type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="checkbox"/> E Strainers, filters, separators, and steam traps</p> <p><input type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="checkbox"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B31.3</p>	
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>		<p><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: <b>Machined</b></p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents</p> <p align="center"></p>		

**Declaration:**

I, Jong Chan, Yoon (see note 3) employed by BMT Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. C. Yoon

Declared before me at SAMSUNG LAW & NOTARY OFFICE INC.

This 18<sup>th</sup> day of Dec. AD 2019

Commissioner of Oaths

Or Notary Public: (sign) Jang Woon Yeon

(Affix Officer seal to the right)

**JANG WOON YEON**

<p>CRN: <u>0A18364.5</u> Add1</p> <p>FID#: <u>15311</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>Addition to include the Superlok I-Fitting (I-Lok) series. 1/2018 Identical body &amp; ferrule to prev. reg.</p> <p>CRN expires April 4, 2026 - DG</p>	<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">Nunavut</p> <p align="center">Pressure Vessels Act</p> <p align="center"><b>REGISTERED</b></p> <p>CRN <u>0A18364.5NAdd1</u></p> <p>Date <u>June 04, 2020</u></p> <p>Signed <u>[Signature]</u></p> <p align="center">Chief Inspector: <u>Michael Lee</u> Sect 1.0 - Fittings Rev.2 Director Safety Services Unit</p> <p align="center">Territorial Registration Fee</p>
---	---

Use this space for the ON





345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

May 06, 2020

TIM COZENS  
A R THOMSON GROUP  
215 CLEARSKYE WAY  
RED DEER AB T4E 0A1  
CA

Service Request Type: BPV-Fitting Registration  
Service Request No.: 2766362  
Your Reference No.:  
Registered to: BMT CO LTD

Dear TIM COZENS,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

**CRN No.: 0A18364.5ADD1**

**Main Design No.: Superlok I-Fittings per Pressure Rating Charts attached to the Statutory Declaration**

**Expiry Date: 04-Apr-2026**

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be sent to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Zivko Gacevic P. Eng.  
Mechanical Engineer, BPV  
Tel.: 416-734-3429  
Fax: 416-231-6183  
Email: [zgacevic@tssa.org](mailto:zgacevic@tssa.org)





Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

## STATUTORY DECLARATION Registration of Fittings

I, Jong Chan Yoon, President

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of BMT Co., Ltd

(Name of Manufacturer)

Located at 35 Sanmakgongdannam 11-gil Yangsan-Si Gyeongsangnam-do Korea +82-55-783-1067 +82-55-783-1090

(Plant Address)

(Telephone No.)

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B31.3

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO9001:2015 which has been verified by the following authority, HSB Registration Services

The items covered by this declaration, for which I seek registration, are category A type fittings. In support of this application, the following information and/or test data are attached as follows:

Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents

(drawings, calculations, test reports, etc.)

Declared before me at city of Yangsan in the Gyeongsangnam-do of Korea  
the 18<sup>th</sup> day of Dec. AD 20 19.

Commissioner for Oaths:

JANG WOON YEOUNG

(Printed name)

Jang woon yeoung

(Signature)

J. C. Yoon

(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category \_\_\_\_\_

CRN: 0A18J64.5 ADD1

Registered by: Zivko BACEUC

Dated: May 6, 2020

NOTE: This registration expires on: Apr. 4, 2026

Technical  
Standards  
and Safety  
Authority

Boilers and  
Pressure Vessels  
Safety Program

**REGISTERED**

C.R.N.: 0A18J64.5 ADD1

Signed: Loane Z

Date: May 6, 2020

\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.

PV 09553 (04/17)

Note: See attached documents for Scope of Registration  
Z.G. 5/6/20



인 증

Notarial Certificate

위 등록 신청서 에 기재된 촉탁인  
주식회사 비엠티 대표이사 윤종찬  
의 대리인 김민지는 본 공증인의 면  
전에서 위 사서증서에 위 본인이 기  
명날인한 것임을 확인하였다.



2019 년 12 월 18 일 이 사무소  
에서 위 인증한다.

MINJI KIM attorney-in-fact of  
JONG CHAN, YOON, President of  
BMT Co., Ltd. appeared before me  
and admitted principal's subscription to  
the attached  
the STATUTORY DECLARATION  
Registration of Fittings.

This is hereby attested on this 18<sup>th</sup> day  
of DEC., 2019. at this office.

법무법인 삼성

소속 울산지방검찰청

경남 양산시 중앙로 168. 2층

공증담당

변호사

장운영



SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office

168, Jungang-Ro, Yangsan-City,

Gyeongsangnam-do, Korea.

Jang Woon Yeung

Signature of the Notary Public

JANG WOON YEOUNG

This office has been authorized by the  
Minister of Justice, the Republic of Korea to  
act as Notary Public since Feb. 7. 2015. under  
Law No. 220.





Registered No. 2019 - 2245

# NOTARIAL CERTIFICATE

**SAMSUNG LAW & NOTARY OFFICE INC.**

Belong to Ulsan District Prosecutor's Office

168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea

TEL : +82 55 372-5599



TABLE 1 - TUBE COMPRESSION FITTINGS		
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10), SUTI(17), SRUTI(18), SUCI(24), SRI(26), SPWCI(29), SMPWEI(29), SSWCI(30), SSWEI(30)
3/8	6,500	
1/2	6,700	
3/4	5,800	
1	4,700	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

TABLE 2 - MALE NPT & ISO TAPERED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	SMCI(7), SMEI(12), SHMEI(11), SMBTI(19), SMRTI(21), SOPCI(27)
3/8	7,800	
1/2	7,700	
3/4	7,300	
1	5,300	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SMEI 16

TABLE 3 - FEMALE NPT & ISO TAPERED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	SFCI(8), SFEI(16), SFBTI(22), SFRTI(23)
3/8	5,300	
1/2	4,900	
3/4	4,600	
1	4,400	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page





TABLE 4 - NON-POSITIONABLE SAE/MS FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	SSMCI(28)
9/16	4,568	
3/4	4,568	
7/8	3,626	
1-1/16	3,626	
1-5/16	2,900	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

TABLE 5 - POSITIONABLE SAE/MS FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	SPHMEI(13), SPMEI(14), SPMBTI(20)
9/16	3,626	
3/4	3,626	
1-1/16	2,900	
1-5/16	2,320	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SPHMEI 6/8/12/16

TABLE 6 - AN (JIC) STRAIGHT FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	SAUI(25)
9/16	8,200	
3/4	8,200	
1-1/16	7,000	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

TABLE 7 - ISO PARALLEL FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	4,568	SGCI(9), SOSCI(27)
3/8	4,568	
1/2	2,320	
3/4	2,320	
1	2,320	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SGCI 4

SOCI 12/16





# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: BMT Co., Ltd.		
Manufacturers Address: 35, Sammakgongdamm 11-gil Yangsan-Si, Gyeongsangnam-do Korea		
Plant Locations: 35, Sammakgongdamm 11-gil Yangsan-Si, Gyeongsangnam-do Korea		
<b>Category of Fittings to be registered. Circle one Category only</b> <input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <input type="radio"/> B Flanges: all flanges <input type="radio"/> C Valves: all line valves <input type="radio"/> D Expansion joints, flexible connections, end hose assemblies: all types <input type="radio"/> E Strainers, filters, separators, and steam traps <input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input type="radio"/> H Pressure retaining components that do not fall into one of the above categories <input type="checkbox"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  ASME B31.3	
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>  <div align="center">  </div>		<b>Type of Construction</b> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Machined
<b>List of supporting documentation and identification of the actual items to be registered:</b>  Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents  <div align="center">  </div>		

## **Declaration:**

I, Jong Chan, Yoon (see note 3) employed by BMT Co., Ltd., and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. C. Yoon  
 Declared before me at SAMSUNG LAW & NOTARY OFFICE INC.  
 This 18<sup>th</sup> day of Dec. AD 2019  
 Commissioner of Oaths  
 Or Notary Public: (sign) Jang Woon Yeong



This registration must be revalidated after ten (10) years from the date of acceptance. This space for Regulatory Authority use.	
CRN: <u>0A18364.5 Add1</u> FID#: <u>15311</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Addition to include the Superlok I-Fitting (I-Lok) series. 11/2016 Identical body & ferrule to prev. reg. CRN expires April 4, 2026 - DG	ACCEPTED <b>PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND &amp; ENVIRONMENT</b>  C.R.N. <u>0A18364.59 Add1</u> DATE: <u>June 5/20</u>  <b>INSPECTION SERVICES SECTION</b> <b>BOILER/PRESSURE VESSEL BRANCH</b> 1.0 - Fittings Rev.2



0RQWUpDO -XQH

056 7\$1<\$ )5\$1&,6  
7(&+1,&\$ / 67\$1'\$5'6 6\$)(7< \$87+25,7<  
&\$5/,1\*9,(: '5,9(  
7252172 217\$5,2  
&\$1\$'\$ 0 : 1

0DQXIDFWXUHU %07 &2 /7'  
6\$10\$. \*21\*' \$11\$0 \*,/  
<\$1\*6\$1 6, \* <(21\*\*, '2  
.25(\$

2XU UHIHUHQFH  
'HVLJQ QXPEHU 683(5/2. , ),77,1\*6 3(5 35(6685( 5\$7,1\* &+\$576

6XEMH5FWLVWUDWLRQ-RI-RQHVLJQWLRQ RI DSSURYDO

'H DU 0D GDP

7KH 5pJLH GX EkWLPHQW4GXQIRUPH\RX WKDW \RXU DSSOLF DWLRQ IR  
GHVLJQV KDV EHHQ HYDOXDWHG DQG WKDW WKH GHVLJQ ZDV UHJLWV  
1XPEHU 78(51 \$

:H EULQJ \RXU DWWHQWLRQ WKLV UHTXLUHPHQW RI WKH UHJXODWLRQ  
WKH FRGHV DQG VWDQGDUGV DGRSWHG

- 7KH PDQXIDFWXUHU PXVW PDLQWDLQ D YDOLG TXDOLW\ FRQWUR  
WKH &51

7KLV QRWLFH RI DSSURYDO GRHV QRW UHOLHYH WKH FRQVWUXFWRU  
GHVLJQ RU FRQVWUXFWLRQ RI HTXLSPHQW PDQXIDFWXUHG DFFRUGLQ

<RXUV VLQFHUHO\

Bureau d'expertise et d'homologation HQ T XLSHPHQWV VRXV SUHVVL RQ



W Z ^ ^ h Z Z d / E ' , Z d ^ & K Z ^ h W Z > K < / D W Z / > d

d > í r dh		KDWZ ^ ^ /KE & /d d /E ' ^	
E}u]v o dμ ^ ]ì	~]v Z	W μ Z	vP ~ ] &]
í l ð	í ì U î ì ì	^ h / ~ æ U ^ Zh / ~ ò U ^ h / ~ í ì ^ hd / ~ í ó U ^ Zh d / ~ í ô U ^ h / ~ î ð U ^ Z / ~ î ò U ^ W t / ~ î ì U ^ DW t / ~ î ì U ^ ^ t / ~ ï ì U ^ ^ t / ~ ï ì	
ï l ô	ò U æ ì ì		
í l î	ò U ó ì ì		
ï l ð	æ U ô ì ì		
í	ð U ó ì ì		
W μ ] v P í ì ì & E μ u ] v ~ } } v } ^ μ o } l d μ & ] ] v P o } P μ & ] ] v P ~ o μ ( } u P ] } } v } W ^ ^ t / í ò			

d > î r D > EWd / ^ K d W Z		& / dd / E' ^
E}u]v o d Z ^ ] Ì	~ ] v Z	W μ Z ] v P ~ ] & ]
í l ð	ô U ì ì ì	^ D / ~ ó U ^ D / ~ í î U ^ , D / ~ í í U ^ D d / ~ í ì U ^ D Z d / ~ î í U ^ K W / ~ î ó
ï l ô	ó U ô ì ì	
í l î	ó U ó ì ì	
ï l ð	ó U ï ì ì	
í	æ U ï ì ì	
W μ ] v P í ì ì & E μ u ] v ~ } } v } ^ μ o } l d μ & ] ] v P o } P μ & ] ] v P ~ o μ ( } u P ] } } v } W ^ D / í ò		

d > ï r & D > EWd / ^ K d W Z			& / dd / E' ^
E } u ] v o d Z ^ ]	ï ~ ] v Z	W μ Z	] v P ~ ] & ]
í l ð	ò U ò ì ì	^ & / ~ ô U ^ & / ~ í ò U ^ & d / ~ î î U ^ & Z d / ~ î ï	
ï l ô	æ U ï ì ì		
í l î	ð U ì ì ì		
ï l ð	ð U ò ì ì		
í	ð U ð ì ì		
W μ ] v P í ì ì & E μ u ] v ~ } } v } ^ μ o } l d μ & ] ] v P o } P μ			



W P í } ( î

WZ ^ ^ hZ Z d/E' , Zd^ &KZ ^ hW Z>K< /DW Z/ > d

d > ð r EKErWK^/d/KE > ^ ID^	E}u]v o dZ ^]î ~]v Z	W µ Z
ó lí ò	ð U æ ò ô	^ ^ D / ~ î ô
í lí ò	ð U æ ò ô	
ï lí ò	ð U æ ò ô	
ó lí ô	ï U ò î ô	
í r í lí ò	ï U ò î ô	
í r æ lí ò	î U î î	

W µ ]vP í î î & E µ ]v ~ } }v } ^ µ o}l d µ &] ]vP o}P µ

d > æ r WK^/d/KE > ^ ID^ &/dd/E'^	E}u]v o dZ ^]î ~]v Z	W µ Z
ó lí ò	ð U æ ò ô	^ W , D / ~ í î U ^ W D / ~ í ð U ^ W D d / ~ î î
í lí ò	ï U ò î ô	
ï lí ò	ï U ò î ô	
í r í lí ò	î U î î	
í r æ lí ò	î U î î	
í r æ lí ò	î U î î	


W µ ]vP í î î & E µ ]v ~ } }v } ^ µ o}l d µ &] ]vP o}P µ  
&] ]vP ~ o µ ( }u P] ]}v } W  
^ W , D / ò l ô l í î l í ò

d > ò r E ~:/ ^ dZ /',d &/dd/E'^	E}u]v o dZ ^]î ~]v Z	W µ Z
ó lí ò	í î U î î	^ h / ~ î æ
í lí ò	ô U î î	
ï lí ò	ô U î î	
í r í lí ò	ó U î î	

W µ ]vP í î î & E µ ]v ~ } }v } ^ µ o}l d µ &] ]vP o}P µ

d > ó r / ^ K W Z > > > &/dd/E'^	E}u]v o dZ ^]î ~]v Z	W µ Z
í lí ò	ð U æ ò ô	^ ' / ~ l U ^ K ^ / ~ î ó
ï lí ò	ð U æ ò ô	
í lí î	î U î î	
ï lí ò	î U î î	
í	î U î î	

W µ ]vP í î î & E µ ]v ~ } }v } ^ µ o}l d µ ]vP o}P µ  
&] ]vP ~ o µ ( }u P] ]}v }  
^ ' / ð  
^ K / í î l í ò



W P î }( î

Registered No. 2019 - 2246

# NOTARIAL CERTIFICATE

**SAMSUNG LAW & NOTARY OFFICE INC.**

Belong to Ulsan District Prosecutor's Office

168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea

TEL : +82 55 372-5599





Montréal, 8 juin 2020

MME TANYA FRANCIS  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ONTARIO  
CANADA M9W6N9

Fabricant : BMT CO LTD  
35 SANMAKGONGDANNAM 11-GIL  
YANGSAN-SI GYEONGGI-DO  
KOREA 050568

Numéro de dossier : 951118

Numéro(s) de dessin (s) : SUPERLOK I-FITTINGS PER PRESSURE RATING CHARTS

**Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement**

Madame,

La Régie du bâtiment du Québec (RBQ) vous informe que votre demande d'enregistrements de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) : 0A18364.56

Nous portons à votre attention cette exigence applicable à la réglementation sur les installations sous pression et des codes et normes qui y sont associés :

- Le constructeur doit maintenir un système de contrôle de la qualité valide pour fabriquer selon ce NEC.

Le présent avis d'approbation ne dégage pas le constructeur de ses responsabilités quant à la conception ou à la construction des équipements fabriqués selon ce NEC.

Salutations distinguées,

Bureau d'expertise et d'homologation en équipements sous pression



Montréal, June 08, 2020

MRS TANYA FRANCIS  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ONTARIO  
CANADA M9W6N9

Manufacturer : BMT CO LTD  
35 SANMAKGONGDANNAM 11-GIL  
YANGSAN-SI GYEONGGI-DO  
KOREA 050568

Our reference : 951118

Design number : SUPERLOK I-FITTINGS PER PRESSURE RATING CHARTS

**Subject: Registration of designs – Confirmation of approval**

Dear Madam,

The Régie du bâtiment du Québec (RBQ) informs you that your application for the registration of designs has been evaluated and that the design was registered under the Canadian Registration Number (CRNNEC) : 0A18364.56

We bring your attention this requirement of the regulation respecting pressure installations, and the codes and standards adopted:

- The manufacturer must maintain a valid quality control program to produce according to the CRN.

This notice of approval does not relieve the constructor of his responsibilities with respect to the design or construction of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

## Statutory Declaration Registration of Fittings

## (a) Design Qualification

I, Jong Chan, Yoon  
(Name of applicant)  
President  
(Position eg. president, plant manager, chief eng.)  
of BMT Co., Ltd.  
(name of company)  
Located at 35, Sanmakgongdennam 11-gil Yangsan-Si, Gyeongsangnam-do Korea  
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Boilers & Pressure Vessels Act:

- ☒ comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required: ASME B31.3
- Or
- ☐ are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with \_\_\_\_\_ code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.

## (b) Quality control of Manufacture

I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of ASME, and has been verified by the following authority or authorized agency ISO 9001-HSB

The fittings<sup>1</sup> covered by this declaration, for which I seek registration, are H-Lok Fittings

In support of the application, the following information, calculations and/or test data are attached:  
Fitting Catalog, design drawings 191212-01-128-01 and 191212-01-128-02, previous registration documents

Declared before me at City of Yangsan

In the Gyeongsangnam-Do of Korea

The 18th day of Dec. AD 2019

Jay Woon Yeong  
(Commissioner for oaths)  
**JAY WOON YEOUNG**

J.C. Yoon  
Signature of Declarer<sup>2</sup>

## For Official Use Only

The application is accepted for registration in Category \_\_\_\_\_ in accordance with the Boilers & Pressure Vessels Act and CSA Standard B51.

This registration must be revalidated after ten (10) years from the date of acceptance.

Registered Number CRN \_\_\_\_\_

For the Chief Inspector  
Date \_\_\_\_\_



<sup>1</sup> Three completed copies of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.

<sup>2</sup> All fittings are required to be registered in the name of the Manufacturer.

<sup>3</sup> This form shall be completed and signed by the president or highest official in the manufacturing plant where the fitting is produced.



# 법무법인 삼성

동부 2019 년 제 2246 호

Registered No. 2019 - 2246

## 인 증

## Notarial Certificate

위 등록 신청서 에 기재된 축탁인  
주식회사 비엠티 대표이사 윤종찬  
의 대리인 김민지는 본 공증인의 면  
전에서 위 사서증서에 위 본인이 기  
명날인한 것임을 확인하였다.

MINJI KIM attorney-in-fact of  
JONG CHAN, YOON, President of  
BMT Co., Ltd. appeared before me  
and admitted principal's subscription to  
the attached  
the STATUTORY DECLARATION  
Registration of Fittings.

2019 년 12 월 18 일 이 사무소  
에서 위 인증한다.

This is hereby attested on this 18<sup>th</sup> day  
of DEC., 2019. at this office.

법무법인 삼성  
소속 울산지방검찰청

경남 양산시 중앙로 168. 2층

공증담당

변호사

장운영

SAMSUNG LAW & NOTARY OFFICE INC.

Belong to Ulsan District Prosecutor's Office

168, Jungang-Ro, Yangsan-City,

Gyeongsangnam-do, Korea.

Jang woon yeong

Signature of the Notary Public

JANG WOON YEOUNG

This office has been authorized by the  
Minister of Justice, the Republic of Korea to  
act as Notary Public since Feb. 7. 2015. under  
Law No. 220.



# 법무법인 삼성

Registered No. 2019 - 2246

## NOTARIAL CERTIFICATE

**SAMSUNG LAW & NOTARY OFFICE INC.**

Belong to Ulsan District Prosecutor's Office

168, Jungang-Ro, Yangsan-City, Gyeongsangnam-Do, Korea

TEL : +82 55 372-5599



**PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS**

<b>TABLE 1 - TUBE COMPRESSION FITTINGS</b>		
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10), SUTI(17), SRUTI(18), SUCI(24), SRI(26), SPWCI(29), SMPWEI(29), SSWCI(30), SSWEI(30)
3/8	6,500	
1/2	6,700	
3/4	5,800	
1	4,700	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

<b>TABLE 2 - MALE NPT &amp; ISO TAPERED FITTINGS</b>		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	SMCI(7), SMEI(12), SHMEI(11), SMBTI(19), SMRTI(21), SOPCI(27)
3/8	7,800	
1/2	7,700	
3/4	7,300	
1	5,300	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SMEI 16

<b>TABLE 3 - FEMALE NPT &amp; ISO TAPERED FITTINGS</b>		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	SFCI(8), SFEI(16), SFBTI(22), SFRTI(23)
3/8	5,300	
1/2	4,900	
3/4	4,600	
1	4,400	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page





**PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS**

<b>TABLE 4 - NON-POSITIONABLE SAE/MS FITTINGS</b>		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	SSMCI(28)
9/16	4,568	
3/4	4,568	
7/8	3,626	
1-1/16	3,626	
1-5/16	2,900	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

<b>TABLE 5 - POSITIONABLE SAE/MS FITTINGS</b>		
Nominal Thread Size (Inch)	Pressure Rating (psi)*	Fitting Type**
7/16	4,568	SPHMEI(13), SPMEI(14), SPMBTI(20)
9/16	3,626	
3/4	3,626	
1-1/16	2,900	
1-5/16	2,320	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SPHMEI 6/8/12/16

<b>TABLE 6 - AN (JIC) STRAIGHT FITTINGS</b>		
Nominal Thread Size (Inch)	Pressure Rating (psi)*	Fitting Type**
7/16	10,000	SAUI(25)
9/16	8,200	
3/4	8,200	
1-1/16	7,000	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

<b>TABLE 7 - ISO PARALLEL FITTINGS</b>		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	4,568	SGCI(9), SOSCI(27)
3/8	4,568	
1/2	2,320	
3/4	2,320	
1	2,320	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SGCI 4

SOCI 12/16



# PRESSURE RATING CHARTS FOR SUPERLOK IMPERIAL TUBE I-FITTINGS

TABLE 1 - TUBE COMPRESSION FITTINGS		
Nominal Tube Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	10,200	SUI(5), SRUI(6), SUEI(10), SUTI(17), SRUTI(18), SUCI(24), SRI(26), SPWCI(29), SMPWEI(29), SSWCI(30), SSWEI(30)
3/8	6,500	
1/2	6,700	
3/4	5,800	
1	4,700	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page

Fittings excluded from registration scope:

SSWEI 16

TABLE 2 - MALE NPT & ISO TAPERED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	8,000	SMCI(7), SMEI(12), SHMEI(11), SMBTI(19), SMRTI(21), SOPCI(27)
3/8	7,800	
1/2	7,700	
3/4	7,300	
1	5,300	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page


Fittings excluded from registration scope:

SMEI 16

TABLE 3 - FEMALE NPT & ISO TAPERED FITTINGS		
Nominal Thread Size (inch)	Pressure Rating (psi)*	Fitting Type**
1/4	6,600	SFCI(8), SFEI(16), SFBTI(22), SFRTI(23)
3/8	5,300	
1/2	4,900	
3/4	4,600	
1	4,400	

\*Pressure rating at 100F

\*\*Number in ( ) corresponds to Superlok Tube Fittings catalogue page





# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: BMT Co., Ltd.	
Manufacturers Address: 35, Sanmakgongdennam 11-gil Yangsan-Si, Gyeongsangnam-do Korea	
Plant Locations: 35, Sanmakgongdennam 11-gil Yangsan-Si, Gyeongsangnam-do Korea	
<b>Category of Fittings to be registered. Circle one Category only</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  ASME B31.3
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>  	<b>Type of Construction</b> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other: Machined
<b>List of supporting documentation and identification of the actual items to be registered:</b> Fitting Catalog, design drawings 191212-01-126-01 and 191212-01-126-02, previous registration documents 	

**Declaration:**

I Jong Chan, Yoon (see note 3) employed by BMT Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001+988 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: J. C. Yoon  
 Declared before me at SAMSUNG LAW & NOTARY OFFICE INC.  
 This 18<sup>th</sup> day of Dec. AD 2019  
 Commissioner of Oaths  
 Or Notary Public: (sign) Jang Woon Yeong



This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A18364.5 Add1

FID#: 15311


Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Addition to include the Superlok I-Fitting (I-Lok) series.  
 11/2016 Identical body & ferrule to prev. reg.

CRN expires April 4, 2026 - DG

GOVERNMENT OF YUKON

BY 

CRN 0A18364.5Y ADD1

DATE 06/10/2020

BOILERS BRANCH

Sect 1.0 - Fittings Reg 2