



Installation instructions for A-Frame Glass Rack

MyGlassTruck.com

1-844-364-4022

Thank You for Choosing MyGlassTruck.com North America's Glass Rack Leader

This document's purpose is to provide a qualified installer with the steps necessary to perform a safe and correct installation.

Before beginning installation read this guide and all other instructions provided by MyGlassTruck.com, third party component providers and vehicle providers to ensure you are familiar with the installation procedure, rack and vehicle.

If you have questions, please call MyGlassTruck.com at 1-844-364-4022. Our qualified personnel will gladly provide answers.



CAUTION

Demountable Concepts, Inc., parent company of MyGlassTruck.com, has provided within this document detailed installation instructions for the installer of the A Frame Glass Rack provided by MyGlassTruck.com. Failure to follow these instructions or failure to follow safe shop and workplace practices could result in injury or death of the installer or end user of this equipment. PLEASE read this instruction manual thoroughly before beginning the installation process. If you do not understand any step or procedure that is outlined in the manual, immediately call the Demountable Concepts, Inc. engineering department at 1-844-364-4022. Hours of operation are 8 am to 5 pm EST, Monday through Friday. DO NOT PROCEED WITH ANY INSTALLATION PROCEDURE IF YOU ARE NOT CERTAIN OF ITS CONTENT, INTENTION AND DESCRIPTION.



IMPORTANT

When installed, this glass rack and any other components must not alter or prevent vehicle compliance to existing state or federal standards. The finished rack and vehicle should comply with all vehicle manufacturer guidelines.

DO THIS BEFORE YOU START



Before beginning installation, please review this manual and locate each hardware bag and component of your rack. If anything is missing or you have questions please call 1-844-364-4022. We will be happy to assist you.

BECOME FAMILIAR WITH YOUR A-FRAME GLASS RACK**Supplied Hardware****Product.**

2 Glass Racks
3 Top Gussets
3 Bottom Gussets
3/8" Hardware
Adjust-A-Poles

Before beginning installation, locate each hardware bag and component of your rack. If anything is missing or you have questions please call 1-844-364-4022.

STEP 1: ASSEMBLE YOUR A-FRAME GLASS RACK

- Assemble the A-Frame glass rack by securing the two glass racks together with the top and bottom gussets, using the supplied 3/8" hardware.

STEP 2: PLANNING YOUR A-FRAME RACK INSTALLATION

- Verify where the rack is to be placed in the pickup, taking into account all equipment being installed, the size of the rack, and the most convenient floor mounting points. Verify that the truck's tailgate will close.
- Mark floor mounting locations. Verify that mounting locations will not puncture the fuel tank or fuel lines, brake lines, and wiring harness.



Check for clearance around wheel wells, tire jack, fuel tank, fuel filler, brake lines, and wiring harness.

STEP 3: INSTALL YOUR A-FRAME GLASS RACK

- Drill through the marked mounting locations and secure the rack using the supplied 3/8" hardware

STEP 1: POLE HARDWARE, CLEATS AND COMPONENTS

Slide the head of a stainless steel bolt down the pole's channel. Assemble hardware and cleat as shown. Slide three cleats onto one side of the pole and two onto the other side.

Nylock nut
(tighten flush to bolt top)

Wing nut

Stainless steel flat
washer


Cleat

Black nylon glide
washer (between
cleat and shaft)

Small nylon
washer (inside
channel with bolt)


Bolt (head slides
inside channel)

Shaft of glass
pole with
channels



Assembly
Top View

Small washer and
head of bolt slide
inside of channel

Glass Pole Parts

- A. Pole Top Section
- B. Top Slots - Along top of rack header rail
- C. Rubber Padding
- D. Pole
- E. Cleat
- F. Glass
- G. Wing-Nut
- H. Pole Bottom Section
- I. Bottom Pad
- J. Glass Rack Ledge
- K. Bottom Slots